CLINICA CHIMICA ACTA

CUMULATIVE AUTHOR AND SUBJECT INDEX

Vols. 50–57 (1974)

CLINICA CHIMICA ACTA

INTERNATIONAL JOURNAL OF CLINICAL CHEMISTRY

Sponsored by the following National Societies:

Association of Clinical Biochemists, *Great Britain*
Belgische Vereniging voor Klinische Chemie, Société belge de chimie clinique, *Belgium*
Nederlandse Vereniging voor Klinische Chemie, *The Netherlands*
Deutsche Gesellschaft für Klinische Chemie, *Germany*
Société française de biologie clinique, *France*
Société suisse de chimie clinique, Schweizerische Vereinigung für klinische Chemie, *Switzerland*

Editor-in-chief:
S. C. Frazer, Aberdeen

Editors:
for the Americas – M. Rubin, Washington, D.C.
for the British Commonwealth – R. Gaddie, Cupar, Fife
for all other territories, including Europe – E. J. van Kampen, Groningen

Editorial Secretary:
Th. Strengers, P.O. Box 4073, Amsterdam, The Netherlands

CUMULATIVE AUTHOR AND SUBJECT INDEX
Vols. 50-57

ELSEVIER SCIENTIFIC PUBLISHING COMPANY
AMSTERDAM

© Elsevier Scientific Publishing Company, 1975

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical photocopying, recording, or otherwise, without permission in writing from the publisher.

A

Abeling, N.G.G.M., Wadman, S.K., Van Gennip, A.H.
Two-dimensional electrophoresis of urinary mucopolysaccharides on cellulose acetate after N-cetyl-pyridiniumchloride precipitation, a method suitable for the routine laboratory (56) 297

Abraham, R., see Kaplan, H-G. (51) 113

Accary, J.P., see Vatier, J. (51) 119

Adams-Park, H.R., see Fritsche, Jr, H.A. (52) 81

Adessi, G., Eichenberger, D., Nhuan, T.Q., Jayle, M.F.
Détermination par chromatographie en phase gazeuse des sept principaux oestrogènes urinaires eliminés en fin de grossesse (Determination by gas chromatography of the seven principal urinary oestrogens at the end of gestation) (55) 323

Afonso, E.
Laurell's two-dimensional immuno-electrophoresis: Improved technique (54) 123

Agostini, B., see Fellin, R. (54) 325

Alcindor, L.G., Bereziat, G., Vielh, J.P., Gautray, J.P.
Le rapport de concentration acide palmitique sur acide stéarique, indicateur de la maturité pulmonaire foetale (The palmitic acid/stearic acid ratio, indicator of fetal pulmonary maturation) (50) 31

Alexiev, A., see Bontchev, P.R. (57) 37

Alhadeff, J.A., Miller, A.L., Wenger, D.A., O'Brien, J.S.
Electrophoretic forms of human liver α-L-fucosidase and their relationship to fucosidosis (mucopolysaccharidosis F) (57) 307

Allain, P., see Premel-Cabic, A. (56) 5

Alper, C.A., see Dickson, I. (54) 381

Al-Sarraf, M., see Kithier, K. (52) 293

al-Tamer, Y., see Hinton, R.H. (53) 355

Ambler, P.K., Singh, B.N., Lever, M.
A simple and rapid fluorometric method for the estimation of 1-(2-hydroxy-3-isopropylaminopropoxy)naphthalene hydrochloride, propranolol, in blood (54) 373

Amerijckx, J.P., see Malmendier, C.L. (56) 13

Anasuya, A., Narasinga Rao, B.S.
Hydroxyproline peptides of urine in fluorosis (56) 121

Anderson, C.M., see McEvoy, F.A. (54) 195

Anderson, W.N., Broughton, P.M.G., Dawson, J.B., Fisher, G.W.
An evaluation of some atomic absorption systems for the determination of lead in blood (50) 129

Andersson, B., Hovmöller, S., Karlsson, C.G., Svensson, S.
Analysis of urinary catecholamines: an improved auto-analyzer fluorescence method (51) 13

André, C., see André, F. (56) 255

André, F., Bouhours, D., André, C., Descos, F., Lambert, R.
The carbohydrate and ester sulfate content of mucosal biopsies in health and in patients with duodenal ulcer (56) 255

Andrew, K.R., see Walker, W.H.C. (57) 181

Anker, N., Mondrup, M.
Carbonic anhydrase isoenzyme B in erythrocytes of subjects with thyroid disorders (54) 277

Anker, N., see Christensen, F. (57) 23

Anker, N., see Mondrup, M. (51) 127

Antcliff, A.C., see Moscrop, K.H. (56) 265

Araki, E., see Okazaki, N. (53) 11

Arnold, H., Blume, K.G., Löhr, G.W., Boulard, M., Najean, Y.
"Acquired" red cell enzyme defects in haematological diseases (57) 187

Astakhova, T.A., see Privalenko, M.N. (57) 11

Ataur Rahman, M., see Khalid, Q. (53) 163

Attwood, E.C., Robey, E.D., Ross, J., Bradley, F., Kramer, J.J.
Determination of platelet and leucocyte vitamin C and the levels found in normal subjects (54) 95

Attwood, E.C., see Webster, D. (53) 101

Auer, B., see Haberfellner, H. (54) 5

Auvinen, S., see Konttinen, A. (52) 245

Aw, S.E.
The radiometric assay of α-amylase activity (56) 291

B

Baars, J.D., see Harst, P. v.d. (50) 439
Bachard, G., see Barthelemy, J.P. (50) 257
Bachard, G., see Brière, J. (50) 265
Bäcker, A., see Kramer, H.J. (50) 13
Badinand, A., see Vallon, J.J. (57) 1
Baerlocher, K., see Niederwieser, A. (54) 293
Baglin, M.C., see Lamy, J. (56) 169
Baillod, R.A., see Wills, M.R. (57) 83
Bain, A.D., see Butterworth, J. (53) 239
Bain, A.D., see Sutherland, G.R. (52) 211
Baines, M., Jarvis, A., Nisbet, J.A.
Adaptation of SMA 12/60 methodology on the analysis of urine (53) 331
Bakker, H.D., De Bree, P.K., Ketting, D., Van Sprang, F.J., Wadman, S.K.
Fructose-1,6-diphosphates deficiency: Another enzyme defect which can present itself with the clinical features of "tyrosinosis" (55) 41
Bakker, H.D., Van der Heiden, C., Wadman, S.K.
Time course of gamma-glutamyl transpeptidase in the serum of low birth-weight infants (50) 281
Balachandran, R., see Sanghvi, A. (56) 49
Balakrishnan, S., see Lie-Injo, L.E. (50) 77
Balant, L., Mulli, J.-C., Fabre, J.
Urinary protein analysis with sodium dodecylsulfate polyacrylamide gel electrophoresis. A comparison with other analytical techniques (54) 27
Bando, K., see Irie, A. (51) 241
Bank, H., see Lewin, L.M. (54) 377
Banks, W.L., see Brandt, R. (51) 103
Bansard-Desmidt, N.
Mise en évidence de deux variantes érythrocytaires de la glucose-6-phosphate déshydrogénase chez un homme présentant un déficit enzymatique partiel (Evidence for two variants of glucose-6-phosphate dehydrogenase in red blood cells from a man with a partial enzyme defect) (56) 207
Barthelemy, J.P., Bachard, G., Fiet, J., Brière, J., Dreux, C.
Intérêt de la détermination de l'activité muramidasique sérique et urinaire dans les syndromes myeloprolifératifs chroniques, subaigus et les myelobastoses partielles. I. Mise au point d'une technique par cinétique semi-automatique (Usefulness of the determination of serum and urinary muramidase activity in chronic and sub-acute myeloproliferative syndromes and in leukemia with a low percentage of myeloblasts. I. Semi-automatic kinetic method (50) 257
Barthelemy, J.P., see Brière, J. (50) 265
Bartík, M., Chavko, M., Kasafírek, E.
N^{α}-Tosyl-L-arginine-p-nitroanilide as substrate in color test and polarographic test of trypsin (56) 23
Bartlett, K., see Gompertz, D. (57) 269
Bartolini, V., see Malvano, R. (50) 161
Baty, J.D., see Johnstone, R.A.W. (52) 137
Baum, C.K., Tudor, R., Landon, J.
A simple competitive protein assay for plasma cortisol (55) 147
Baumann, P., Duruz, E., Heimann, H.
Determination of free and bound plasma tryptophan by ultrafiltration (51) 35
Becker, W., see Sieber, A. (50) 153
Begue, R.J., see Desgres, J. (52) 381
Belamaric, J., see Kithier, K. (52) 293
Bellet, H., Raynaud, A.
An assay of bilirubin UDPglucuronyl transferase on needle-biopsies applied to Gilbert's syndrome (53) 51
Beng, C.G., Rasanayagam, L.J., Lim, K.L., Lau, K.S.
Solubility and absorption spectra of complexes resulting from interaction among human albumin, bromcresol green and detergents (52) 257
Bennett, M.J., see Roginsky, M.S. (56) 261
Beratis, N.G., see Turner, B.M. (57) 29
Berenson, G.S., Pargaonkar, P.S., Srinivasan, S.R., Dalferes, Jr, E.R., Radhakrishnamurthy, B.

Studies of serum lipoprotein concentrations in children: A preliminary report (56) 65
Bereziat, G., see Alcindor, L.G. (50) 31
Berman, E.R., Kohn, G., Yatziv, S., Stein, H.
Acid hydrolase deficiencies and abnormal glycoproteins in mucolipidosis III (pseudo-Hurler polydystrophy) (52) 115
Berne, B.H., see McBean, L.D. (50) 43
Berra, B., Di Palma, S., Brunngraber, E.G.
Altered levels of tissue gangliosides and glycoproteins in the infantile form of GM1-gangliosidosis (57) 301
Bertrand, F., see Picard, J. (51) 5
Biber, M.Z., Rhodes, C.T.
Modification of Trinder's method for the assay of salicylates in biological fluids (54) 135
Bichon, C., see Vallon, J.J. (57) 1
Bickle, S., see Chalmers, R.A. (52) 31
Bidon, G., see Poortmans, J.R. (55) 205
Bignell, A.H.C., see Webster, D. (53) 101
Billings, J., see Gray, S.P. (57) 163
Biswas, S.
Studies on follicle-stimulating hormone in serum and urine during pregnancy (53) 57
Biswas, S., Hindocha, P.
Serum alkaline ribonuclease activity during pregnancy (51) 285
Bivens, C.E., see Feldman, J.M. (51) 75
Björkhem, I., Blomstrand, R., Lantto, O., Löf, A., Svensson, L.
Plasma cortisol determination by mass fragmentography (56) 241
Björkhem, I., Blomstrand, R., Svensson, L.
Serum cholesterol determination by mass fragmentography (54) 185
Blacklock, N.J., see Gray, S.P. (57) 163
Blanický, P., see Jirka, M. (56) 31
Blaton, V., see Van Melsen, A. (55) 225
Blincoe, C.
The simultaneous separation and washing of erythrocytes (57) 297
Blomhoff, J.P., see Gjone, E. (54) 11
Blomhoff, J.P., Skrede, S., Ritland, S.
Lecithin:cholesterol acyltransferase and plasma proteins in liver disease (53) 197
Blomstrand, R., see Björkhem, I. (54) 185
Blomstrand, R., see Björkhem, I. (56) 241
Blondheim, S.H., see Kapitulnik, J. (57) 231
Blume, K.G., see Arnold, H. (57) 187
Böhmer, T., Rydning, A., Solberg, H.E.
Carnitine levels in human serum in health and disease (57) 55
Bohuon, C., Duprey, F., Boudene, C.
Radioimmunoassay of methotrexate in biological fluids (57) 263
Bonfils, S., see Vatier, J. (51) 119
Bonham Carter, S.M., Youdim, M.B.H., Sandler, M., Hunter, K., Stern, G.M.
Enhanced tyramine conjugation in Parkinson's disease (51) 327
Bontchev, P.R., Raykowa, D., Alexiev, A., Yankova, D.
A rapid and sensitive catalytic method for determination of iron in blood serum (57) 37
Booth, E., Crofton, P., Roberts, L.B.
The influence of standards on inter-laboratory quality control programs (55) 367
Borst, A., De Jong, E.B.M., Weijden, A.H.
A bichromatic colorimeter for automatic turbidity correction in continuous flow analysis using only one flow cuvet (55) 113
Borst, A., Hanssen, C.J.M., De Jong, E.B.M.
Determination of conjugated and total bilirubin with automatic blank subtraction by means of a two-wavelength method (55) 121
Bos, G., see Van Eijk, H.G. (50) 275
Bos, G., see Van Eijk, H.G. (53) 35
Boudene, C., see Bohuon, C. (57) 263
Bouhours, D., see André, F. (56) 255
Bouige, D., see Coudon, B. (55) 129
Boulard, M., see Arnold, H. (57) 187
Boura, M., see Galteau, M.M. (55) 353
Bousquet, B., see Stachow, A. (50) 329
Bradley, F., see Attwood, E.C. (54) 95
Brandt, K.D.
The effect of synovial hyaluronate on the ingestion of monosodium urate crystals by leukocytes (55) 307
Brandt, K.D., Skinner, M., Cohen, A.S.
Characterization of the mucopolysaccharides associated with fractions of guanidine-denatured amyloid fibrils (55) 295
Brandt, K.-H., see van Berge Henegouwen, G.P. (54) 249
Brandt, R., Guyer, K.E., Banks, W.L.
A simple method to prevent vitamin C interference with urinary glucose determinations (51) 103

Branegård, B., Österberg, R.
An equilibrium model for the calcium ion reactions of blood plasma (54) 55
Brasche, M., see Fuchs, Chr. (52) 71
Braunsberg, H., see Moscrop, K.H. (56) 265
Brendel, S., Mulder, J., Verhaar, M.A.T.
Detection of IgM heterogeneity dependent on the support medium of immunoelectrophoresis (53) 29
Brendel, S., Mulder, J., Verhaar, M.A.T.
Heterogeneity of monoclonal immunoglobulin-G proteins studied by isoelectric focusing (54) 243
Brendel, S., Mulder, J., Verhaar, M.A.T.
Multiple precipitation in IgA radial immunodiffusion by non-identical antigens (55) 103
Brière, J., Barthelemy, J.P., Bachard, G., Fiet, J.
Intérêt de la détermination de l'activité muramidasique sérique et urinaire dans les syndromes myeloprolifératifs chroniques, subaigus et les myeloblastoses partielles. II. Application à divers cas pathologiques (Usefulness of the determination of serum and urinary muramidase activity in chronic and sub-acute myeloproliferative syndromes and in leukemia with a low percentage of myeloblasts. II. Application to various pathological cases (50) 265
Brière, J., see Barthelemy, J.P. (50) 257
Briggs, M.H., see Cheung, T. (54) 127
Broadhead, D.M., see Butterworth, J. (53) 239
Broadhead, D.M., see Sutherland, G.R. (52) 211
Brock, D.J.H.
The molecular nature of alpha-fetoprotein in anencephaly and spina bifida (57) 315
Broekhuyse, R.M.
Improved lipid extraction of erythrocytes (51) 341
Broekhuyse, R.M.
Long-term storage of erythrocytes for quantitative analyses of lipids (52) 53
Brombacher, P.J., Gijzen, A.H.J., Soons, M.P.J.
Preparation of a stable complex of intrinsic factor with sepharose. A rapid and simple procedure (52) 311
Brooks, G.J., see Robson, J.R.K. (55) 255
Brouet-Yager, M., Kleiner, H., van Bogaert, E., Graff, G.L.A.
L-Cystinyl-di-β-naphthylamide hydrolase ("Oxytocinase") in human colostrum and early milk plasma. Separation of two isoenzymes by acrylamide gel electrophoresis (54) 387
Broughton, P.M.G., see Anderson, W.N. (50) 129
Brunngraber, E.G., see Berra, B. (57) 301
Bulfield, G., Moore, E.A.
Semi-automated assays for enzymopathies of carbohydrate metabolism in liver and erythrocytes, using a reaction rate analyser (53) 265
Bungert, H.J., see Leonhardt, H. (50) 381
Bunnell, M.J., see Rinderknecht, H. (54) 145
Burgard, U.G., see Kramer, H.J. (55) 57
Burmeister, L.F., see Simpson, J. (52) 219
Burnett, D., see Moscrop, K.H. (56) 265
Burrows-Peakin, R., see Chapman, L. (51) 335
Burstein, Y., see Tamir, I. (56) 113
Butler, S.S., see Feldman, J.M. (51) 75
Butterworth, J.
Properties of microsomal glycoprotein galactosyltransferase of cultured human fibroblasts in relation to cystic fibrosis (56) 159
Butterworth, J., Sutherland, G.R., Broadhead, D.M., Bain, A.D.
Effect of serum concentration, type of culture medium and pH on the lysosomal enzyme activity of cultured human amniotic fluid cells (53) 239
Butterworth, J., see Sutherland, G.R. (52) 211
Byrne, P.A., see Caddell, J.L. (50) 9

C

Caddell, J.L., Erickson, M.M., Byrne, P.A.
Interference from citrate using the Titan yellow method and two fluorometric methods for magnesium determination in plasma (50) 9

Caen, J.P., see Chivot, J.J.E. (53) 69

Cahour, A., Lebbe, J., Hartmann, L.
Méthode de référence par chromatographie gaz—liquide pour le dosage de la glycémie (Reference method for the estimation of glycaemia by gas—liquid chromatography) (55) 139

Cailleux, A., see Premel-Cabic, A. (56) 5

Cameron, J.D.
The gas chromatographic determination of plasma concentrations of some local anaesthetics using a nitrogen detector (56) 307

Carter, P.
Spectrophotometric submicrogram serum zinc assay: An application for the routine service laboratory (52) 277

Cartigny, B., see Dhondt, J.L. (50) 297

Carton, D., see Dacremont, G. (52) 365

Castro, G., see Guisard, D. (53) 79

Catty, D., see Murphy, G.M. (54) 81

Cederblad, G., Lindstedt, S., Lundholm, K.
Concentration of carnitine in human muscle tissue (53) 311

Čejka, J., see Kithier, K. (52) 293

Cerná, M., see Jirka, M. (56) 31

Cerny, F.J., see Haralambie, G. (55) 217

Cetto, G., see Vettore, L. (55) 345

Chalmers, R.A., Bickle, S., Watts, R.W.E.
A method for the determination of volatile organic acids in aqueous solutions and urine, and the results obtained in propionic acidaemia, β-methyl-crotonylglycinuria and methylmalonic aciduria (52) 31

Chalmers, R.A., Lawson, A.M., Watts, R.W.E.
Studies on the urinary acidic metabolites excreted by patients with β-methyl-crotonylglycinuria, propionic acidaemia and methylmalonic acidaemia, using gas—liquid chromatography and mass spectrometry (52) 43

Chalmers, R.A., Watts, R.W.E.
Quantitative studies on the urinary excretion of unconjugated aromatic acids in phenylketonuria (55) 281

Chambers, R.E.
Digoxin radioimmunoassay: Improved precision with iodinated tracer (57) 191

Chan, W.Y., see Ho, W.K.K. (57) 149

Chapman, B.A., see Feldman, J.M. (51) 75

Chapman, L., Burrows-Peakin, R., Rege, V.P., Silk, E.
Comparison of L-cystine-di-β-naphthylamide and S-benzyl-L-cysteine-4-p-nitroanilide as substrates for the assay of serum cystine aminopeptidase in pregnancy (51) 335

Charpentier, C., see Gompertz, D. (57) 269

Charpentier, Chr., see Johnstone, R.A.W. (52) 137

Chavko, M., see Bartík, M. (56) 23

Cheung, T., Briggs, M.H.
Pyridoxal phosphate and the measurement of aminotransferase activity (54) 127

Chevins, R., Launay, J.-M., Julien, R., Dreux, C.
Analyse des stéroïdes hormonaux par chromatographie gaz—liquide. 17-Oxostéroïdes, prégnanediol et prégnanetriol urinaires (Analysis of steroid hormones by gas—liquid chromatography. 17-Ketosteroids, pregnanediol and pregnanetriol in the urine) (55) 333

Chivot, J.J.E., Leibrandt, M.J., Rouvroy, H.L., Simeon, J., Caen, J.P.
The separation and evaluation of puric bases and their nucleosides and nucleotides by thin-layer chromatography (53) 69

Chlouverakis, C., Hojnicki, D.
A modified radiochemical assay for serum free fatty acid determination (54) 91

Christee, R., see Simpson, J. (52) 219

Christensen, F., Anker, N., Mondrup, M.
Blood in faeces. A comparison of the sensitivity and reproducibility of five chemical methods (57) 23

Christophe, J., see Vandermeers, A. (52) 271
Chudwin, D.S., Rucknagel, D.L. Immunological quantification of hemoglobins F and A_2 (50) 413
Ciuffini, G., see Lato, M. (53) 273
Cividalli, G., see Kapitulnik, J. (57) 231
Clark, C., see Wenger, D.A. (56) 199
Clausen, J., see Verder, H. (51) 257
Clausen, J., see Verder, H. (51) 271
Cleary, J., Saunders, R.A. A simplified procedure for the measurement of total hydroxyproline in urine (57) 217
Cocquyt, G., see Dacremont, G. (52) 365
Coenegracht, J.M., Houben, H.G.J. Idiopathic hypomagnesemia with hypocalcemia in an adult (50) 349
Coenegracht, J., see Postmes, Th.J. (50) 189
Cohen, A.S., see Brandt, K.D. (55) 295
Cohn, E.V., see Duffy, M.J. (50) 97
Colombo, J.P., Peheim, E., Kyburz, S., Hoffmann, J.P. A new accelerator for the determination of total bilirubin in plasma (51) 217
Cooke, K.B., see Maclagan, N.F. (53) 339
Cooper, W., see Moore, J.W. (56) 215
Coryell, M.E., see Roesel, R.A. (52) 343
Coudon, B., Bouige, D., Giraudet, P. Automatisation intégrale du dosage des triglycérides sériques en flux continu (Fully automated continuous flow system for determination of serum triglycerides) (55) 129
Court, J.M., see Dunlop, M. (52) 353
Craig, L., see Murphy, J.V. (51) 67
Crawhall, J.C., see Dosman, J. (51) 93
Crawhall, J.C., see Gibbs, B.F. (54) 395
Crépy, O.C., see Goertz, G.R. (51) 277
Crofton, P., see Booth, E. (55) 367
Crook, D., see Misra, D.P. (56) 83
Crowley, M.F., Garbien, K.J.T. Insulin: A comparison of the results of plasma and serum assays using a double-antibody technique (51) 345
Cunningham, A.C., see Nicholas, P. (51) 331
Cuschieri, A., see Worthington, K.J. (52) 129
Cutler, R., see Rosenberg, D. (53) 247

D

DaCosta Maia, J.C., Pudles, J., Raw, I., Schmidt, B.J.
Isolation of a new urine metabolite excreted in generalized congenital analgesia (54) 225

Dacremont, G., Kint, J.A., Carton, D., Cocquyt, G.
Glucosylceramide in plasma of patients with Niemann—Pick disease (52) 365

Dalferes, Jr, E.R., see Berenson, G.S. (56) 65

Dangerfield, W.G., see Mead, M.G. (51) 173

Daniel, J.Y., Mion, H., Soulas, D.
Radioimmunoassay of plasma aldosterone by chromatography on Sephadex LH 20 (55) 235

Davies, D.R., see Merry, A.H. (56) 249

Davies, J.W.L., Fell, G.S.
Tissue catabolism in patients with burns (51) 83

Davies, R.J., see McEvoy, F.A. (54) 195

Davis, M., see Simmons, C.J. (51) 47

Dawson, J.B., see Anderson, W.N. (50) 129

Dawson, J.B., see Hartley, T.F. (52) 321

Dean, F.D.
Comparison of the micronephelometric and enzymatic methods for the determination of serum triglycerides (50) 367

De Bastiani, G., see Lechi, C. (57) 171

De Bree, P.K., see Bakker, H.D. (55) 41

De Bruijn, D.
A quantitative barbiturate determination in urine and serum (53) 385

Debry, G., see Guisard, D. (53) 79

Deegan, T., see Turton, M.B. (55) 389

Defrise-Gussenhoven, E., see Smeyers-Verbeke, J. (51) 309

Degand, P., Roussel, P., Lamblin, G.
Définition des mucines synthétisées au niveau de kystes bronchogéniques (Classification of the mucins produced by bronchogenic cysts) (50) 223

De Greve, Y., see Van Melsen, A. (55) 225

De Jong, E.B.M., see Borst, A. (55) 113

De Jong, E.B.M., see Borst, A. (55) 121

Dekirmenjian, H., Maas, J.
3-Methoxy-4-hydroxyphenethylene glycol in plasma (52) 203

Delvin, E., Pottier, A., Scriver, C.R., Gold, R.J.M.
The application of an automated hexosaminidase assay to genetic screening (53) 135

De Matteis, M.C., see Vettore, L. (55) 345

Den Boer, N.C., Mantel, P.A. Leijnse, B.
A simple automated method for the determination of bicarbonate in plasma or serum (55) 87

Descos, F., see André, F. (56) 255

Descos, L., see Vallon, J.J. (57) 1

Desgres, J., Begue, R.J., Padieu, P.
Analyse qualitative et quantitative des 17-oxostéroïdes et des 20-hydroxy-21-desoxystéroïdes urinaires par chromatographie gaz—liquide et par spectrométrie de masse (Erratum for Clin. Chim. Acta, 46 (1973) 277) (52) 381

Desjardins, L., see Kelly, S. (51) 157

Desser, H., Höcker, P.
L-Glutaminase activity in lymphocytes of patients with chronic lymphatic leukemia (53) 191

De Vries, A., see Weinberger, A. (50) 5

De Vries, J.A., see Van de Wiel, D.F.M. (55) 155

Dhondt, J.L., Cartigny, B., Farriaux, J.P.
Etude des dérivés imidazoles urinaires par chromatographie sur couche-mince (Study of urinary imidazole derivatives by thin-layer chromatography) (50) 297

Dickie, R.J., see Horn, D.B. (54) 205

Dickson, I., Alper, C.A.
Changes in serum proteinase inhibitor levels following bone surgery (54) 381

Dietrich, C.P., see Nader, H.B. (50) 245

Dingell, J.V., see Manier, D.H. (57) 225

Di Palma, S., see Berra, B. (57) 301

Di Siena, F., see Vacca, G. (50) 289

Dobosz, I.
The influence of the dilution effect on serum creatine phosphokinase activity in neuromuscular diseases (50) 301

Doi, K., see Ogihara, T. (52) 287

Donabedian, R.K., see Malkus, H. (51) 191

Doorenbos, H., see Pratt, J.J. (50) 137

Dordoni, B., see Simmons, C.J. (51) 47
Dormandy, T.L., see McMurray, W. (52) 105
Dosman, J., Crawhall, J.C., Klassen, G.A., Mamer, O.A., Neumann, P.
Urinary excretion of C6—C10 dicarboxylic acids in glycogen storage disease types I and III (51) 93
Draffan, G.H., see Gompertz, D. (57) 269
Dreux, C., see Barthelemy, J.P. (50) 257
Dreux, C., see Chevins, R. (55) 333
Dreux, C., see Stachow, A. (50) 329
Dreyfus, J.C., see Proux, D. (57) 211
Dromgoole, S.H.
The effect of uremia and kidney transplantation on the binding capacity of albumin (52) 301
Dubrasquet, M., see Vatier, J. (51) 119
Duffield, A.M., see Pereira, W.E. (51) 109
Duffy, M.J., Cohn, E.V., Schwarz, V.
Ca^{2+} uptake and binding by isolated erythrocyte membranes from cystic fibrosis and control subjects (50) 97
Duignan, N.M., see Rudd, B.T. (55) 165
Dumas, M.L., see Tweksbury, D.A. (55) 383
Dunlop, M., Court, J.M.
The measurement of total plasma insulin and insulin antibody levels in diabetic children (52) 353
Duprey, F., see Bohuon, C. (57) 263
Duruz, E., see Baumann, P. (51) 35

E

Ebinger, G., see Smeyers-Verbeke, J. (51) 309
Edkins, S.M., see Murphy, G.M. (54) 81
Edqvist, L.-E., see Lindberg, P. (53) 169
Eichenberger, D., see Adessi, G. (55) 323
Einarsson, K., Hellström, K., Kallner, M.
Randomly tritium-labelled chenodeoxycholic acid as tracer in the determination of bile acid turnover in man (56) 235
Eldjarn, L., see Solem, E. (50) 393
El-Yousef, M.K., see Manier, D.H. (57) 225
Endo, M., Yamamoto, R., Yosizawa, Z., Sasai, Y., Saito, N.
Urinary chondroitin of epidermolysis bullosa dystrophica et albo-papuloidea (Pasini) (57) 249
Endo, M., see Maeta, T. (57) 255
Engeling, E.R., see Rinderknecht, H. (54) 145
Erickson, M.M., see Caddell, J.L. (50) 9
Evans, D.A.P., see Eze, L.C. (56) 91
Eze, L.C., Evans, D.A.P.
Electrophoretic polymorphism of adenylate kinase in human jejunum (56) 91

F

Fabre, J., see Balant, L. (54) 27
Fairney, A., see Wills, M.R. (57) 83
Falezza, G., see Vettore, L. (55) 345
Falkenberg, F.W., see Scherberich, J.E. (55) 179
Faradji, B., Vessal, M., Ghalambor, M.A.
Partial purification and properties of ovine liver hydatid cyst fluid and healthy ovine liver phosphoglucose isomerases (53) 299
Farriaux, J.P., see Dhondt, J.L. (50) 297
Feldman, J.M., Butler, S.S., Chapman, B.A., Bivens, C.E.
Catecholamine metabolism in the carcinoid syndrome (51) 75
Fell, G.S., see Davies, J.W.L. (51) 83
Fellin, R., Agostini, B., Rost, W., Seidel, D.
Isolation and analysis of human plasma lipoproteins accumulating postprandial in an intermediate density fraction (d 1.006—1.019 g/ml) (54) 325
Feltkamp, H., Patt, V., Zilliken, F.
Aktivitätsmessung der erythrozytären Glutamat-Oxalacetat Transaminase unter der Einnahme von hormonalen Kontrazeptiva und Pyridoxin beim Menschen (Activity measurement of erythrocyte glutamic-oxaloacetic transaminase in women taking oral contraceptives and pyridoxine (53) 305
Fenner, H.E., see Rice, E.W. (53) 391
Ferard, G., Klumpp, Th., Sall, I.
Spécificité de la réaction à l'ortho-toluidine en milieu faiblement acide. Son application à la détermination des activités saccharasique et trehalasique (Specificity of the reaction of o-toluidine in weakly acid medium. Its application to the determination of sucrase and trehalase) (50) 207
Ferrant, J.P., see Lamy, J. (56) 169
Ferreria, P., Price, C.P.
A comparison of bromcresol green and immunoprecipitation methods for the determination of serum albumin (55) 259
Fidge, N.H.
A review of methods and metabolic studies, associated with the radio-iodination of lipoproteins (52) 5
Fidge, N.H., Poulis, P.
Studies on the radioiodination of very low density lipoprotein obtained from different mammalian species (52) 15
Fiet, J., see Barthelemy, J.P. (50) 257
Fiet, J., see Brière, J. (50) 265
Filipek-Wender, H., see Wender, M. (54) 269
Fisher, G.W., see Anderson, W.N. (50) 129
Fisher, R.A., see Turner, B.M. (50) 85
Fleetwood, J.A., see Watson, M.J. (57) 135
Fleming, L.W., Stewart, W.K., Hutchinson, F.
Incubation conditions during the radio-immunoassay of plasma renin activity (50) 215
Flynn, F.V., Piper, K.A.J., Garcia-Webb, P., McPherson, K., Healy, M.J.R.
The frequency distributions of commonly determined blood constituents in healthy blood donors (52) 163
Frankenfeld, J.K., see Valentine, W.N. (51) 205
Friedrich, E., Sieckmann, L., Schindler, A.E.
Identification and quantitation of 16α-hydroxyprogesterone in human amniotic fluid (56) 127
Friman, C., Juvani, M., Johansson, E.
Transiently increased urinary excretion of low-sulphated heparan sulphate in psoriatic erythroderma associated with benign gammopathy (57) 103
Fritsche, Jr, H.A., Adams-Park, H.R.
High molecular weight isoenzymes of alkaline phosphatase in human serum: Demonstration by cellulose acetate of electrophoresis and physico-chemical characterization (52) 81
Fry, D.E., Wills, P.D., Twycross, R.G.
The quantitative determination of morphine in urine by gas—liquid chromatography and variations in excretion (51) 183
Fuchs, Chr., Brasche, M., Paschen, K., Nordbeck, H., Quellhorst, E., Peek, U.
Aluminium-Bestimmung im Serum mit

flammenloser Atomabsorption
(Aluminium determination in serum
by flameless atomic absorption)
(52) 71

Fukushima, H., see Nozawa, Y. (55) 81
Fuller, J.H., Grainger, S.L., Jarret, R.J.,
Keen, H.
Possible seasonal variation of plasma
lipids in a healthy population (52) 305

G

Gallwas, J., see McLean, M.H. (54) 399
Galteau, M.M., Siest, G., Boura, M.
Un effort limité peut-il modifier les valeurs de référence des paramètres sanguins? (Does mild exercise affect the reference values of the blood parameters?) (55) 353
Gandolfi, C., see Malvano, R. (51) 127
Gangolli, S.D., Longland, R.C., Shilling, W.H.
A gas—liquid chromatographic method for the determination of D-glucaric acid in urine (50) 237
Gant, H., see Reinken, L. (55) 101
Garbien, K.J.T., see Crowley, M.F. (51) 345
Garcia-Webb, P., see Flynn, F.V. (52) 163
Gasser, D., see Malvano, R. (50) 161
Gautray, J.P., see Alcindor, L.G. (50) 31
Geissbühler, F.
Réactif à base d'acide lactique dilué pour la mesure de la glycémie selon la méthode à l'o-toluidine (Reagent based on diluted lactic acid to measure glycaemia using the o-toluidine method) (51) 221
Gelfand, M., see Jones, J.J. (57) 131
Geokas, M.C., see Rinderknecht, H. (54) 145
Gerhardt, W., Nielsen, M.L., Nielsen, O.V., Olsen, J.S., Statland, B.E.
Routine measurements of liver and bone alkaline phosphatase in human serum. Differential inhibition by L-phenylalanine and carbamide (urea) on the LKB 8600 reaction rate analyzer (53) 281
Gerhardt, W., Nielsen, M.L., Nielsen, O.V., Olsen, J.S., Statland, B.E.
Clinical evaluation of routine measurement of liver and bone alkaline phosphatases in human serum. Differential inhibition by L-phenylalanine and carbamide (urea) on the LKB 8600 reaction rate analyzer (53) 291
Gerlach, U., see Van Husen, N. (53) 91
Gershon, E.S., see Jonas, W.Z. (54) 391
Ghalambor, M.A., see Faradji, B. (53) 299
Ghebregzabher, M., see Lato, M. (53) 273
Gibbs, B.F., Itiaba, K., Crawhall, J.C.
Gas chromatographic estimation of hydroxyproline (54) 395
Gidion, R., see Wolfrum, R. (57) 125
Gijzen, A.H.J., see Brombacher, P.J. (52) 311
Giliberti, P., see Niederwieser, A. (54) 293
Gips, C.H., see Hoge, J.H.C. (55) 273
Giraudet, P., see Coudon, B. (55) 129
Gjone, E., Blomhoff, J.P., Skarbøvik, A.J.
Possible association between an abnormal low density lipoprotein and nephropathy in lecithin:cholesterol acyltransferase deficiency (54) 11
Gleispach, H., see Haberfellner, H. (54) 5
Glover, J., Moxley, L., Muhilal, H., Weston, S.
Micromethod for fluorimetric assay of retinol-binding protein in blood plasma (50) 371
Godolphin, W.J., Stinson, R.A.
Isoelectrofocusing of human plasma lipoproteins in polyacrylamide gels. Diagnosis of Type III hyperlipoproteinemia ("broad beta" disease) (56) 97
Goedemans, W.Th., see Van de Wiel, D.F.M. (56) 131
Goedemans, W.Th., see Van de Wiel, D.F.M. (56) 143
Goertz, G.R., Crépy, O.C., Judas, O.E., Longchampt, J.E., Jayle, M.-F.
Séparation des fractions sulfo- et glucorono-conjuguées des stéroides urinaires: Mise au point d'une méthode analytique (Separation of the sulfate and glucuronate fractions of urinary steroids: A new analytical method) (51) 277
Goitein, K., see Kapitulnik, J. (57) 231
Gold, R.J.M., see Delvin, E. (53) 135
Goldberg, D.M., Winfield, D.A.
Relationship of serum enzyme activities to demographic variables in a healthy population (54) 357
Gompertz, D., Saudubray, J.M.,

Charpentier, C., Bartlett, K., Goodey, P.A., Draffan, G.H.
A defect in L-isoleucine metabolism associated with α-methyl-β-hydroxybutyric and α-methylacetoacetic aciduria: Quantitative in vivo and in vitro studies (57) 269
Goodchild, M.C., see McEvoy, F.A. (54) 195
Goodey, P.A., see Gompertz, D. (57) 269
Goodwin, B.L., Ruthven, C.R.J., Sandler, M.
Gas chromatographic estimation of urinary homovanillic and 4-hydroxy-3-methoxymandelic acids using capillary columns (55) 111
Goodwin, B.L., see King, G.S. (51) 105
Goossens, J.P., see Van Eijk, H.G. (50) 275
Gordon, R.D., see Roginsky, M.S. (56) 261
Goto, I.
Serum creatine phosphokinase isozymes in hypothyroidism, convulsion, myocardial infarction and other diseases (52) 27
Goudie, J.H., see Moscrop, K.H. (56) 265
Graff, G.L.A., see Brouet-Yager, M. (54) 387
Grahnén, A., Sjöholm, I., Michaëlsen, M.
A new method for the determination of unconjugated bilirubin in human serum by spectropolarimetry (52) 187
Grainger, S.L., see Fuller, J.H. (52) 305
Gray, S.P., Billings, J., Blacklock, N.J.
Distribution of the immunoglobulins G, A and M in the prostatic fluid of patients with prostatitis (57) 163
Grenier, A., Laberge, C.
A modified automated fluorometric method for tyrosine determination in blood spotted on paper: A mass screening procedure for tyrosinemia (57) 71
Griffiths, P.D., see Maclean, D. (52) 197
Groc, W., Jendrey, M.
Modification of Laurell's crossed immunoelectrophoresis with special gel chamber (52) 59
Groc, W., Jendrey, M., Lahn, W.
L'identification simultanée du pic de la transferrine sur le phérogramme en gel "variant" du liquide céphalo-rachidien à l'aide de transferrine humaine standardisée et de la technique des flammes de Laurell (Simultaneous identification of the transferrin peak on the crossed pherogram of the cerebrospinal fluid by means of standard human transferrin and the rocket technique of Laurell) (54) 65
Guilbault, G.G., see Lau, H.K.Y. (53) 209
Guisard, D., Lorentz, J.F., Castro, G., Debry, G.
Etude comparative des lipoprotéinogrammes obtenus sur trois supports différents (Comparative study of electropherograms of lipoproteins obtained by three different methods) (53) 79
Gunčaga, J., Lentner, C., Haas, H.G.
Determination of chromium in feces by atomic absorption spectrophotometry (57) 77
Gustavii, B., see Hultberg, B. (53) 221
Guyer, K.E., see Brandt, R. (51) 103

H

Haas, H.G., see Gunčaga, J. (57) 77
Haberfellner, H., Auer, B., Gleispach, H.
Preliminary studies in plasma and cerebrospinal fluid cortisol in children with different diseases (54) 5
Haely, P.J.
Quantitative analysis of serum alkaline phosphatase isoenzyme activity (55) 407
Hallson, P.C., Rose, G.A.
A simplified and rapid enzymatic method for determination of urinary oxalate (55) 29
Halsted, J.A., see McBean, L.D. (50) 43
Hamano, S., see Hamasaki, N. (50) 385
Hamasaki, N., Matsuda, Y., Hamano, S., Hara, T., Minakami, S.
Respiratory insufficiency and red cell 2,3-diphosphoglycerate: The correlation of 2,3-diphosphoglycerate with arterial pH, oxygen tension and hematocrit value (50) 385
Hanicki, Z., Sarnecka-Keller, M., Klein, A., Ślizowska, K.
Middle-sized ninhydrin-positive molecules in uraemic patients treated by repeated haemodialysis. I. Preliminary characteristics (54) 47
Hankiewicz, J., Swierczek, E.
Lysozyme in human body fluids (57) 205
Hanssen, C.J.M., see Borst, A. (55) 121
Hara, T., see Hamasaki, N. (50) 385
Haralambie, G., Cerny, F.J.
Changes in serum lysozyme activity with physical exercise (55) 217
Harris, H., see Turner, B.M. (50) 85
Harris, R.I., Kohn, J.
A urinary cryo-Bence Jones protein gelling at room temperature (53) 233
Harry, D.S., see Pyrovolakis, J.A. (50) 441
Harst, P. v.d., Baars, J.D., Lombarts, A.J.P.F.
Simplified glutamine assay in CFS as a measure of hepatic encephalopathy (50) 439
Hartley, T.F., Dawson, J.B. Hodgkinson, A.
Simultaneous measurement of Na, K, Ca, Mg, Cu and Zn balances in man (52) 321
Hartmann, L., see Cahour, A. (55) 139
Hattori, K., see Kitao, T. (56) 211
Hazenberg, H.J.A., see Hoge, J.H.C. (55) 273
Healy, M.J.R., see Flynn, F.V. (52) 163
Heene, D.L., see Matthias, F.R. (52) 91
Heimann, H., see Baumann, P. (51) 35
Heininger, J.A., see Jackson, S.H. (51) 163
Heldenberg, D., see Tamir, I. (56) 113
Hellström, K., see Einarsson, K. (56) 235
Henderson, A.R., see McKenzie, D. (50) 147
Henderson, A.R., see McKenzie, D. (51) 53
Henderson, A.R., see Wong, N. (56) 105
Hensley, W.J., see Sampson, D. (52) 125
Herrmann, J., Rusche, H.J. Krüskemper, H.L.
Rapid radioimmunoassay for the evaluation of thyroxine in unextracted serum (54) 69
Hindocha, P., see Biswas, S. (51) 285
Hinterberger, H., Wilcken, D.E.L.
The effect of prolonged glucagon infusions on the urinary excretion of catecholamines and 4-hydroxy-3-methoxymandelic acid and on adrenal medullary tissue levels of catecholamines in patients with severe cardiac disease (52) 153
Hinton, R.H., al-Tamer, Y., Mallinson, A., Marks, V.
The use of density gradient centrifugation for the separation of serum lipoproteins (53) 355
Hirano, W., see Hokama, Y. (50) 53
Hirayama, C., Okumura, M., Nagai, J., Masuda, Y.
Hypobilirubinemia in patients with polychlorinated biphenyls poisoning (55) 97
Hirayama, C., see Koga, S. (54) 169
Hirayama, K., see Kodama, H. (51) 29
Hirschhorn, K., see Turner, B.M. (57) 29
Ho, W.K.K., Chan, W.Y.

Serum lipid and lipoprotein levels in normal Chinese (57) 149
Höcker, P., see Desser, H. (53) 191
Hodgkinson, A., see Hartley, T.F. (52) 321
Hoffmann, J.P., see Colombo, J.P. (51) 217
Hoge, J.H.C., Hazenberg, H.J.A., Gips, C.H. Determination of ammonia in urine with an ammonium electrode and with a direct method (55) 273
Hojnicki, D., see Chlouverakis, C. (54) 91
Hokama, Y., Tam, R., Hirano, W., Kimura, L. Significance of C-reactive protein binding by lecithin: A simplified procedure for CRP isolation (50) 43
Holland, A., see Peskar, B.M. (55) 21
Hollemans, H.J.G., Touber, J.L. Plot for exact calculation of specific activity in saturation analysis (56) 305
Holweg, J., see Wolfrum, R. (57) 125
Holy, P.A., see Meltzer, H.Y. (54) 215
Hommes, F.A., see Van den Berg, H. (51) 225
Horn, D.B., Stein, S.M., Dickie, R.J. The effect of temperature variation on the accuracy of results in a continuous flow analysis system (54) 205
Horn, D.B., see Stein, S.M. (54) 107
Houben, H.G.J., see Coenegracht, J.M. (50) 349
Houpert, Y., Lahrichi, M., Savigny, P., Siest, G. Libération de protéines à partir de leucocytes humains: Influence du milieu et du temps d'incubation (Protein release from human leucocytes. Influence of medium and time of incubation) (52) 143
Hovmöller, S., see Andersson, B. (51) 13
Hubert, I.L., see Spierto, F.W. (56) 281
Huisman, T.H.J., see Westendorp Boerma, F. (55) 49
Hülsmann, W.C., see Koster, J.F. (51) 319
Hultberg, B., Öckerman, P.A., Nordén, N.E. Isoenzymes of four acid hydrolases in human kidney and urine (52) 239
Hultberg, B., Sjöblad, S., Gustavii, B. Acid hydrolases in amniotic fluid and chorionic villi at various stages of pregnancy (53) 221
Humbel, R. Identification and quantitation of keratan sulfate in urine (52) 173
Hunaki, M., see Irie, A. (51) 241
Hunter, K., see Bonham Carter, S.M. (51) 327
Hutchinson, F., see Fleming, L.W. (50) 215

I

Ibayashi, H., see Koga, S. (54) 169
Iida, H., see Nozawa, Y. (55) 81
Ikegami, T., see Kodama, H. (51) 29
Irie, A., Hunaki, M., Bando, K., Kawai, K. Activation of α-amylase in urine (51) 241
Ismail, A.A.A., Williams, D.G. Scope and limitations of a kinetic assay for serum 5′-nucleotidase activity (55) 211
Itiaba, K., see Gibbs, B.F. (54) 395
Ito, Y., see Nozawa, Y. (55) 81
Iyer, G.Y.N., see Ramachandran, M. (52) 225

J

Jackson, S.H., Heininger, J.A.
A study of collagen reutilization using an $^{18}O_2$ labeling technique (51) 163
Jagannathan, K., see Snehalatha, C. (53) 217
James, V.H.T., see Moscrop, K.H. (56) 265
Jarret, R.J., see Fuller, J.H. (52) 305
Jarvis, A., see Baines, M. (53) 331
Jatlow, P., Seligson, D.
Application of a digital computer to emergency toxicology (50) 19
Jayle, M.-F., see Adessi, G. (55) 323
Jayle, M.-F., see Goertz, G.R. (51) 277
Jellum, E., see Solem, E. (50) 393
Jendrey, M., see Groc, W. (52) 59
Jendrey, M., see Groc, W. (54) 65
Jirka, M., Blanický, P., Cerná, M.
The Zn-α_2-glycoprotein level in human serum during ontogenesis (56) 31
Johansson, E., see Friman, C. (57) 103
Johnstone, R.A.W., Povall, T.J., Baty, J.D., Pousset, J.L., Charpentier, Chr., Lemonnier, A.
Determination of dipeptides in urine (52) 137
Jonas, W.Z., Gershon, E.S.
A method for determination of catechol-O-methyltransferase activity in red blood cells (54) 391
Jones, J.J., Gelfand, M.
Fasting serum lipoproteins in rural Africans in Rhodesia, measured by membrane filtration and nephelometry (57) 131
Judas, O.E., see Goertz, G.R. (51) 277
Julien, R., see Chevins, R. (55) 333
Jullien, G.L., see Kalofoutis, A. (52) 361
Jungmann, R.A., see Nishida, S. (52) 97
Juvani, M., see Friman, C. (57) 103

K

Kallner, M., see Einarsson, K. (56) 235
Kalofoutis, A., Simos, M., Jullien, G.L.
Hyperlipoproteinemia Type V: Biochemical observations in two cases (52) 361
Kameda, H., see Kamisaka, K. (53) 255
Kamisaka, K., Yatsuji, Y., Yamada, H., Kameda, H.
The binding of indocyanine green and other organic anions to serum proteins in liver diseases (53) 255
Kanagasabapathy, A.S., Wellby, M.L.
The use of merthiolate for TBG-blocking in the radioimmunoassay of triiodothyronine (55) 267
Kany, L., see Kaplan. H-G. (51) 113
Kapitulnik, J., Kaufmann, N.A., Goitein, K., Cividalli, G., Blondheim, S.H.
A pigment found in Crigler—Najjar syndrome and its similarity to an ultrafiltrable photoderivative of bilirubin (57) 231
Kaplan, H-G., Kany, L., Abraham, R.
Weiterentwicklung der fluorimetrischen Bestimmung von Δ^4-3-Ketosteroiden mit der Lithiumhydroxid-Reaktion für Analysen in Nanogrammbereich (Improvement of fluorimetric estimation of Δ^4-3-ketosteroids by means of lithium hydroxide reaction for analysis of the nanogram level) (51) 113
Kar, N.C., Pearson, C.M.
Monoamine oxidase activity in normal and dystrotrophic human muscle (50) 431
Kar, N.C., Pearson, C.M.
Cyclic AMP phosphodiesterase activity in normal and dystrophic human muscle (50) 435
Karlsson, C.G., see Andersson, B. (51) 13
Kasafírek, E., see Bartík, M. (56) 23
Kaufmann, N.A., see Kapitulnik, J. (57) 231
Kawaguchi, T., Matsushita, H.
Increased sensitivity to urea denaturation of Chon's Fraction V (50) 345
Kawai, K., see Irie, A. (51) 241
Keay, A.J., see Stein, S.M. (54) 107
Keen, H., see Fuller, J.H. (52) 305
Kelly, S., Desjardins, L., Leikhim, E.
A fluorescent spot test for the detection of galactokinase deficiency (51) 157
Ketting, D., see Bakker, H.D. (55) 41
Khalid, Q., Ataur Rahman, M., Quraishi, M.A.
Studies on plasma insulin levels of diabetic patients in Karachi (53) 163
Kimura, L., see Hokama, Y. (50) 53
Kimura, T., see Ogihara, T. (52) 287
King, G.S., Goodwin, B.L., Ruthven, C.R.J., Sandler, M.
Urinary excretion of o-tyramine (51) 105
Kint, J.A., see Dacremont, G. (52) 365
Kita, M., see Noma, A. (54) 177
Kitamura, M., see Watanabe, A. (52) 231
Kitao, T., Hattori, K., Takeshita, M.
Electrophoretic analysis of polymorphonuclear cell membrane (56) 211
Kithier, K., Čejka, J., Belamaric, J., Al-Sarraf, M., Peterson, Jr, W.D., Vaitkevicius, V.K., Poulik, M.D.
β_2-Microglobulin: Occurrence in fetal life and malignancy (52) 293
Klassen, G.A., see Dosman, J. (51) 93
Klein, A., see Hanicki, Z. (54) 47
Kleiner, H., see Brouet-Yager, M. (54) 387
Klumpp, Th., see Ferard, G. (50) 207
Knepil, J.
A sensitive, specific method for measuring N-acetyl-p-aminophenol (paracetamol) in blood (52) 369
Kodama, H., Ikegami, T., Hirayama, K., Mizuhara, S.
Effect of pyridoxine treatment of a cystathioninuric patient on the urinary excretion of some unusual sulfur-containing amino acids (51) 29
Kodama, S., see Negishi, H. (53) 175
Kodicek, E., see Preece, M.A. (54) 235
Koga, S., Kozuru, M., Hirayama, C., Ibayashi, H.
An unusual lipid—protein complex

observed in an IgG myeloma patient (54) 169
Kohn, G., see Berman, E.R. (52) 115
Kohn, J.
A simple procedure for preventing excessive drying of exposed agar gels (52) 373
Kohn, J., see Harris, R.I. (53) 233
Konttinen, A., Auvinen, S., Somer, H.
Reliability of serum lactate dehydrogenase isoenzyme determinations in the diagnosis of myocardial infarction (52) 245
Konttinen, A., see Somer, H. (53) 369
Kosaka, K., see Ueda, M. (53) 381
Koster, J.F., Slee, R.G., Hülsmann, W.C.
The use of leucocytes as an aid in the diagnosis of glycogen storage disease type II (Pompe's disease) (51) 319
Koster-Otte, L.J., see Van de Wiel, D.F.M., (56) 131
Kozu, T., see Takeuchi, To. (54) 137
Kozuru, M., see Koga, S. (54) 169
Kramer, H.J., Bäcker, A., Krück, F.
Inhibition of intestinal (Na^+-K^+)-ATPase in experimental uremia (50) 13
Kramer, H.J., Burgard, U.G.
Further studies on epithelial transport defect in experimental and human Fanconi syndrome. Effects of maleic acid and L-cystine on sodium transport and (Na^+-K^+)-ATPase of the isolated frog skin (55) 57
Kramer, J.J., see Attwood, E.C. (54) 95
Krause, W., see Matthias, F.R. (52) 91
Krück, F., see Kramer, H.J. (50) 13
Krüskemper, H.L., see Herrmann, J. (54) 69
Kudchodkar, B.J., see Sodhi, H.S. (51) 291
Kumahara, Y., see Ogihara, T. (52) 287
Kyburz, S., see Colombo, J.P. (51) 217

L

Laatikainen, T., see Martin, F. (55) 71
Laberge, C., see Grenier, A. (57) 71
Lahn, W., see Groc, W. (54) 65
Lahrichi, M., see Houpert, Y. (52) 143
Lambert, R., see André, F. (56) 255
Lamblin, G., see Degand, P. (50) 223
Lamy, J., Baglin, M.C., Ferrant, J.P., Weill, J.
Diminution de la γ-glutamyl-transpeptidase sérique des éthyliques à la suite du sevrage (Decrease in serum γ-glutamyltranspeptidase following abstention from alcohol) (56) 169
Landaas, S.
Increased urinary excretion of 3-hydroxyisovaleric acid in patients with ketoacidosis (54) 39
Landon, J., see Baum, C.K. (55) 147
Landon, M.J.
Separation of folates from antibiotics using triethylamino cellulose (52) 253
Lanser, A., Oldenziel, H., Pronk, C., Lequin, H.C.
Some critical remarks on a gaschromatographic determination of HVA and VMA (50) 293
Lantto, O., see Björkhem, I. (56) 241
Lato, M., Rufini, S., Ghebregzabher, M., Ciuffini, G., Mezzetti, T.
A sensitive chromatographic technique for screening of amino acid metabolic defects in the newborn (53) 273
Lau, H.K.Y., Guilbault, G.G.
A fluorometric kinetic method for creatine in urine (53) 209
Lau, K.S., see Beng, C.G. (52) 257
Launay, J.-M., see Chevins, R. (55) 333
Lawson, A.M., see Chalmers, R.A. (52) 43
Lawson, D.E.M., see Preece, M.A. (54) 235
Lebbe, J., see Cahour, A. (55) 139
Lechi, C., De Bastiani, G., Zatti, M.
In vitro stimulation of apparent intestinal alkaline phosphatase activity by thyrocalcitonin (57) 171
Lee, J., see Maclagan, N.F. (53) 339
Lee, K.T., Tan, I.K.
A new colorimetric method for the determination of glutathione in erythrocytes (53) 153
Legg, E.F.
Phosgene production during aspiration of trichloroacetic acid into a flame emission spectrophotometer (50) 157
Leibrandt, M.J., see Chivot, J.J.E. (53) 69
Leijnse, B., see Den Boer, N.C. (55) 87
Leikhim, E., see Kelly, S. (51) 157
Leiner, K., see Narasimhachari, N. (50) 337
Lemonnier, A., see Johnstone, R.A.W. (52) 137
Lentner, C., see Gunčaga, J. (57) 77
Leonhardt, H., Bungert, H.J.
Plasmaviskosität und Gerinnung bei Leberzirrhosekranken (Plasma viscosity and coagulation in patients with liver cirrhosis) (50) 381
Lequin, H.C., see Lanser, A. (50) 293
Lequin, H.C., see Pronk, C. (50) 35
Lever, M., see Ambler, P.K. (54) 373
Lever, M., see Peace, S.M. (53) 323
Levi, A.J., see Segal, A.W. (53) 361
Levin, B., see Palmer, T. (52) 335
Levinson, S.S., Rieder, S.V.
The effect of free mercuric ion on apparent bromide concentrations when measured by the standard autoanalyzer method for chloride (52) 249
Levtow, O., see Tamir, I. (56) 113
Levy, S.K., Schwartz, T.
New mixed bed column for rapid gas–liquid chromatographic determination of sedatives and Dilantin in serum (54) 19
Lewin, J.F., see Missen, A.W. (53) 389
Lewin, L.M., Melmed, S., Bank, H.
A rapid screening test for detection of elevated myo-inositol levels in human blood serum (54) 377
Lewis, B., see Segal, A.W. (53) 361
Lie-Injo, L.E., Ng, T., Balakrishnan, S.
Red cell enzymes in cord blood and plasma bilirubin levels in the first week of life (50) 77
Lifshitz, F., see Wapnir, R.A. (54) 349
Lim, K.L., see Beng, C.G. (52) 257
Lin, R.-L., see Narasimhachari, N. (50) 337

Lindberg, P., Edqvist, L.-E.
The use of 17β-oestradiol 6-(O-carboxymethyl)oxime[^{125}I]tyramine as tracer for the radioimmunoassay of 17β-oestradiol (53) 169
Lindgärde, F., see Tejler, L. (56) 75
Lindstedt, G., Lundberg, P.-A.
Loss of tubular proteinuria pattern during urine concentration with a commercial membrane filter cell (Minicon ® B-15 system) (56) 125
Lindstedt, S., Steen, G., Wahl, E.
3,4-Methylene hexanedioic acid. A previously unknown compound in human urine (53) 143
Lindstedt, S., see Cederblad, G. (53) 311
Linton, A.L., see Wong, N. (56) 105
Little, A.J., Williams, R.B., Parker, S.D., Payne, R.B.
The derivation of biochemical normal ranges from a hospital outpatient population (57) 91
Locher, J.T., see Stähelin, H.B. (54) 115
Löf, A., see Björkhem, I. (56) 241
Löhr, G.W., see Arnold, H. (57) 187
Lombarts, A.J.P.F., see Harst, P. v.d. (50) 439
London, D.R., see Rudd, B.T. (55) 165
London, K.J., see Murphy, D. (53) 145
Longchampt, J.E., see Goertz, G.R. (51) 277
Longland, R.C., see Gangolli, S.D. (50) 237
Lorentz, J.F., see Guisard, D. (53) 79
Lormans, S., Löwenthal, A.
α-Amino adipic aciduria in an oligophrenic child (57) 97
Low-Beer, T.S., see Pomare, E.W. (57) 239
Löwenthal, A., see Lormans, S. (57) 97
Löwenthal, A., see Smeyers-Verbeke, J. (51) 309
Lózsa, A.
Uranyl acetate as an excellent fixative for lipoproteins after electrophoresis on agarose gel (53) 43
Ludwig, R., see Matzku, S. (54) 317
Lundberg, P.-A., see Lindstedt, G. (56) 125
Lundholm, K., see Cederblad, G. (53) 311
Lupo, S., see Tamir, I. (56) 113

M

Maas, J., see Dekirmenjian, H. (52) 203
McBean, L.D., Smith, J.C., Berne, B.H., Halsted, J.A.
Serum zinc and alpha$_2$-macroglobulin concentration in myocardial infarction, decubitus ulcer, multiple myeloma, prostatic carcinoma, Down's syndrome and nephrotic syndrome (50) 43
McCarthy, C.F., see Mooney, P. (56) 37
McDonald-Gibson, R.G., Young, M.
The use of an automatic solids injection system for quantitative determination of plasma long chain non-esterified fatty acids by gas– liquid chromatography (53) 117
McEvoy, F.A., Davies, R.J., Goodchild, M.C., Anderson, C.M.
Erythrocyte membrane properties in cystic fibrosis (54) 195
McIntyre, N., see Pyrovolakis, J.A. (50) 441
McKelvey, H., see Wenger, D.A. (56) 199
McKenzie, D., Henderson, A.R.
The effect of dilution and substrate repletion on the LDH isoenzyme distribution of sera with high LDH activities (50) 147
McKenzie, D., Henderson, A.R.
The quality control of serum lactate dehydrogenase isoenzyme separations using commercial quality control sera (51) 53
McKenzie, D., see Wong, N. (56) 105
McKinley, I., see Stein, S.M. (54) 107
Maclagan, N.F., Pradhan, K., Sule, U., Wallsgrove, R., Cooke, K.B., Lee, J.
A modified thymol turnidity test in hyperglobulinaemia (53) 339
Maclean, D., Murison, J., Griffiths, P.D.
Serum enzyme activities in accidental hypothermia and hypothermic myxoedema (52) 197
McLean, M.H., Gallwas, J.
Detection of substrate depletion using the Trayser—Seligson enzyme assay (54) 399
McMurray, W., Dormandy, T.L.
Lipid autoxidation in human skeletal muscle (52) 105
McPherson, K., see Flynn, F.V; (52) 163
Maeta, T., Endo, M., Yosizawa, Z.
Glycoproteins and glycosaminoglycans in human pulmonary tuberculosis (57) 255
Magron, D., see Vincent, D. (50) 181
Maier, R., see Stähelin, H.B. (54) 115
Malkus, H., Donabedian, R.K.
Triiodothyronine radioimmunoassay — A study of the interactions of T_3 with anti-T_3 antisera and with thyroxine binding globulin in the presence of ANS (ammonium-8-anilino naphthalene-1-sulfonate) (51) 191
Mallinson, A., see Hinton, R.H. (53) 355
Malmendier, C.L., Amerijckx, J.P.
A modified procedure for the quantitative recovery of labeled glycerol in human plasma (56) 13
Malmquist, J., see Tejler, L. (56) 75
Malvano, R., Quesada, T., Rolleri, E., Gandolfi, C., Zucchelli, G.C.
Effects of methodological variables on insulin radioimmunoassay (51) 127
Malvano, R., Zucchello, G.C., Gasser, D., Bartolini, V.
Problems connected with the analytical blank in plasma renin activity measurements by angiotensin I radioimmunoassay (50) 161
Mamer, O.A., Tjoa, S.S.
2-Ethylhydracrylic acid: A newly described urinary organic acid (55) 199
Mamer, O.A., see Dosman, J. (51) 93
Manier, D.H., Sekerke, J., Dingell, J.V., El-Yousef, M.K.
A fluorometric method for the measurement of butaperazine in human plasma (57) 225
Mantel, M.J., see Voogd, C.E. (54) 369
Mantel, P.A., see Den Boer, N.C. (55) 87
Marks, V., see Hinton, R.H. (53) 355
Marques Coelho, I., see Virella, G. (50) 63
Martin, F., Peltonen, J., Laatikainen, T., Tikkanen, M., Pulkkinen, M.
Excretion of unconjugated and conjugated progesterone metabolites in pregnancy urine during ampicillin administration (55) 71
Martin, M.J., see Pyrovolakis, J.A. (50) 441
Mascreen, M., see Snehalatha, C. (53) 217
Massart, D.L., see Smeyers-Verbeke, J. (51) 309
Masuda, Y., see Hirayama, C. (55) 97

Matasovic, A., see Niederwieser, A. (54) 293
Matsaniotis, N., see Thomaidis, T. (57) 109
Matsuda, Y., see Hamasaki, N. (50) 385
Matsuo, T., see Negishi, H. (53) 175
Matsushima, T., see Takeuchi, To. (54) 137
Matsushita, H., see Kawaguchi, T. (50) 345
Matthews, H.R., see Turton, M.B. (50) 419
Matthias, F.R., Krause, W., Heene, D.L., Fibrinogenolysis by insolubilized plasmin (52) 91
Matzku, S., Ludwig, R., Rapp, W. Electroradioimmunoassay: A new type of double antibody radioimmunoassay based on electroimmunodiffusion (54) 317
Mead, M.G., Dangerfield, W.G. The investigation of "mid-band" lipoproteins using polyacrylamide gel electrophoresis (51) 173
Meienhofer, M.C., see Proux, D. (57) 211
Melmed, S., see Lewin, L.M. (54) 377
Meltzer, H.Y., Holy, P.A. Black—white differences in serum creatine phosphokinase activity (54) 215
Merkus, H.M.W.M., see Verhoeven, A.G.J. (53) 229
Merry, A.H., Davies, D.R. Evaluation of a simple screening test for serum anti-trypsin activity (56) 249
Mezzetti, T., see Lato, M. (53) 273
Michaëlsen, M., see Grahnén, A. (52) 187
Miller, A.L., see Alhadeff, J.A. (57) 307
Minakami, S., see Hamasaki, N. (50) 385
Mindt, W., see Schläpfer, P. (57) 283
Mion, H., see Daniel, J.Y. (55) 235
Misra, D.P., Staddon, G., Powell, N., Misra, J., Crook, D. Lecithin-cholesterol acyltransferase activity in diabetes mellitus and the effect of insulin on these cases (56) 83
Misra, J., see Misra, D.P. (56) 83
Missen, A.W., Lewin, J.F. A non-ionic resin extraction of drugs in blood (53) 389
Mizuhara, S., see Kodama, H. (51) 29
Mizuno, K., see Noma, A. (54) 177
Mohanram, M., Reddy, V. Ascorbic acid nutritional status and tyrosine metabolism (56) 59
Mondorf, A.W., see Scherberich, J.E. (55) 179
Mondrup, M., Anker, N. Carbonic anhydrase isoenzyme B in the erythrocytes of uremic subjects (51) 127
Mondrup, M., see Anker, N. (54) 277
Mondrup, M., see Christensen, F. (57) 23
Mooney, P., McCarthy, C.F. Studies on the ATPase enzyme system in human intestinal epithelial cells (56) 37
Moore, E.A., see Bulfield, G. (53) 265
Moore, J.W., Cooper, W. A rapid method for the analysis of pregnanediol in non-pregnancy urine (56) 215
Moorhead, J.F., see Wills, M.R. (57) 83
Morishita, Y., see Negishi, H. (53) 175
Moriya, N., see Taniguchi, N. (50) 319
Moscrop, K.H., Antcliff, A.C., Braunsberg, H., James, V.H.T., Goudie, J.H., Burnett, D. An interlaboratory study of an automated technique for the assay of urinary oestrogens (56) 265
Moss, D.W., Panov, E.Y., Whitaker, K.B. The effect of biliary obstruction on some properties of alkaline phosphatase of rat liver (51) 41
Moss, D.W., see Whitaker, K.B. (52) 347
Mourão, P.A.S., see Nader, H.B. (50) 245
Moxley, L., see Glover, J. (50) 371
Muhilal, H., see Glover, J. (50) 371
Mulder, J., see Brendel, S. (53) 29
Mulder, J., see Brendel, S. (54) 243
Mulder, J., see Brendel, S. (55) 103
Müller, H., see Scherberich, J.E. (55) 179
Mulli, J.-C., see Balant, L. (54) 27
Murata, K. Acidic glycosaminoglycans in human platelets and leukocytes: The isolation and enzymatic characterization of chondroitin 4-sulfate (57) 115
Murison, J., see Maclean, D. (52) 197
Murphy, D., Pennock, C.A., London, K.J. Gas- liquid chromatographic measurement of glucosamine and galactosamine content of urinary glycosaminoglycans (53) 145
Murphy, G.M., Edkins, S.M., Williams, J.W., Catty, D. The preparation and properties of an antiserum for the radioimmunoassay of serum conjugated cholic acid (54) 81
Murphy, J.V., Craig, L. Effect of human cerebral neuraminidase on hexosaminidase A (51) 67
Murray-Lyon, I.M., Williams, R. Quantitative immunoelectrophoresis of plasma proteins in acute viral hepatitis, extrahepatic biliary obstruction, primary biliary cirrhosis and idiopathic haemochromatosis (51) 303

N

Nader, H.B., Mourão, P.A.S., Toledo, S.P.A., Dietrich, C.P.
Mucopolysaccharide degradation and excretion after hyaluronidase injection in patients with Hunter's and Hurler's syndromes (50) 245

Nagai, J., see Hirayama, C. (55) 97

Nagamine, M.
Serum inactivator to M subunit of lactate dehydrogenase isoenzymes (50) 173

Najean, Y., see Arnold, H. (57) 187

Nakai, T., Yoshida, A.
G6PD Heian, a glucose-6-phosphate dehydrogenase variant with hemolytic anemia found in Japan (51) 199

Nakamura, S., see Takeo, K. (57) 45

Nakashima, K.
Further evidence of molecular alteration and aberration of erythrocyte pyruvate kinase (55) 245

Nanba, I., see Taniguchi, N. (50) 319

Narasimhachari, N., Leiner, K., Plaut, J.M., Lin, R.-L.
Selective and specific gas—liquid chromatographic and gas—liquid chromatographic—mass spectroscopic methods for the separation and quantitative determination of homovanillic and iso-homovanillic acids in urine samples (50) 337

Narasinga Rao, B.S., see Anasuya, A. (56) 121

Nath, R.L., Saha, D.
A thermostable serum alkaline phosphatase (55) 5

Negishi, H., Morishita, Y., Kodama, S., Matsuo, T.
Platelet glucose-6-phosphatase activity in patients with von Gierke's disease and their parents (53) 175

Neumann, P., see Dosman, J. (51) 93

Ng, T., see Lie-Injo, L.E. (50) 77

Nhuan, T.Q., see Adessi, G. (55) 323

Nicholas, P., Cunningham, A.C., Reid, E.
Transketolase measurements in human red blood cells (51) 331

Niederwieser, A., Giliberti, P., Matasović, A., Pluznik, S., Steinmann, B., Baerlocher, K.
Folic acid non-dependent formiminoglutamic aciduria in two siblings (54) 293

Nielsen, M.K., see Simpson, J. (52) 219

Nielsen, M.L., see Gerhardt, W. (53) 281

Nielsen, M.L., see Gerhardt, W. (53) 291

Nielsen, O.V., see Gerhardt, W. (53) 281

Nielsen, O.V., see Gerhardt, W. (53) 291

Nieweg, H.O., see Van de Wiel, D.F.M. (55) 155

Nijboer, J., see Westendorp Boerma, F. (55) 49

Nilsson-Ehle, P.
Human lipoprotein lipase activity: Comparison of assay methods (54) 283

Nisbet, J.A., see Baines, M. (53) 331

Nishibe, H.
Urea cycle enzymes in human erythrocytes (50) 305

Nishida, S., Jungmann, R.A.
Biosynthesis of steroids from [^{14}C]-cholesterol, [^{3}H]progesterone and [^{3}H]pregnenolone by human adrenal carcinoma tissue (52) 97

Nishioka, K., Romsdahl, M.M.
Elevation of putrescine and spermidine in sera of patients with solid tumors (57) 155

Nitta, K., see Takeo, K. (57) 45

Noguchi, T., see Nozawa, Y. (55) 81

Noma, A., Okabe, H., Sakurada, T., Kita, M., Mizuno, K.
Determination and properties of monoglyceride hydrolase in human post-heparin plasma (54) 177

Nordbeck, H., see Fuchs, Chr. (52) 71

Nordén, N.E., see Hultberg, B. (52) 239

Nozawa, Y., Noguchi, T., Iida, H., Fukushima, H., Sekiya, T., Ito, Y.
Erythrocyte membrane of hereditary spherocytosis: Alteration in surface ultrastructure and membrane proteins, as inferred by scanning electron microscopy and SDS-disc gel electrophoresis (55) 81

O

Oberholzer, V.G., see Palmer, T. (52) 335
O'Brien, J.S., see Alhadeff, J.A. (57) 307
Öckerman, P.A., see Hultberg, B. (52) 239
Oddy, V.H.
A semiautomated method for the determination of plasma alpha amino nitrogen (51) 151
Ogihara, T., Yamamoto, T., Doi, K., Kumahara, Y., Kimura, T., Sakakibara, S.
In vitro study on the effects of bradykinin potentiating factor and angiotensin II analogue on degradation and conversion of angiotensin I and II in plasma (52) 287
Okabe, H., see Noma, A. (54) 177
Okada, S., see Yabuuchi, H. (53) 85
Okazaki, N., Araki, E.
Eicosatrienoic acid ω9 in serum lipids of patients with hepatocellular carcinoma (53) 11
Okumura, M., see Hirayama, C. (55) 97
Oldenziel, H., see Lanser, A. (50) 293
Oldenziel, H., see Pronk, C. (50) 35
Oldham, K.G., see Tovey, K.C. (56) 221
Olsen, J.S., see Gerhardt, W. (53) 281
Olsen, J.S., see Gerhardt, W. (53) 291
O'Riordan, J.L.H., see Preece, M.A. (54) 235
Osis, D., Wiatrowski, E., Samachson, J., Spencer, H.
Fluoride analysis of the human diet and of biological samples (51) 211
Österberg, R., see Branegård, B. (54) 55

P

Padieu, P., see Desgres, J. (52) 381
Palmer, T., Oberholzer, V.G., Levin, B.
Amino acid levels in patients with hyperammonaemia and argininosuccinic aciduria (52) 335
Panov, E.Y., see Moss, D.W. (51) 41
Pargaonkar, P.S., see Berenson, G.S. (56) 65
Parker, S.D., see Little, A.J. (57) 91
Paschen, K., see Fuchs, Chr. (52) 71
Patt, V., see Feltkamp, H. (53) 305
Paumgartner, G., see Schwarz, H.P. (50) 197
Payne, R.B., see Little, A.J. (57) 91
Peace, S.M., Lever, M.
Standardisation of urinary estriol determinations during pregnancy (53) 323
Pearson, C.M., see Kar, N.C. (50) 431
Pearson, C.M., see Kar, N.C. (50) 435
Peek, U., see Fuchs, Chr. (52) 71
Peeters, H., see Van Melsen, A. (55) 225
Peheim, E., see Colombo, J.P. (51) 217
Peltonen, J., see Martin, F. (55) 71
Pennock, C.A., see Murphy, D. (53) 145
Penny, R., see Whitsed, H. (50) 111
Pereira, W.E., Summons, R.E., Rindfleisch, T.C., Duffield, A.M.
The determination of ethanol in blood and urine by mass fragmentography (51) 109
Peskar, B.A., see Peskar, B.M. (55) 21
Peskar, B.M., Holland, A., Peskar, B.A.
Quantitative determination of prostaglandins in human gastric juice by radioimmunoassay (55) 21
Peterson, Jr, W.D., see Kithier, K. (52) 293
Pfleiderer, G., see Scherberich, J.E. (55) 179
Phillips, G.B.
Studies on the dense pre-β-lipoprotein of human serum (53) 127
Phillips, G.B., Wille, L.E.
Studies on the pre-α-lipoprotein of human serum obtained by electrophoresis on agarose gel (50) 425
Phillips, N.C., Robinson, D., Winchester, B.G.
Human liver α-D-mannosidase activity (55) 11
Picard, J., Veissière, D., Bertrand, F.
Lipoprotéines sérique anormales dans l'hépatite virale cholostatique (Abnormal serum lipoproteins in cholestatic viral hepatitis) (51) 5
Piper, K.A.J., see Flynn, F.V. (52) 163
Pires, M.T., see Virella, G. (50) 63
Plaut, J.M., see Narasimhachari, N. (50) 337
Pluznik, S., see Niederwieser, A. (54) 293
Podhradská, J., see Zelníček, E. (53) 373
Pollitt, R.J.
Phenylpropionic acid in the urine of patients with phenylketonuria and normals (55) 317
Pomare, E.W., Low-Beer, T.S.
Measurement and validation of human bile salt pool size and synthesis (57) 239
Poortmans, J.R., S'Jongers, J.J., Bidon, G.
Distribution of plasma proteins and hyaluronic acid in synovial fluid and serum of human subjects in hydarthrosis (55) 205
Postmes, Th.J., Van Hout, J.C., Saat, G., Willems, P., Coenegracht, J.
A radioimmunoassay study and comparison of seasonal variation in plasma triiodothyronine and thyroxine concentrations in normal healthy persons (50) 189
Pottier, A., see Delvin, E. (53) 135
Poulik, M.D., see Kithier, K. (52) 293
Poulis, P., see Fidge, N.H. (52) 15
Pousset, J.L., see Johnstone, R.A.W. (52) 137
Povall, T.J., see Johnstone, R.A.W. (52) 137
Powell, J.F.N.
Stabilisation of whole-blood lactate (55) 107
Powell, N., see Misra, D.P. (56) 83
Pradhan, K., see Maclagan, N.F. (53) 339
Pratt, J.J., Van der Linden, G., Doorenbos, H., Woldring, M.G.
An improved assay for plasma

oestradiol using competitive protein binding (50) 137
Preece, M.A., O'Riordan, J.L.H., Lawson, D.E.M., Kodicek, E.
A competitive protein-binding assay for 25-hydroxycholecalciferol and 25-hydroxyergocalciferol in serum (54) 235
Premeau, M.R., see Tweksbury, D.A. (55) 383
Premel-Cabic, A., Cailleux, A. Allain, P.
Identification et dosage par chromatographie en phase gazeuse de quinze solvants organiques dans le sang (A gas chromatographic assay of fifteen volatile organic solvents in blood) (56) 5
Price, C.P., see Ferreira, P. (55) 259
Privalenko, M.N., Volkova, Z.I., Astakhova, T.A.
Study of ceruloplasmin in rheumatic fever (57) 11
Pronk, C., Oldenziel, H., Lequin, H.C.
A method for determination of serum iron, total iron binding capacity and iron in urine by atomic absorption spectrophotometry with manganese as internal standard (50) 35
Pronk, C., see Lanser, A. (50) 293
Prószyńska, K., Sadowska, B.
Adsorption onto dextran-coated charcoal as a rapid method for ^{125}I-labelled insulin damage assessment (53) 5
Proux, D., Vibert, M., Meienhofer, M.C., Dreyfus, J.C.
The isozymes of glycogen phosphorylase in human and rabbit tissues. II. Electrofocusing in polyacrylamide gels (57) 211
Pudles, J., see da Costa Maia, J.C. (54) 225
Pulkkinen, M., see Martin, F. (55) 71
Putman, D., see Segal, A.W. (53) 361
Puutula, L., Stenman, U.-H.
Comparison of serum vitamin B-12 determination by two isotope dilution methods and by Euglena assay, with special reference to low values (55) 263
Pyrovolakis, J.A., Harry, D.S., Martin, M.J., McIntyre, N.
A simple method for liquid scintillation counting of weak β-emitting labelled lipids after separation by thin-layer chromatography (50) 441

Q

Quellhorst, E., see Fuchs, Chr. (52) 71
Quenin, P., see Renaud, B. (52) 179
Quesada, T., see Malvano, R. (51) 127
Quincy, C., see Renaud, B. (52) 179
Quraishi, M.A., see Khalid, Q. (53) 163

R

Racine, Ph., see Schläpfer, P. (57) 283
Radhakrishnamurthy, B., see Berenson, G.S. (56) 65
Rahman, M.
A simultaneous determination of pregnanetriol and pregnanediol by gas—liquid chromatography (51) 233
Rainsford, S.G., Richardson, D., Stuart-Shaw, C.
Plasma-cortisol levels and the frequency of bleeding in haemophilia (53) 351
Ramachandran, M., Iyer, G.Y.N.
Erythrocyte glutathione reductase in iron deficiency anaemia (52) 225
Rao, S.S., see Thakur, A.N. (55) 377
Rapp, W., see Matzku, S. (54) 317
Rasanayagam, L.J., see Beng, C.G. (52) 257
Rathé, J., see Vandermeers, A. (52) 271
Raw, I., see da Costa Maia, J.C. (54) 225
Raykowa, D., see Bontchev, P.R. (57) 37
Raynaud, A., see Bellet, H. (53) 51
Reddy, V., see Mohanram, M. (56) 59
Rege, V.P., see Chapman, L. (51) 335
Reid, E., see Nicholas, P. (51) 331
Reinken, L., Gant, H.
Vitamin B_6 nutrition in women with hyperemesis gravidarum during the first trimester of pregnancy (55) 101
Renaud, B., Quenin, P., Quincy, C.
Détermination fluorimétrique en flux continu de l'acide homovanillique. Application au liquide céphalo-rachidien (Fluorometric determination of homovanillic acid in a continuous flow system. Application to human cerebrospinal fluid) (52) 179
Rhodes, C.T., see Biber, M.Z. (54) 135
Rice, E.W., Fenner, H.E.
Study of the ICSH proposed reference method for serum iron assay: Obtaining optically clear filtrates and substitution of ferrozine (53) 391
Richardson, D., see Rainsford, S.G. (53) 351
Richardson, R.A.
Interference in the Zimmerman Test for steroids (50) 151
Ricós, C., see Sabater, J. (56) 175
Rieder, S.V., see Levinson, S.S. (52) 249
Rijks, L.G.
A modification of the Berkó—Durkó method for the determination of δ-aminolevulinic acid in urine (53) 23
Rinderknecht, H., Engeling, E.R., Bunnell, M.J., Geokas, M.C.
A sensitive assay for human enterokinase and some properties of the enzyme (54) 145
Rindfleisch, T.C., see Pereira, W.E. (51) 109
Rispens, P., Zijlstra, W.G., van Kampen, E.J.
Significance of bicarbonate for the evaluation of non-respiratory disturbances of acid—base balance (54) 335
Ritland, S.
A method for quantitative determination of the abnormal lipoprotein of cholestasis, LP-X (55) 359
Ritland, S., see Blomhoff, J.P. (53) 197
Robert, J.C., see Vatier, J. (51) 119
Roberts, L.B., see Booth, E. (55) 367
Robey, E.D., see Attwood, E.C. (54) 95
Robinson, D., Thorpe, R.
Fluorescent assay of α-L-fucosidase (55) 65
Robinson, D., see Phillips, N.C. (55) 11
Robson, J.R.K., Brooks, G.J.
The distribution of calcium in fingernails from healthy and malnourished children (55) 225
Roesel, R.A., Coryell, M.E.
Determination of cystine excretion by the nitroprusside method during drug therapy of cystinuria (52) 343
Roginsky, M.S., Gordon, R.D., Bennett, M.J.
A rapid and simple gas—liquid chromatographic procedure for homovanillic and vanillylmandelic acid in urine (56) 261
Rolleri, E., see Malvano, R. (51) 127
Romsdahl, M.M., see Nishioka, K. (57) 155
Rose, G.A., see Hallson, P.C. (55) 29
Roseleur, O.J., see Van Gent, C.M. (57) 197

Rosenberg, D., Cutler, R.
Tay—Sachs carrier detection by mechanized serum hexosaminidase assay (53) 247
Ross, J., see Attwood, E.C. (54) 95
Rost, W., see Fellin, R. (54) 325
Roussel, P., see Degand, P. (50) 223
Rouvroy, H.L., see Chivot, J.J.E. (53) 69
Rozenthal, M., Tomaszewski, L.
A new simple ultramicromethod for the determination of D-xylose in blood and urine (50) 311
Ruben, A., see Van Berge Henegouwen, G.P. (54) 249
Rucknagel, D.L., see Chudwin, D.S. (50) 413
Rudd, B.T., Duignan, N.M., London, D.R.
A rapid method for the measurement of sex hormone binding globulin capacity of sera (55) 165
Rufini, S., see Lato, M. (53) 273
Rusche, H.J., see Herrmann, J. (54) 69
Ruthven, C.R.J., see Goodwin, B.L. (55) 111
Ruthven, C.R.J., see King, G.S. (51) 105
Rydning, A., see Böhmer, T. (57) 55

S

Saat, G., see Postmes, Th.J. (50) 189
Sabater, J., Ricós, C.
Abnormalities of tryptophan metabolism (kynurenine pathway) found in a group of 830 mentally retarded children (56) 175
Sadowska, B., see Prószyńska, K. (53) 5
Saha, D., see Nath, R.L. (55) 5
Saito, N., see Endo, M. (57) 249
Sakakibara, S., see Ogihara, T. (52) 287
Sakurada, T., see Noma, A. (54) 177
Sall, I., see Ferard, G. (50) 207
Samachson, J., see Osis, D. (51) 211
Sampson, D., Hensley, W.J.
Assay of glutethimide in soya bean oil after haemodialysis (52) 125
Sandler, M., see Bonham Carter, S.M. (51) 327
Sandler, M., see Goodwin, B.L. (55) 111
Sandler, M., see King, G.S. (51) 105
Sandler, M., see Wong, K.P. (50) 119
Sanghvi, A., Wight, C., Serenko, A., Balachandran, R.
Gas—liquid chromatography of underivatized steroids: Simultaneous determination of urinary 17-ketosteroids, pregnanediol, pregnanetriol and pregnanetriolone (56) 49
Saris, N.E., see Somer, H. (53) 369
Sarnecka-Keller, M., see Hanicki, Z. (54) 47
Sasai, Y., see Endo, M. (57) 249
Sattler, M., see Wenger, D.A. (56) 199
Saudubray, J.M., see Gompertz, D. (57) 269
Saunders, R.A., see Cleary, J. (57) 217
Savigny, P., see Houpert, Y. (52) 143
Scherberich, J.E., Falkenberg, F.W., Mondorf, A.W., Müller, H., Pfleiderer, G.
Biochemical and immunological studies on isolated brush border membranes of human kidney cortex and their membrane surface proteins (55) 179
Schindler, A.E., see Friedrich, E. (56) 127
Schiphorst, M.E., see Van Anken, H.C. (56) 151
Schläpfer, P., Mindt, W., Racine, Ph.
Electrochemical measurement of glucose using various electron acceptors (57) 283
Schmidt, B.J., see da Costa Maia, J.C. (54) 225
Schretlen, E.D.A.M., see Werkman, H.P.Th. (53) 65
Schröter, W., see Wonneberger, B. (51) 147
Schuller, E., Tömpe, L.
Electroimmunodiffusion of IgG heavy chains in nanogram quantities with a carboxymethyl-cellulose—agarose gel (54) 131
Schwartz, T., see Levy, S.K. (54) 19
Schwarz, H.P., Van Bergmann, K., Paumgartner, G.
A simple method for the estimation of bile acids in serum (50) 197
Schwarz, V., see Duffy, M.J. (50) 97
Schwedt, G.
Extraktion von Adrenalin als Trihydroxyindol zur fluorimetrischen Bestimmung neben Noradrenalin (Fluorometric determination of adrenalin without interference by noradrenalin following extraction of adrenalin as trihydroxyindole) (51) 247
Schwedt, G.
Spektralfluorimetrische Simultanbestimmung von 3,4-Dihydroxyphenylalanin (DOPA) und der Summe der Katecholamine Adrenalin/Noradrenalin im Urin (Simultaneous spectrofluorometric analysis of 3,4-dihydroxyphenylalanine (DOPA) and the total amount of the catecholamines adrenalin/noradrenalin in urine (57) 291
Scott-Finnigan, T.J., see Williamson, J. (57) 175
Scriver, C.R., see Delvin, E. (53) 135
Segal, A.W., Putman, D., Levi, A.J., Lewis, B.
The use of Nitroblue tetrazolium prestaining of serum lipoproteins on polyacrylamide disc electrophoresis (53) 361
Seidel, D., see Fellin, R. (54) 325
Sekerke, J., see Manier, D.H. (57) 225
Sekiya, T., see Nozawa, Y. (55) 81
Seligson, D., see Jatlow, P. (50) 19
Serenko, A., see Sanghvi, A. (56) 49

Sharland, D.E.
Alkaline phosphatase: The isoenzyme pattern in the elderly and changes in total serum levels with age (56) 187
Shaw, W., see Spierto, F.W. (56) 281
Sheth, A.R., see Thakur, A.N. (55) 377
Shilling, W.H., see Gangolli, S.D. (50) 237
Shimamura, J., see Ueda, M. (53) 381
Shimizu, M., see Watanabe, A. (52) 231
Sieber, A., Becker, W.
Quantitative determination of IgE by single radial immunodiffusion. A comparison of three different methods of intensification of precipitates (50) 153
Sieckmann, L., see Friedrich, E. (56) 127
Siest, G., see Galteau, M.M. (55) 353
Siest, G., see Houpert, Y. (52) 143
Silk, E., see Chapman, L. (51) 335
Simeon, J., see Chivot, J.J.E. (53) 69
Simmons, C.J., Davis, M., Dordoni, B., Williams, R.
Urinary D-glucaric acid assay by an improved enzymatic procedure (51) 47
Simos, M., see Kalofoutis, A. (52) 361
Simpson, J., Zellweger, H., Burmeister, L.F., Christee, R., Nielsen, M.K.
Effect of oral contraceptive pills on the level of creatine phosphokinase with regard to carrier detection in Duchenne muscular dystrophy (52) 219
Simpson-Morgan, M.W., Sutherland, R.L.
A note on the estimation of thyroxine-binding parameters (57) 17
Singer, F.R., see Woo, J. (54) 161
Singh, B.N., see Ambler, P.K. (54) 373
Sjöblad, S., see Hultberg, B. (53) 221
Sjöholm, I., see Grahnén, A. (52) 187
S'Jongers, J.J., see Poortmans, J.R. (55) 205
Skarbøvik, A.J., see Gjone, E. (54) 11
Skinner, M., see Brandt, K.D. (55) 295
Skrede, S., see Blomhoff, J.P. (53) 197
Slee, R.G., see Koster, J.F. (51) 319
Ślizowska, K., see Hanicki, Z. (54) 47
Smeyers-Verbeke, J., Defrise-Gussenhoven, E., Ebinger, G., Löwenthal, A., Massart, D.L.
Distribution of Cu and Zn in human brain tissue (51) 309
Smith, B.S.W., Wright, H.
Improved manual and automated procedures for estimation of caeruloplasmin oxidase activity (50) 359
Smith, J.C., see McBean, L.D. (50) 43
Smith, R.L.
The estimation of serum cholinesterase in the presence of anti-cholinesterase insecticides (52) 315
Snehalatha, C., Mascreen, M., Valmikinathan, K., Jagannathan, K.
Dialysis effect on serum creatine phosphokinase during steroid therapy in dermatomyositis (53) 217
Snehalatha, C., Valmikinathan, K.
Creatine phosphokinase level in limb girdle muscular dystrophy: Effect of dialysis (51) 315
Sodhi, H.S., Kudchodkar, B.J.
A physiological method for labelling plasma lipoproteins with radioactive cholesterol (51) 291
Solberg, H.E., see Böhmer, T. (57) 55
Solem, E.
The absolute configuration of β-amino-isobutyric acid formed by degradation of thymine in man (53) 183
Solem, E., Jellum, E., Eldjarn, L.
The absolute configuration of β-amino-isobutyric acid in human serum and urine (50) 393
Somer, H., Uotila, A., Konttinen, A., Saris, N.E.
Creatine kinase activity and its isoenzyme pattern in heart mitochondria (53) 369
Somer, H., see Konttinen, A. (52) 245
Soons, M.P.J., see Brombacher, P.J. (52) 311
Soulas, D., see Daniel, J.Y. (55) 235
Spencer, H., see Osis, D. (51) 211
Sperling, O., see Weinberger, A. (50) 5
Spierto, F.W., Hubert, I.L., Shaw, W.
An interlaboratory and intralaboratory comparison of serum T_4 methodologies (56) 281
Srinivasan, S.R., see Berenson, G.S. (56) 65
Stachow, A., Bousquet, B., Dreux, C.
Variation du rapport tryptamine/acide indolylacetique urinaire dans divers cas pathologiques affectant le metabolisme du tryptophanne (Variation of the urinary tryptamine/indoleacetic acid ratio in different syndromes which affect the tryptophan metabolism) (50) 329

Staddon, G., see Misra, D.P. (56) 83
Stähelin, H.B., Locher, J.T., Maier, R.
Effect of Al-chlorophenoxyisobutyrate (Alufibrate) on pyruvate metabolism and on the fate of very low density lipoprotein lipids in hyperlipidemic patients (54) 115
Stanislawska, J., see Wender, M. (54) 269
Statland, B.E., see Gerhardt, W. (53) 281
Statland, B.E., see Gerhardt, W. (53) 291
Steen, G., see Lindstedt, S. (53) 143
Stein, H., see Berman, E.R. (52) 115
Stein, S.M., McKinley, I., Horn, D.B., Keay, A.J.
Total neonatal bilirubin: An assessment of the photo-ictometer (54) 107
Stein, S.M., see Horn, D.B. (54) 205
Steinmann, B., see Niederwieser, A. (54) 293
Stenman, U.-H., see Puutula, L. (55) 263
Stern, G.M., see Bonham Carter, S.M. (51) 327
Stewart, W.K., see Fleming, L.W. (50) 215
Stinson, R.A., see Godolphin, W.J. (56) 97
Stokke, O.
Preservation of γ-glutamyl transpeptidase activity in human urine (57) 143
Stuart-Shaw, C., see Rainsford, S.G. (53) 351
Sugimura, T., see Takeuchi, To. (54) 137
Sule, U., see Maclagan, N.F. (53) 339
Sumi, K., see Yabuuchi, H. (53) 85
Summons, R.E., see Pereira, W.E. (51) 109
Sutherland, G.R., Butterworth, J., Broadhead, D.M., Bain, A.D.
Lysosomal enzyme variations in thirteen cell strains cultured from one amniotic fluid (52) 211
Sutherland, G.R., see Butterworth, J. (53) 239
Sutherland, R.L., see Simpson-Morgan, M.W. (57) 17
Svensson, L., see Björkhem, I. (54) 185
Svensson, L., see Björkhem, I. (56) 241
Svensson, S., see Andersson, B. (51) 13
Swierczek, E., see Hankiewicz, J. (57) 205

T

Takemoto, T., see Takeuchi, To. (54) 137
Takeo, K., Nitta, K., Nakamura, S.
Demonstration of phosphorylase in urines by polyacrylamide gel disc electrophoresis (57) 45
Takeshita, M., see Kitao, T. (56) 211
Taketa, K., see Ueda, M. (53) 381
Takeuchi, Ta., see Takeuchi, To. (54) 137
Takeuchi, To., Matsushima, T., Sugimura, T., Kozu, T., Takeuchi, Ta., Takemoto, T.
A rapid, new method for quantitative analysis of human amylase isozymes (54) 137
Tam, R., see Hokama, Y. (50) 53
Tamir, I., Heldenberg, D., Levtow, O., Burstein, Y., Lupo, S., Werbin, B.
Behaviour of serum lipids in children with hepatitis A (56) 113
Tan, I.K., see Lee, K.T. (53) 153
Taniguchi, N., Moriya, N., Nanba, I.
Isolation and preliminary characterization of glycosaminoglycans in human plasma (50) 319
Tarbutton, P., see Usategui-Gomez, M. (50) 405
Tatler, G.L.V., see Wills, M.R. (57) 83
Tejler, L., Lindgärde, F., Malmquist, J., Zettervall, O.
Human urinary protein with high calcium affinity (56) 75
Thakur, A.N., Sheth, A.R., Rao, S.S.
Polyamines in human semen: Presence of S-adenosyl-L-methionine decarboxylase (55) 377
Thomaidis, T., Valassi-Adam, H., Matsaniotis, N.
Evidence for an effect on erythrophilic IgG-globulin coat by the haemolytic process (57) 109
Thorpe, R., see Robinson, D. (55) 65
Tikkanen, M., see Martin, F. (55) 71
Tjoa, S.S., see Mamer, O.A. (55) 199
Toledo, S.P.A., see Nader, H.B. (50) 245
Tomaszewski, L., see Rozenthal, M. (50) 311
Tömpe, L., see Schuller, E. (54) 131
Torrance, J.D.
Diphosphoglycerate mutase assay: The effect of pyruvate, lactate dehydrogenase and thyroid hormone on the assay (50) 103
Touber, J.L., see Hollemans, H.J.G. (56) 305
Tovey, K.C., Oldham, K.G., Whelan, J.A.M.
A simple direct assay for cyclic AMP in plasma and other biological samples using an improved competitive protein binding technique (56) 221
Trijbels, J.M.F., see Werkman, H.P.Th. (53) 65
Trovati, C., see Vacca, G. (50) 289
Tudor, R., see Baum, C.K. (55) 147
Turner, B.M., Beratis, N.G., Turner, V.S., Hirschhorn, K.
Isozymes of human α-L-fucosidase detectable by starch gel electrophoresis (57) 29
Turner, B.M., Fisher, R.A., Harris, H.
The age related loss of activity of four enzymes in the human erythrocyte (50) 85
Turner, V.S., see Turner, B.M. (57) 29
Turton, M.B., Deegan, T.
Circadian variations of plasma catecholamine, cortisol and immunoreactive insulin concentrations in supine subjects (55) 389
Turton, M.B., Matthews, H.R.
Catecholamines and peripheral vasoconstriction after open-heart surgery (50) 419
Tweksbury, D.A., Dumas, M.L., Premeau, M.R.
Preparation of human angiotensinogen for plasma renin concentration assay (55) 383
Twycross, R.G., see Fry, D.E. (51) 183

U

Ueda, M., Taketa, K., Shimamura, J., Kosaka, K.
Hepatic hexokinase isozyme in liver diseases (53) 381
Uotila, A., see Somer, H. (53) 369
Usategui-Gomez, M., Yeager, F.M., Tarbutton, P.
Purification of human placental alkaline phosphatase by isoelectric focusing (50) 405

V

Vacca, G., Trovati, C., Di Siena, F.
Screening of commercial control sera for Australia Antigen (50) 289
Vaitkevicius, V.K., see Kithier, K. (52) 293
Valassi-Adam, H., see Thomaidis, T. (57) 109
Valentine, W.N., Frankenfeld, J.K.
3-Mercaptopyruvate sulfurtransferase (EC 2.8.1.2): A simple assay adapted to human blood cells (51) 205
Vallon, J.J., Badinand, A., Descos, L., Bichon, C.
Colorimétrie de l'acide 5-hydroxy-indoleacétique urinaire après élimination des phénothiazines acides et basiques, par formation de paires d'ions (Colorimetric determination of urinary 5-hydroxyindoleacetic acid following ion pair extraction of both acidic and basic phenothiazines) (57) 1
Valmikinathan, K., see Snehalatha, C. (51) 315
Valmikinathan, K., see Snehalatha, C. (53) 217
Van Anken, H.C., Schiphorst, M.E.
A kinetic determination of ammonia in plasma (56) 151
Van Berge Henegouwen, G.P., Ruben, A., Brandt, K.-H.
Quantitative analysis of bile acids in serum and bile, using gas—liquid chromatography (54) 249
Van Bergmann, K., see Schwarz, H.P. (50) 197
Van Bogaert, E., see Brouet-Yager, M. (54) 387
Van Buul, T., Van Oudheusden, A.P.M.
A comparative study of recent assays for the determination of cystine aminopeptidase (oxytocinase) (54) 263
Van den Berg, H., Hommes, F.A.
A rapid and sensitive method for the determination of short chain fatty acids in serum (51) 225
Van der Heiden, C., see Bakker, H.D. (50) 281
Van der Linden, G., see Pratt, J.J. (50) 137
Vandermeers, A., Vandermeers-Piret, M.C., Rathé, J., Christophe, J.
A simple automated method for the assay of pancreatic lipase (52) 271
Vandermeers-Piret, M.C., see Vandermeers, A. (52) 271
Vanderveiken, F., see Van Melsen, A. (55) 225
Van de Wiel, D.F.M., De Vries, J.A., Woldring, M.G., Nieweg, H.O.
Competitive protein-binding analysis of vitamin B-12 using Lactobacillus leichmannii as a specific binder (55) 155
Van de Wiel, D.F.M., Goedemans, W.Th., Woldring, M.G.
Production and purification of antibody against protein—vitamin B-12 conjugates for radioimmunoassay purposes (56) 143
Van de Wiel, D.F.M., Koster-Otte, L.J., Goedemans, W.Th., Woldring, M.G.
Competitive protein binding analysis of vitamin B-12 using vitamin B-12-free serum as a standard diluent (56) 131
Van Eijk, H.G., Wiltink, W.F., Bos, G.
The relation of erythrocyte porphyrins to haemoglobin, haematocrit, transferrin and serum iron (53) 35
Van Eijk, H.G., Wiltink, W.F., Bos, G. and Goossens, J.P.
Measurement of the iron content in human liver specimens (50) 275
Van Gennip, A.H., see Abeling, N.G.G.M. (56) 297
Van Gent, C.M., Roseleur, O.J.
Quantitative determination of phospholipids in blood serum or plasma by a nondestructive method (57) 197
Van Hout, J.C., see Postmes, Th.J. (50) 189
Van Husen, N., Gerlach, U.
Über die Aktivitätserhöhung der unspezifisch lipoproteidgebundenen alkalischen Phosphatase im menschlichen Serum (The increased activity of unspecific β-lipoprotein-bound alkaline phosphatase in human serum) (53) 91
Van Kampen, E.J., see Rispens, P. (54) 335

Van Melsen, A., De Greve, Y., Vanderveiken, F., Vastesaeger, M., Blaton, V., Peeters, H.
A modified method or phenotyping of hyperlipoproteinaemia on agarose electrophoresis (55) 225
Van Oudheusden, A.P.M., see Van Buul, T. (54) 263
Van Sprang, F.J., see Bakker, H.D. (55) 41
Varghese, Z., see Wills, M.R. (57) 83
Vastesaeger, M., see Van Melsen, A. (55) 225
Vatier, J., Dubrasquet, M., Robert, J.C., Accary, J.P., Bonfils, S.
Purification of a gastrosecretagogue fraction from hog pancreas (51) 119
Veissière, D., see Picard, J. (51) 5
Vella, F., see Westendorf Boerma, F. (55) 49
Verder, H., Clausen, J.
Assay of phospholipids in the amniotic fluid (51) 257
Verder, H., Clausen, J.
Idiopathic respiratory distress syndrome and the phospholipids in the amniotic fluid (51) 271
Verhaar, M.A.T., see Brendel, S. (53) 29
Verhaar, M.A.T., see Brendel, S. (54) 243
Verhaar, M.A.T., see Brendel, S. (55) 103
Verhoeven, A.G.J., Merkus, H.M.W.M.
Procedure for the determination of the lecithin/sphingomyelin ratio in amniotic fluid, with a new detection reagent (53) 229
Vessal, M., see Faradji, B. (53) 299
Vettore, L., Falezza, G., De Matteis, M.C., Cetto, G., Zandegiacomo, M.
A new method for the determination of sodium and potassium in human red blood cells, using indocyanine green as a marker for trapped plasma (55) 345
Vibert, M., see Proux, D. (57) 211
Vielh, J.P., see Alcindor, L.G. (50) 31
Vincent, D., Magron, J.
Cholinesterase, arylesterase et proteinuries (Cholinesterase, arylesterase and proteinuria) (50) 181
Virella, G., Pires, M.T., Marques Coelho, I.
Analytical characterization of the urinary proteins from sixty patients with monoclonal gammopathies (50) 63
Volkova, Z.I., see Privalenko, M.N. (57) 11
Voogd, C.E., Mantel, M.J.
Experience with a commercial radioassay for vitamin B-12 (54) 369

W

Wadman, S.K., see Abeling, N.G.G.M. (56) 297
Wadman, S.K., see Bakker, H.D. (50) 281
Wadman, S.K., see Bakker, H.D. (55) 41
Wahl, E., see Lindstedt, S. (53) 143
Walker, A.W.
Intestinal alkaline phosphatase in serum of patients on maintenance haemodialysis (55) 399
Walker, W.H.C., Andrew, K.R.
The lag factor in continuous flow analysis (57) 181
Wallsgrove, R., see Maclagan, N.F. (53) 339
Wapnir, R.A., Lifshitz, F.
Intestinal transport of aromatic amino acids, glucose and electrolytes in a patient with phenylketonuria (54) 349
Watanabe, A., Kitamura, M., Shimizu, M.
Immunoglobulin A (IgA) with properties of both cryoglobulin and pyroglobulin (52) 231
Watson, M.J., Fleetwood, J.A.
A reliable method for the specific determination of testosterone in plasma (57) 135
Watts, R.W.E., see Chalmers, R.A. (52) 31
Watts, R.W.E., see Chalmers, R.A. (52) 43
Watts, R.W.E., see Chalmers, R.A. (55) 281
Webster, D.
A study of the interaction of bromocresol green with isolated serum globulin fractions (53) 109
Webster, D., Bignell, A.H.C., Attwood, E.C.
An assessment of the suitability of bromocresol green for the determination of serum albumin (53) 101
Weijden, A.H., see Borst, A. (55) 113
Weill, J., see Lamy, J. (56) 169
Weinberger, A., Sperling, O., De Vries, A.
Calcium and inorganic phosphate in saliva of patients with primary hyperparathyroidism (50) 5
Wellby, M.L., see Kanagasabapathy, A.S. (55) 267
Wender, M., Filipek-Wender, H., Stanislawska, J.
Cholesteryl esters of the brain in demyelinating diseases (54) 269
Wenger, D.A., Sattler, M., Clark, C., McKelvey, H.
An improved method for the identification of patients and carriers of Krabbe's disease (56) 199
Wenger, D.A., see Alhadeff, J.A. (57) 307
Werbin, B., see Tamir, I. (56) 113
Werkman, H.P.Th., Trijbels, J.M.F., Schretlen, E.D.A.M.
The "short-term" iron rhythm (53) 65
Westendorp Boerma, F., Nijboer, J., Vella, F., Wong, S.C., Huisman, T.H.J.
The characterization of variants of human hemoglobin A_2 (55) 49
Weston, S., see Glover, J. (50) 371
Whelan, J.A.M., see Tovey, K.C. (56) 221
Whitaker, K.B., Moss, D.W.
A comparison of the transphosphorylating activities of human liver and intestinal alkaline phosphatases (52) 347
Whitaker, K.B., see Moss, D.W. (51) 41
Whitsed, H., Penny, R.
β-trace protein. Purification and urinary excretion studies in selected diseases (50) 111
Wiatrowski, E., see Osis, D. (51) 211
Wight, C., see Sanghvi, A. (56) 49
Wilcken, D.E.L., see Hinterberger, H. (52) 153
Wille, L.E.
Further characterization of the serum pre-α-lipoprotein (57) 63
Wille, L.E., see Phillips, G.B. (50) 425
Willems, P., see Postmes, Th.J. (50) 189
Williams, D.G., see Ismail, A.A.A. (55) 211
Williams, J.W., see Murphy, G.M. (54) 81
Williams, R., see Murray-Lyon, I.M. (51) 303
Williams, R., see Simmons, C.J. (51) 47
Williams, R.B., see Little, A.J. (57) 91
Williamson, J., Scott-Finnigan, T.J.
Phospholipid interference and other variables in analysis of non-esterified fatty acids by copper soap formation (57) 175
Wills, M.R., Fairney, A., Varghese, Z., Tatler, G.L.V., Baillod, R.A., Moorhead, J.F.

Serum parathyroid hormone concentration in chronic renal failure patients on maintenance haemodialysis (57) 83
Wills, P.D., see Fry, D.E. (51) 183
Wiltink, W.F., see Van Eijk, H.G. (50) 275
Wiltink, W.F., see Van Eijk, H.G. (53) 35
Winchester, B.G., see Phillips, N.C. (55) 11
Winfield, D.A., see Goldberg, D.M. (54) 357
Winston, R.M.
Obstruction detection in the SMA 6/60 (53) 375
Woldring, M.G., see Pratt, J.J. (50) 137
Woldring, M.G., see Van de Wiel, D.F.M. (55) 155
Woldring, M.G., see Van de Wiel, D.F.M. (56) 131
Woldring, M.G., see Van de Wiel, D.F.M. (56) 143
Wolfrum, R., Holweg, J., Gidion, R.
Sind Penicilline während der Schwangerschaft für den Feten harmlos? (Are penicillins administered during pregnancy harmful to the foetus?) (57) 125
Wong, K.P., Sandler, M.
A gas chromatographic method for measuring dopa decarboxylase activity in tissues (50) 119
Wong, N., McKenzie, D., Henderson, A.R., Linton, A.L.
Does haemoconcentration account for the changes in serum enzyme activities following haemodialysis? (56) 105
Wong, S.C., see Westendorp Boerma, F. (55) 49
Wonneberger, B., Schröter, W.
Pyruvate kinase electrophoresis in normal and pyruvate kinase deficient hemolysates (51) 147
Woo, J., Singer, F.R.
Radioimmunoassay for human parathyroid hormone (54) 161
Worthington, K.J., Cuschieri, A.
A study on the kinetics of pancreatic kallikrein with the substrate benzoyl arginine ethyl ester using a spectrophotometric assay (52) 129
Wright, H., see Smith, B.S.W. (50) 359

Y

Yabuuchi, H., Sumi, K., Okada, S., Yutaka, T.
Chromatographic study of serum hexosaminidase in normal and G(M2)-gangliosidosis (53) 85
Yamada, H., see Kamisaka, K. (53) 255
Yamamoto, R., see Endo, M. (57) 249
Yamamoto, T., see Ogihara, T. (52) 287
Yankova, D., see Bontchev, P.R. (57) 37
Yatsuji, Y., see Kamisaka, K. (53) 255
Yatziv, S., see Bermann, E.R. (52) 115
Yeager, F.M., see Usategui-Gomez, M. (50) 405
Yoshida, A., see Nakai, T. (51) 199
Yosizawa, Z., see Endo, M. (57) 249
Yosizawa, Z., see Maeta, T. (57) 255
Youdim, M.B.H., see Bonham Carter, S.M. (51) 327
Young, M., see McDonald-Gibson, R.G. (53) 117
Yutaka, T., see Yabuuchi, H. (53) 85

Z

Zandegiacomo, M., see Vettore, L. (55) 345
Zatti, M., see Lechi, C. (57) 171
Zellweger, H., see Simpson, J. (52) 219
Zelníček, E., Podhradská, J. Determination of urinary phenylpyruvic acid in phenylketonurics by enol—borate method (53) 373
Zettervall, O., see Tejler, L. (56) 75
Zijlstra, W.G., see Rispens, P. (54) 335
Zilliken, F., see Feltkamp, H. (53) 305
Zucchelli, G.C., see Malvano, R. (50) 161
Zucchelli, G.C., see Malvano, R. (51) 127

BLANK
PAGE

SUBJECT INDEX

A

N-Acetyl-p-aminophenol (Paracetamol), a sensitive, specific method for measuring, in blood (Knepil) (52) 369
Acidaemia, methylmalonic, studies on urinary acidic metabolites excreted by patients with β-methylcrotonylglycinuria, propionic acidaemia and, using gas-liquid chromatography and mass spectrometry (Chalmers, Lawson, Watts) (52) 43
Acidaemia, propionic, method for determination of volatile organic acids in aqueous solutions and urine, and the results obtained in β-methylcrotonylglycinuria, methylmalonic aciduria and (Chalmers, Bickle, Watts) (52) 31
Acidaemia, propionic, studies on the urinary acidic metabolites excreted by patients with β-methylcrotonylglycinuria, methylmalonic acidaemia and, using gas-liquid chromatography and mass spectrometry (Chalmers, Lawson, Watts) (52) 43
Acid-base balance, significance of bicarbonate for the evaluation of non-respiratory disturbances of (Rispens, Zijlstra, van Kampen) (54) 335
Acid hydrolases, in amniotic fluid and chorionic villi at various stages of pregnancy (Hultberg, Sjöblad, Gustavii) (53) 221
Acid hydrolases, isoenzymes of four, in human kidney and urine (Hultberg, Öckerman, Nordén) (52) 239
Aciduria, a defect in L-isoleucine metabolism associated with α-methyl-β-hydroxybutyric and α-methylacetoacetic: quantitative in vivo and in vitro studies (Gompertz, Saudubray, Charpentier, Bartlett, Goodey, Draffan) (57) 269
Aciduria, α-amino adipic, in an oligophrenic child (Lormans, Lowenthal) (57) 97
Aciduria, argininosuccinic, amino acid levels in patients with hyperammonaemia and (Palmer, Oberholzer, Levin) (52) 335
Aciduria, formiminoglutamic, folic acid non-dependent, in two siblings (Niederwieser, Giliberti, Matasović, Pluznik, Steinmann, Baerlocher) (54) 293
Aciduria, methylmalonic, method for determination of volatile organic acids in aqueous solutions and urine, and the results obtained in propionic acidaemia, β-methylcrotonylglycinuria and (Chalmers, Bickle, Watts) (52) 31
Acrylamide gel electrophoresis, L-cystinyl-di-β-naphthylamide hydrolase (oxytocinase) in human colostrum and early milk plasma. Separation of two isozymes by (Brouet-Yager, Kleiner, van Bogaert, Graff) (54) 387
S-Adenosyl-L-methionine decarboxylase, polyamines in human semen (Thakur, Sheth, Rao) (55) 377
Adenylate kinase, electrophoretic polymorphism of, in human jejunum (Eze, Evans) (56) 91
Adipic aciduria, α-amino, in an oligophrenic child (Lormans, Lowenthal) (57) 97
Adrenal carcinoma tissue, human, biosynthesis of steroids from [^{14}C]cholesterol, [^{3}H]progesterone and [^{3}H]pregnenolone by (Nishida, Jungmann) (52) 97
Adrenal medullary tissue, effect of prolonged glucagon infusions on the urinary excretion of catecholamines and 4-hydroxy-3-methoxymandelic acid and on levels of catecholamines in, in patients with severe cardiac disease (Hinterberger, Wilcken) (52) 153
Adrenalin, extraction as trihydroxyindole and fluorimetric determination without interference of noradrenalin (Schwedt) (51) 247
Adrenalin, simultaneous spectrofluorimetric analysis of DOPA and the total amount of the catecholamines, noradrenalin and, in urine (Schwedt) (57) 291
Agar gels, simple procedure for preventing excessive drying of exposed (Kohn) (52) 373
Agarose carboxymethyl-cellulose gel, electroimmunodiffusion of IgG heavy

chains in nanogram quantities with a (Schuller, Tömpe) (54) 131
Agarose electrophoresis, a modified method for phenotyping of hyperlipoproteinaemia on (van Melsen, de Greve, Vanderveiken, Vastesaeger, Blaton, Peeters) (55) 225
Agarose gel, uranyl acetate as an excellent fixative for lipoproteins after electrophoresis on (Lózsa) (53) 43
Agarose gel electrophoresis, studies on the pre-α-lipoprotein of human serum obtained by (Phillips, Wille) (50) 425
Age, alkaline phosphatase: the isoenzyme pattern in the elderly and changes in total serum levels with (Sharland) (56) 187
Age-related loss of activity of four enzymes in the human erythrocyte (Turner, Fisher, Harris) (50) 85
Albumin, effect of uraemia and kidney transplantation on the binding capacity of (Dromgoole) (52) 301
Albumin, in serum, an assessment of the suitability of bromocresol green for the determination of (Webster, Bignell, Attwood) (53) 101
Albumin, in serum, a comparison of bromocresol green and immunoprecipitation methods for the determination of (Ferreria, Price) (55) 259
Albumin, solubility and absorption spectra of complexes resulting from interaction among bromocresol green, detergents and human (Beng, Rasanayagam, Lim, Lau) (52) 257
Alcohol, decrease in serum γ-glutamyltranspeptidase following abstention from (Lamy, Baglin, Ferrant, Weill) (56) 169
Aldosterone, in plasma, radioimmunoassay of, by chromatography on Sephadex LH 20 (Daniel, Mion, Soulas) (55) 235
Alkaline phosphatases, comparison of the transphosphorylating activities of human liver and intestinal (Whitaker, Moss) (52) 347
Alkaline phosphatase, demonstration of high molecular weight isoenzymes of, in human serum, by cellulose acetate electrophoresis and physico-chemical characterization (Fritsche Jr, Adams-Park) (52) 81
Alkaline phosphatase, intestinal, in serum of patients on maintenance haemodialysis (Walker) (55) 399
Alkaline phosphatase, intestinal, in vitro stimulation of apparent, activity by thyrocalcitonin (Lechi, de Bastiani, Zatti) (57) 171
Alkaline phosphatase, β-lipoprotein-bound, the increased activity of non-specific, in human serum (van Husen, Gerlach) (53) 91
Alkaline phosphatase, liver and bone, routine measurements and clinical evaluation of, in human serum. Differential inhibition by L-phenylalanine and carbamide (urea) on the LKB 8600 reaction rate analyzer (Gerhardt, Nielsen, Nielsen, Olsen, Statland) (53) 281, 291
Alkaline phosphatase, in (rat) liver, effect of biliary obstruction on some properties of (Moss, Panov, Whitaker) (51) 41
Alkaline phosphatase, of (human) placenta, purification by isoelectric focusing (Usategui-Gomez, Yeager, Tarbutton) (50) 405
Alkaline phosphatase, in serum, a thermostable (Nath, Saha) (55) 5
Alkaline phosphatase, (high molecular weight) isoenzymes, demonstration of, in human serum, by cellulose acetate electrophoresis and physico-chemical characterization (Fritsche Jr, Adams-Park) (52) 81
Alkaline phosphatase isoenzyme activity in serum, quantitative analysis of (Healy) (55) 407
Alkaline phosphatase isoenzyme pattern in the elderly and changes in total serum levels with age (Sharland) (56) 187
Alkaline ribonuclease, activity in serum, during pregnancy (Biswas, Hindocha) (51) 285
Alufibrate (Al-chlorophenoxyisobutyrate), effect of, on pyruvate metabolism and on the fate of very low density lipoprotein lipids in hyperlipidaemic patients (Stähelin, Locher, Maier) (54) 115
Aluminium, determination in serum by flameless atomic absorption (Fuchs, Brasche, Paschen, Nordbeck, Quellhorst, Peek) (52) 71
Aluminum chlorophenoxyisobutyrate

(alufibrate), effect of, on pyruvate metabolism and on the fate of very low density lipoprotein lipids in hyperlipidaemic patients (Stähelin, Locher, Maier) (54) 115
Amino acids, aromatic, intestinal transport of glucose, electrolytes and, in a patient with phenylketonuria (Wapnir, Lifshitz) (54) 349
Amino acids, aromatic, quantitative studies on the urinary excretion of unconjugated, in phenylketonuria (Chalmers, Watts) (55) 281
Amino acid, levels in patients with hyperammonaemia and argininosuccinic aciduria (Palmer, Oberholzer, Levin) (52) 335
Amino acid metabolic defects, a sensitive chromatographic technique for screening of, in the newborn (Lato, Rufini, Ghebregzabher, Ciuffini, Mezzetti) (53) 273
α-Amino adipic aciduria, in an oligophrenic child (Lormans, Lowenthal) (57) 97
β-Aminoisobutyric acid, the absolute configuration of, in human serum and urine (Solem, Jellum, Eldjarn) (50) 393
β-Aminoisobutyric acid, the absolute configuration of, formed by degradation of thymine in man (Solem) (53) 183
δ-Aminolaevulinic acid, modification of the Berkó-Durkó method for the determination of, in urine (Rijks) (53) 23
α-Amino nitrogen, semi-automated method for the determination of plasma (Oddy) (51) 151
Aminotransferase, activity measurement, pyridoxal phosphate and (Cheung, Briggs) (54) 127
Ammonia, in plasma, a kinetic determination (van Anken, Schiphorst) (56) 151
Ammonia, in urine, determination with an ammonium electrode and with a direct method (Hoge, Hazenberg, Gips) (55) 273
Ammonium-8-anilino naphthalene-1-sulfonate, triiodothyronine radioimmunoassay: a study of the interactions of T_3 with anti-T_3 antisera and with thyroxine binding globulin in the presence of (Malkus, Donabedian) (51) 191
Ammonium electrode, determination of ammonia in urine with a direct method and a (Hoge, Hazenberg, Gips) (55) 273
Amniotic fluid, acid hydrolases in, and chorionic villi at various stages of pregnancy (Hultberg, Sjöblad, Gustavii) (53) 221
Amniotic fluid, 16α-hydroxyprogesterone in, identification and quantitation of, in man (Friedrich, Sieckmann, Schindler) (56) 127
Amniotic fluid, lysosomal enzyme variations in thirteen cell strains cultured from one (Sutherland, Butterworth, Broadhead, Bain) (52) 211
Amniotic fluid, phospholipids in the, assay of (Verder, Clausen) (51) 257
Amniotic fluid, phospholipids in the, idiopathic respiratory distress syndrome and the (Verder, Clausen) (51) 271
Amniotic fluid, procedure for the determination of the lecithin/sphingomyelin ratio in, with a new detection reagent (Verhoeven, Merkus) (53) 229
Amniotic fluid cells, lysosomal enzyme activity of, effect of serum concentration, type of culture medium and pH on the human cultured, (Butterworth, Sutherland, Broadhead, Bain) (53) 239
cyclic AMP, a simple direct assay for, in plasma and other biological samples using an improved competitive protein binding technique (Tovey, Oldham, Whelan) (56) 221
cyclic AMP phosphodiesterase (EC 3.1.4.17), activity in normal and dystrophic human muscle (Kar, Pearson) (50) 435
Ampicillin administration, excretion of unconjugated and conjugated progesterone metabolites in pregnancy urine during (Martin, Peltonen, Laatikainen, Tikkanen, Pulkkinen) (55) 71
α-Amylase, activation of, in urine (Irie, Hunaki, Bando, Kawai) (51) 241
α-Amylase, radiometric assay of the activity of (Aw) (56) 291
Amylase isoenzymes, a rapid, new method for quantitative analysis of human (Takeuchi, Matsushima, Sugimura, Kozu, Takeuchi, Takemoto) (54) 137
Amyloid fibrils, characterization of the mucopolysaccharides associated with fractions of guanidine-denatured (Brandt, Skinner, Cohen) (55) 295

Anaemia, haemolytic, G6PD Heian, a glucose-6-phosphate dehydrogenase variant associated with, found in Japan (Nakai, Yoshida) (51) 199
Anaemia, iron deficiency, erythrocyte glutathione reductase in (Ramachandran, Iyer) (52) 225
Anaesthetics, local, gas chromatographic determination of some, using a nitrogen detector (Cameron) (56) 307
Analgesia, congenital, isolation of a new urine metabolite excreted in generalised (Da Costa Maia, Pudles, Raw, Schmidt) (54) 225
Analytical standards, their influence on interlaboratory quality control programs (Booth, Crofton, Roberts) (55) 367
Anencephaly, the molecular nature of α-fetoprotein in spina bifida and (Brock) (57) 315
Angiotensin I, radioimmunoassay, problems connected with the analytical blank in plasma renin activity measurements by (Malvano, Zucchelli, Gasser, Bartolini) (50) 161
Angiotensin I and II, in vitro study on the effects of bradykinin potentiating factor and angiotensin II analogue on degradation and conversion of, in plasma (Ogihara, Yamamoto, Doi, Kumahara, Kimura, Sakakibara) (52) 287
Angiotensinogen, preparation of human, for plasma renin concentration assay (Tewksbury, Dumas, Premeau) (55) 383
Antibiotics, separation of folates from, using triethylamino cellulose (Landon) (52) 253
Antibody, double, electroradioimmunoassay: a new type of, radioimmunoassay based on electroimmunodiffusion (Matzku, Ludwig, Rapp) (54) 317
Antibody, insulin, measurement of total plasma insulin and, levels in diabetic children (Dunlop, Court) (52) 353
Antibody, against protein-vitamin B-12 conjugates, for radioimmunoassay purposes (van de Wiel, Goedemans, Woldring) (56) 143
Anti-cholinesterase insecticides, estimation of serum cholinesterase in the presence of (Smith) (52) 315
Antigen, Australia, screening of commercial control sera for (Vacca, Trovati, di Siena) (50) 289
Antigens, multiple precipitation in IgA radial immunodiffusion by non-identical (Brendel, Mulder, Verhaar) (55) 103
Antiserum, the preparation and properties of an, for the radioimmunoassay of serum conjugated cholic acid (Murphy, Edkins, Williams, Catty) (54) 81
Argininosuccinic aciduria, amino acid levels in patients with hyperammonaemia and (Palmer, Oberholzer, Levin) (52) 335
Aromatic amino acids, intestinal transport of glucose, electrolytes and, in a patient with phenylketonuria (Wapnir, Lifshitz) (54) 349
Aromatic amino acids, quantitative studies on the urinary excretion of unconjugated, in phenylketonuria (Chalmers, Watts) (55) 281
Arterial pH, correlation of 2,3-diphosphoglycerate with oxygen tension, hematocrit value and,. Respiratory insufficiency and red cell 2,3-diphosphoglycerate (Hamasaki, Matsuda, Hamano, Hara, Minakami) (50) 385
Arylesterase, cholinesterase and proteinuria (Vincent, Magron) (50) 181
Ascorbic acid, nutritional status and tyrosine metabolism (Mohanram, Reddy) (56) 59
Atomic absorption, flameless, aluminium determination in serum by (Fuchs, Brasche, Paschen, Nordbeck, Quellhorst, Peek) (52) 71
Atomic absorption spectrophotometry, determination of chromium in faeces by (Gunčaga, Lentner, Haas) (57) 77
Atomic absorption spectrophotometry, determination of serum Fe, total Fe binding capacity and Fe in urine, with Mn as internal standard (Pronk, Oldenziel, Lequin) (50) 35
Atomic absorption systems, an evaluation of some, for the determination of lead in blood (Anderson, Broughton, Dawson, Fisher) (50) 129
ATPase, (Na^+-K^+)-, inhibition of intestinal, in experimental uraemia (Kramer, Bäcker, Krück) (50) 13
ATPase, (Na^+-K^+)-, further studies on epithelial transport defect in experimental

and human Fanconi syndrome. Effects of maleic acid and L-cystine on sodium transport and, of the isolated frog skin (Kramer, Burgard) (55) 57

ATPase, studies on the, enzyme system in human intestinal epithelial cells (Mooney, McCarthy) (56) 37

Australia antigen, screening of commercial control sera for (Vacca, Trovati, di Siena) (50) 289

Autoanalyser fluorescence method, improved, for the analysis of urinary catecholamines (Andersson, Hovmöller, Karlsson, Svensson) (51) 13

Autoanalyser method, for chloride, effect of free mercuric ion on apparent bromide concentrations when measured by the standard, (Levinson, Rieder) (52) 249

Autoanalyser method, determination of conjugated and total bilirubin with automatic blank subtraction by means of a two-wavelength method (Borst, Hanssen, de Jong) (55) 121

B

Barbiturate, quantitative determination, in urine and serum (De Bruijn) (53) 385

Base-acid balance, significance of bicarbonate for the evaluation of non-respiratory disturbances of (Rispens, Zijlstra, van Kampen) (54) 335

Bence Jones protein, cryo-, gelling in urine, at room temperature (Harris, Kohn) (53) 233

Benzoyl arginine ethyl ester, study on the kinetics of pancreatic kallikrein with the substrate, using a spectrophotometric assay (Worthington, Cuschieri) (52) 129

S-Benzyl-L-cysteine-4-p-nitroanilide, comparison of L-cystine-di-β-naphthylamide and, as substrates for the assay of serum cystine aminopeptidase in pregnancy (Chapman, Burrows-Peakin, Rege, Silk) (51) 335

Berkó-Durkó method, modification of the, for the determination of δ-aminolaevulinic acid in urine (Rijks) (53) 23

Bicarbonate, in plasma or serum, a simple automated method for the determination of (den Boer, Mantel, Leijnse) (55) 87

Bicarbonate, significance of, for the evaluation of non-respiratory disturbances of acid-base balance (Rispens, Zijlstra, van Kampen) (54) 335

Bichromatic colorimeter, for automatic turbidity correction in continuous flow analysis using only one flow cuvet (Borst, de Jong, Weijden) (55) 113

Bile, quantitative analysis of bile acids in serum and, using gas-liquid chromatography (van Berge Henegouwen, Ruben, Brandt) (54) 249

Bile acids, quantitative analysis of, in serum and bile, using gas-liquid chromatography (van Berge Henegouwen, Ruben, Brandt) (54) 249

Bile acids, in serum, simple method for the estimation of (Schwarz, v. Bergmann, Paumgartner) (50) 197

Bile acid, turnover in man, randomly ^{3}H-labelled chenodeoxycholic acid as tracer in the determination of (Einarsson, Hellström, Kallner) (56) 235

Bile salt, measurement and validation of human, pool size and synthesis (Pomare, Low-Beer) (57) 239

Biliary cirrhosis, primary, quantitative immunoelectrophoresis of plasma proteins in acute viral hepatitis, extrahepatic biliary obstruction, idiopathic haemochromatosis and (Murray-Lyon, Williams) (51) 303

Biliary obstruction, effect of, on some properties of alkaline phosphatase in rat liver (Moss, Panov, Whitaker) (51) 41

Biliary obstruction, extrahepatic quantitative immunoelectrophoresis of plasma proteins in acute viral hepatitis, primary biliary cirrhosis, idiopathic haemochromatosis, and (Murray-Lyon, Williams) (51) 303

Bilirubin, levels in plasma, and red cell enzymes in cord blood in first week of life (Lie-Injo, Ng, Balakrishnan) (50) 77

Bilirubin, total and conjugated, determination of, with automatic blank subtraction by means of a two-wavelength method (Borst, Hanssen, de Jong) (55) 121

Bilirubin, total, a new accelerator for the determination of, in plasma (Colombo, Peheim, Kyburz, Hoffmann) (51) 217

Bilirubin, total neonatal: an assessment of the photo-ictometer (Stein, McKinley, Horn, Keay) (54) 107

Bilirubin, an ultrafiltrable photoderivative of, a pigment found in Crigler-Najjar syndrome and its similarity to (Kapitulnik, Kaufmann, Goitein, Cividalli, Blondheim) (57) 231

Bilirubin, unconjugated, new method for the determination of, in human serum by spectropolarimetry (Grahnén, Sjöholm, Michaëlsson) (52) 187

Bilirubin UDP-glucuronyl transferase, assay of, on needle biopsies applied to Gilbert's syndrome (Bellet, Raynaud) (53) 51

Biopsy, mucosal, the carbohydrate and ester sulphate content of, in health and in patients with duodenal ulcer (André, Bouhours, André, Descos, Lambert) (56) 255
Biopsy, needle, an assay of bilirubin UDP-glucuronyl transferase on, applied to Gilbert's syndrome (Bellet, Raynaud) (53) 51
Biphenyl, polychlorinated, poisoning, hypobilirubinaemia in patients with (Hirayama, Okumura, Nagai, Masuda) (55) 97
Blood, N-acetyl-p-aminophenol (Paracetamol) in, a sensitive, specific method for measuring (Knepil) (52) 369
Blood, "acquired" red cell enzyme defects in, in haematological diseases (Arnold, Blume, Löhr, Boulard, Najean) (57) 187
Blood, drugs in, a non-ionic resin extraction of (Missen, Lewin) (53) 389
Blood, ethanol determination in urine and, by mass fragmentography (Pereira, Summons, Rindfleisch, Duffield) (51) 109
Blood, in faeces, a comparison of the sensitivity and reproducibility of five chemical methods (Christensen, Anker, Mondrup) (57) 23
Blood, frequency distributions of commonly determined constituents of, in healthy blood donors (Flynn, Piper, Garcia-Webb, McPherson, Healy) (52) 163
Blood, gas chromatographic assay of fifteen volatile organic solvents in (Premel-Cabic, Cailleux, Allain) (56) 5
Blood, 1-(2-hydroxy-3-isopropylamino-propoxy)naphthalene hydrochloride, propanolol, in, a simple and rapid fluorimetric method for the estimation of (Ambler, Singh, Lever) (54) 373
Blood, lactate, stabilisation of whole- (Powell) (55) 107
Blood, lead in, an evaluation of some atomic absorption systems for the determination of (Anderson, Broughton, Dawson, Fisher) (50) 129
Blood, parameters, does mild exercise affect the reference values of the (Galteau, Siest, Boura) (55) 353
Blood, phospholipids in, quantitative determination of serum or plasma by a nondestructive method (van Gent, Roseleur) (57) 197
Blood, tyrosine in, a modified automated fluorimetric method for determination of, spotted on paper: a mass screening procedure for tyrosinaemia (Grenier, Laberge) (57) 71
Blood, D-xylose in, a new simple ultra-micromethod for the determination of D-xylose in urine and (Rozental, Tomaszewski) (50) 311
Blood cells, human, simple assay of 3-mercaptopyruvate sulphurtransferase (EC 2.8.1.2) adapted to (Valentine, Frankenfeld) (51) 205
Blood donors, frequency distributions of commonly determined blood constituents in healthy, (Flynn, Piper, Garcia-Webb, McPherson, Healy) (52) 163
Blood plasma, an equilibrium model for the calcium ion reactions of (Branegård, Österberg) (54) 55
Blood plasma, micromethod for fluorimetric assay of retinol-binding protein in (Glover, Moxley, Muhilal, Weston) (50) 371
Blood serum, myo-inositol, rapid screening test for detection of elevated myo-inositol levels in human (Lewin, Melmed, Bank) (54) 377
Blood serum, iron in, a rapid and sensitive catalytic method for determination of (Bontchev, Raykowa, Alexiev, Yankova) (57) 37
Bone, alkaline phosphatase, routine measurements and clinical evaluation of, and liver alkaline phosphatase in human serum. Differential inhibition by L-phenylalanine and carbamide (urea) on the LKB 8600 reaction rate analyzer (Gerhardt, Nielsen, Nielsen, Olsen, Statland) (53) 281, 291
Bone surgery, changes in serum proteinase inhibitor levels following (Dickson, Alper) (54) 381
Borate-enol method, determination of phenylpyruvic acid in phenylketonurics by (Zelníček, Podhradská) (53) 373
Bradykinin potentiating factor, in vitro study on the effects of angiotensin II analogue and, on degradation and conversion of angiotensin I and II in plasma (Ogihara, Yamamoto, Doi, Kumahara, Kimura, Sakakibara) (52) 287
Brain, distribution of Cu and Zn in human, tissue (Smeyers-Verbeke, Defrise-Gussen-

hoven, Ebinger, Löwenthal, Massart) (51) 309
"Broad beta" disease (Type III hyperlipoproteinaemia), isoelectrofocusing of human plasma lipoproteins in polyacrylamide gels: diagnosis of (Godolphin, Stinson) (56) 97
Bromide, effect of free mercuric ion on apparent concentrations of, when measured by the standard autoanalyzer method for chloride (Levinson, Rieder) (52) 249
Bromocresol green, an assessment of the suitability of, for the determination of serum albumin (Webster, Bignell, Attwood) (53) 101
Bromocresol green, a comparison of, and immunoprecipitation methods for the determination of serum albumin (Ferreria, Price) (55) 259
Bromocresol green, solubility and absorption spectra of complexes resulting from interaction among detergents, human albumin and (Beng, Rasanayagam, Lim, Lau) (52) 257
Bromocresol green, study of the interaction of, with isolated serum globulin fractions (Webster) (53) 109
Bronchogenic cysts, study of mucins produced by (Degand, Roussel, Lamblin) (50) 223
Brush border membranes, biochemical and immunological studies on isolated, of human kidney cortex and their membrane surface proteins (Scherberich, Falkenberg, Mondorf, Müller, Pfleiderer) (55) 179
Burns, tissue catabolism in patients with (Davies, Fell) (51) 83
Butaperazine, a fluorimetric method for the measurement of, in human plasma (Manier, Sekerke, Dingell, El-Yousef) (57) 225

C

C-reactive protein (CRP) binding, by lecithin, significance of: a simplified procedure for CRP isolation (Hokama, Tam, Hirano, Kimura) (50) 53
Caeruloplasmin, study of, in rheumatic fever (Privalenko, Volkova, Astakhova) (57) 11
Caeruloplasmin oxidase activity, improved manual and automated procedures for estimation of (Smith, Wright) (50) 359
Calcium, affinity, human urinary protein with high (Tejler, Lindgärde, Malmquist, Zettervall) (56) 75
Calcium, distribution of, in fingernails from healthy and malnourished children (Robson, Brooks) (55) 255
Calcium, and inorganic phosphate in saliva of patients with primary hyperparathyroidism (Weinberger, Sperling, de Vries) (50) 5
Calcium, reactions of free ions in blood plasma, an equilibrium model (Branegård, Österberg) (54) 55
Calcium, simultaneous measurement of Na, K, Mg, Cu, Zn and, balances in man (Hartley, Dawson, Hodgkinson) (52) 321
Calcium uptake and binding of ions by isolated erythrocyte membranes from cystic fibrosis and control subjects (Duffy, Cohn, Schwarz) (50) 97
Carbamide, (urea), differential inhibition by L-phenylalanine and, on the LKB 8600 reaction rate analyzer. Routine measurements and clinical evaluation of liver and bone alkaline phosphatase in human serum (Gerhardt, Nielsen, Nielsen, Olsen, Statland) (53) 281, 291
Carbohydrate, the ester sulphate and, content of mucosal biopsies in health and in patients with duodenal ulcer (André, Bouhours, André, Descos, Lambert) (56) 255
Carbohydrate metabolism, semi-automated assays for enzymopathies of, in liver and erythrocytes, using a reaction rate analyser (Bulfield, Moore) (53) 265
Carbonic anhydrase isoenzyme B, in erythrocytes of uremic subjects (Mondrup, Anker) (51) 141
Carbonic anhydrase isoenzyme B, in erythrocytes of subjects with thyroid disorders (Anker, Mondrup) (54) 277
Carboxymethyl-cellulose/agarose gel, electroimmunodiffusion of IgG heavy chains in nanogram quantities with a (Schuller, Tömpe) (54) 131
Carcinoid syndrome, catecholamine metabolism in the (Feldman, Butler, Chapman, Bivens) (51) 75
Carcinoma, hepatocellular, eicosatrienoic acid $\omega 9$ in serum lipids of patients with (Okazaki, Araki) (53) 11
Carcinoma tissue, human adrenal, biosynthesis of steroids from [^{14}C]cholesterol, [^{3}H]progesterone and [^{3}H]pregnenolone by (Nishida, Jungmann) (52) 97
Cardiac disease, severe, effect of prolonged glucagon infusions on the urinary excretion of catecholamines and 4-hydroxy-3-methoxymandelic acid and on adrenal medullary tissue levels of catecholamines in patients with (Hinterberger, Wilcken) (52) 153
Carnitine, concentration of, in human muscle tissue (Cederblad, Lindstedt, Lundholm) (53) 311
Carnitine, levels in human serum in health and disease (Böhmer, Rydning, Solberg) (57) 55
Catabolism, of tissue in patients with burns (Davies, Fell) (51) 83
Catecholamines, analysis of urinary, an improved auto-analyzer fluorescence method (Andersson, Hovmöller, Karlsson, Svensson) (51) 13
Catecholamine, circadian variations of plasma cortisol, immunoreactive insulin and, concentrations in supine subjects (Turton, Deegan) (55) 389
Catecholamines, effect of prolonged glucagon infusions on urinary excretion of 4-hydroxy-3-methoxymandelic acid and, and on adrenal medullary tissue levels of catecholamines in patients with severe cardiac disease (Hinterberger, Wilcken) (52) 153

Catecholamine, metabolism in the carcinoid syndrome (Feldman, Butler, Chapman, Bivens) (51) 75
Catecholamines, and peripheral vasoconstriction after open-heart surgery (Turton, Matthews) (50) 419
Catecholamines, simultaneous spectrofluorimetric analysis of DOPA and the total amount of the, adrenalin/noradrenalin in urine (Schwedt) (57) 291
Catechol-O-methyltransferase activity, a method for determination of, in red blood cells (Jonas, Gershon) (54) 391
Cell membrane, polymorphonuclear, electrophoretic analysis of (Kitao, Hattori, Takeshita) (56) 211
Cellulose (-carboxymethyl)/agarose gel, electroimmunodiffusion of IgG heavy chains in nanogram quantities with a (Schuller, Tömpe) (54) 131
Cellulose acetate electrophoresis, demonstration of high molecular weight isoenzymes of alkaline phosphatase in human serum by physico-chemical characterization and (Fritsche Jr, Adams-Park) (52) 81
Cellulose acetate electrophoresis, two-dimensional, of urinary mucopolysaccharides on, after N-cetylpyridiniumchloride (CPC) precipitation: a method suitable for the routine laboratory (Abeling, Wadman, van Gennip) (56) 297
Centrifugation, density gradient, the use of, for the separation of serum lipoproteins (Hinton, Al-Tamer, Mallinson, Marks) (53) 355
Cerebral neuraminidase, human, effect of, on hexosaminidase A (Murphy, Craig) (51) 67
Cerebrospinal fluid, fluorimetric determination of homovanillic acid in human, in a continuous flow system (Renaud, Quenin, Quincy) (52) 179
Cerebrospinal fluid, preliminary studies on cortisol in plasma and, in children with different diseases (Haberfellner, Auer, Gleispach) (54) 5
Cerebrospinal fluid, simplified glutamine assay in, as a measure of hepatic encephalopathy (v.d. Harst, Baars, Lombarts) (50) 439
Cerebrospinal fluid, simultaneous identification of the transferrin peak on the crossed pherogram of the, by means of standard human transferrin and the rocket technique of Laurell (Groc, Jendrey, Lahn) (54) 65
N-Cetylpyridiniumchloride (CPC), two-dimensional electrophoresis of urinary mucopolysaccharides on cellulose acetate after, precipitation: a method suitable for the routine laboratory (Abeling, Wadman, van Gennip) (56) 297
Chenodeoxycholic acid, randomly ^{3}H-labelled, as tracer in the determination of bile acid turnover in man (Einarsson, Hellström, Kallner) (56) 235
Chloride, effect of free mercuric ion on apparent bromide concentrations when measured by the standard autoanalyzer method for (Levinson, Rieder) (52) 249
Cholestasis, abnormal lipoprotein of, a method for quantitative determination of LP-X, the (Ritland) (55) 359
Cholestatic viral hepatitis, abnormal serum lipoproteins in (Picard, Veissiere, Bertrand) (51) 5
[^{14}C]Cholesterol, biosynthesis of steroids from [^{3}H]progesterone, [^{3}H]pregnenolone and, by human adrenal carcinoma tissue (Nishida, Jungmann) (52) 97
Cholesterol, physiological method for labelling plasma lipoproteins with radioactive (Sodhi, Kudchodkar) (51) 291
Cholesterol, serum, determination by mass fragmentography (Björkhem, Blomstrand, Svensson) (54) 185
Cholesterol esters, of the brain in demyelinating diseases (Wender, Filipek-Wender, Stanislawska) (54) 269
Cholic acid, the preparation and properties of an antiserum for the radioimmunoassay of serum conjugated (Murphy, Edkins, Williams, Catty) (54) 81
Cholinesterase, arylesterase and proteinuria (Vincent, Magron) (50) 181
Cholinesterase, serum, estimation of, in the presence of anti-cholinesterase insecticides (Smith) (52) 315
Chondroitin, urinary, of epidermolysis bullosa dystrophica et albo-papuloidea (Pasini) (Endo, Yamamoto, Yosizawa, Sasai, Saito) (57) 249
Chondroitin 4-sulfate, acid glycosaminoglycans in human leukocytes and

platelets: the isolation and enzymatic characterization of (Murata) (57) 115
Chorionic villi, acid hydrolases in amniotic fluid and, at various stages of pregnancy (Hultberg, Sjöblad, Gustavii) (53) 221
Chromatography, radioimmunoassay of plasma aldosterone by, on Sephadex LH 20 (Daniel, Mion, Soulas) (55) 235
Chromatography, a sensitive technique, for screening of amino acid metabolic defects in the newborn (Lato, Rufini, Ghebregzabher, Ciuffini, Mezzetti) (53) 273
Chromatography, study of serum hexosaminidase in normal human serum and G_{M2}-gangliosidosis (Yabuuchi, Sumi, Okada, Yutaka) (53) 85
Chromatography, gas, to assay fifteen volatile organic solvents in blood (Premel-Cabic, Cailleux, Allain) (56) 5
Chromatography, gas, to determine plasma concentrations of some local anaesthetics using a nitrogen detector (Cameron) (56) 307
Chromatography, gas, to determine the seven principal urinary oestrogens at the end of gestation (Adessi, Eichenberger, Nhuan, Jayle) (55) 323
Chromatography, gas, to estimate hydroxyproline (Gibbs, Itiaba, Crawhall) (54) 395
Chromatography, gas, to estimate urinary homovanillic acid and 4-hydroxy-3-methoxymandelic acids using capillary columns (Goodwin, Ruthven, Sandler) (55) 111
Chromatography, gas-liquid, analysis of steroid hormones by. 17-Ketosteroids, pregnanediol and pregnanetriol in the urine (Chevins, Launay, Julien, Dreux) (55) 333
Chromatography, gas-liquid, to measure the glucosamine and galactosamine content of urinary glycosaminoglycans (Murphy, Pennock, London) (53) 145
Chromatography, gas-liquid, new mixed bed column for rapid determination of sedatives and Dilantin in serum using (Levy, Schwartz) (54) 19
Chromatography, gas-liquid, quantitative analysis of bile acids in serum and bile, using (van Berge Henegouwen, Ruben, Brandt) (54) 249
Chromatography, gas-liquid, quantitative determination of morphine in urine by, and variations in excretion (Fry, Wills, Twycross) (51) 183
Chromatography, gas-liquid, quantitative determination of plasma long-chain, non-esterified fatty acids by, the use of an automatic solids injection system for (McDonald-Gibson, Young) (53) 117
Chromatography, gas-liquid, a rapid and simple procedure for homovanillic and vanillylmandelic acid in urine (Roginsky, Gordon, Bennett) (56) 261
Chromatography, gas-liquid, reference method for the estimation of glycaemia by (Cahour, Lebbe, Hartmann) (55) 139
Chromatography, gas-liquid, a simultaneous determination of pregnanetriol and pregnanediol by (Rahma[illegible]) (51) 233
Chromatography, gas-liquid, studies on the urinary acidic metabolites excreted by patients with β-methylcrotonylglycinuria, propionic acidaemia and methylmalonic acidaemia, using mass spectrometry and (Chalmers, Lawson, Watts) (52) 43
Chromatography, gas-liquid, of underivatized steroids: simultaneous determination of urinary 17-ketosteroids, pregnanediol, pregnanetriol and pregnanetriolone (Sanghvi, Wight, Serenko, Balachandran) (56) 49
Chromatography, thin-layer, separation and evaluation of puric bases and their nucleosides and nucleotides by (Chivot, Leibrandt, Rouvroy, Simeon, Caen) (53) 69
Chromatography, thin-layer, a simple method for liquid scintillation counting of weak β-emitting labelled lipids after separation by (Pyrovolakis, Harry, Martin, McIntyre) (50) 441
Chromium, in faeces, determination of, by atomic absorption spectrophotometry (Gunčaga, Lentner, Haas) (57) 77
Circadian variations, of plasma catecholamine, cortisol and immunoreactive insulin concentrations in supine subjects (Turton, Deegan) (55) 389
Cirrhosis, of liver, plasma viscosity and coagulation in patients with (Leonhardt, Bungert) (50) 381

Cirrhosis, primary biliary, quantitative immunoelectrophoresis of plasma proteins in acute viral hepatitis, extra-hepatic biliary obstruction, idiopathic haemochromatosis and (Murray-Lyon, Williams) (51) 303
Citrate, interference from, using Titan yellow method and two fluorimetric methods for Mg determination in plasma (Caddell, Erickson, Byrne) (50) 9
Cobalt, as tracer in a modified radio-chemical assay for serum free fatty acid determination (Chlouverakis, Hojnicki) (54) 91
Cohn's Fraction V, increased sensitivity to urea denaturation of (Kawaguchi, Matsushita) (50) 345
Collagen, study of reutilization of, using an $^{18}O_2$ labelling technique (Jackson, Heininger) (51) 163
Colorimeter, bichromatic, for automatic turbidity correction in continuous flow analysis using only one flow cuvet (Borst, de Jong, Weijden) (55) 113
Colorimetry, a new method using, for the determination of glutathione in erythrocytes (Lee, Tan) (53) 153
Colorimetry, determination of urinary 5-hydroxyindoleacetic acid following ion pair extraction of both acidic and basic phenothiazines (Vallon, Badinand, Descos, Bichon) (57) 1
Colostrum, human, L-cystinyl-di-β-naphthyl-amide hydrolase (oxytocinase) in early milk plasma and. Separation of two isozymes by acrylamide gel electro-phoresis (Brouet-Yager, Kleiner, van Bogaert, Graff) (54) 387
Colour test, of trypsin, Nα-tosyl-L-arginine-p-nitroanilide as substrate in, and polarographic test of trypsin (Bartík, Chavko, Kasafírek) (56) 23
Computer, digital, application of a, to emergency toxicology (Jatlow, Seligson) (50) 19
Congenital analgesia, isolation of a new urine metabolite excreted in generalised (Da Costa Maia, Pudles, Raw, Schmidt) (54) 225
Continuous flow analysis, the lag factor in (Walker, Andrew) (57) 181
Continuous flow analysis, bichromatic colorimeter for automatic turbidity correction in, using only one flow cuvet (Borst, de Jong, Weijden) (55) 113
Continuous flow analysis system, effect of temperature variation on the accuracy of results in a (Horn, Stein, Dickie) (54) 205
Continuous flow system, fully automated, for determination of serum triglycerides (Coudon, Bouige, Giraudet) (55) 129
Contraceptives, oral, activity measurements of erythrocyte glutamic-oxaloacetic transaminase in women taking pyridoxine and (Feltkamp, Patt, Zilliken) (53) 305
Contraceptives, oral, effect of, on the level of creatine phosphokinase with regard to carrier detection in Duchenne muscular dystrophy (Simpson, Zell-weger, Burmeister, Christee, Nielsen) (52) 219
Convulsion, serum creatine phosphokinase isoenzymes in hypothyroidism, myo-cardial infarction and, on other diseases (Goto) (52) 27
Copper, distribution of zinc and, in human brain tissue (Smeyers-Verbeke, Defrise-Gussenhoven, Ebinger, Löwenthal, Massart) (51) 309
Copper, simultaneous measurement of Na, K, Mg, Ca, Zn and, balances in man (Hartley, Dawson, Hodgkinson) (52) 321
Copper soap, phospholipid interference and other variables in analysis of non-esterified fatty acids by, formation (Williamson, Scott-Finnigan) (57) 175
Cord blood, red cell enzymes in, and plasma bilirubin levels in first week of life (Lie-Injo, Ng, Balakrishnan) (50) 77
Cortex, human kidney, biochemical and immunological studies on isolated brush border membranes of, and their membrane surface proteins (Scherberich, Falkenberg, Mondorf, Müller, Pfleiderer) (55) 179
Cortisol, circadian variations of plasma catecholamine, immunoreactive insulin and, concentrations in supine subjects (Turton, Deegan) (55) 389
Cortisol, in plasma, determination by mass fragmentography (Björkhem, Blomstrand, Lantto, Löf, Svensson) (56) 241
Cortisol, in plasma, levels of and the frequency of bleeding in haemophilia (Rainsford, Richardson, Stuart Shaw) (53) 351

Cortisol, in plasma, a simple competitive protein binding assay for (Baum, Tudor, Landon) (55) 147
Cortisol, preliminary studies in plasma and cerebrospinal fluid in children with different diseases (Haberfellner, Auer, Gleispach) (54) 5
Creatine, a fluorimetric kinetic method for, in urine (Lau, Guilbault) (53) 209
Creatine kinase activity, and its isoenzyme pattern in heart mitochondria (Somer, Uotila, Konttinen, Saris) (53) 369
Creatine phosphokinase, activity, influence of the dilution effect on serum, in neuromuscular diseases (Dobosz) (50) 301
Creatine phosphokinase, level of, in limb girdle dystrophy: effect of dialysis (Snehalatha, Valmikinathan) (51) 315
Creatine phosphokinase, effect of oral contraceptives on the level of, with regard to carrier detection in Duchenne muscular dystrophy (Simpson, Zellweger, Burmeister, Christee, Nielsen) (52) 219
Creatine phosphokinase, in serum, black-white differences in, activity (Meltzer, Holy) (54) 215
Creatine phosphokinase, in serum, dialysis effect on, during steroid therapy in dermatomyositis (Snehalatha, Mascreen, Valmikinathan, Jagannathan) (53) 217
Creatine phosphokinase isoenzymes in serum, in hypothyroidism, convulsion, myocardial infarction and other diseases (Goto) (52) 27
Crigler-Najjar syndrome, a pigment found in, and its similarity to an ultrafiltrable photoderivative of bilirubin (Kapitulnik, Kaufmann, Goitein, Cividalli, Blondheim) (57) 231
Cryoglobulin, immunoglobulin A (IgA) with properties of both pyroglobulin and (Watanabe, Kitamura, Shimizu) (52) 231
Cyclic AMP, a simple direct assay for, in plasma and other biological samples using an improved competitive protein binding technique (Tovey, Oldham, Whelan) (56) 221
Cyclic AMP phosphodiesterase (EC 3.1.4.17), activity in normal and dystrophic human muscle (Kar, Pearson) (50) 435
Cyst(s), bronchogenic, study of mucins produced by (Degand, Roussel, Lamblin) (50) 223
Cystathioninuric patient, effect of pyridoxine treatment on the urinary excretion of some unusual sulphur-containing amino acids in a (Kadama, Ikegami, Hirayama, Mizuhara) (51) 29
Cystic fibrosis, Ca^{2+} uptake and binding by isolated erythrocyte membranes from, and control subjects (Duffy, Cohn, Schwarz) (50) 97
Cystic fibrosis, properties of erythrocyte membrane in (McEvoy, Davies, Goodchild, Anderson) (54) 195
Cystic fibrosis, properties of microsomal glycoprotein galactosyltransferase of cultured human fibroblasts in relation to (Butterworth) (56) 159
L-Cystine, effect of, and maleic acid, on sodium transport and (Na^+-K^+)-ATPase of the isolated frog skin. Further studies on epithelial transport defect in experimental and human Fanconi syndrome (Kramer, Burgard) (55) 57
Cystine, excretion, determination of, by the nitroprusside method during drug therapy of cystinuria (Roesel, Coryell) (52) 343
Cystine aminopeptidase, comparison of L-cystine-di-β-naphthylamide and S-benzyl-L-cysteine-4-p-nitroanilide as substrates for the assay of serum, in pregnancy (Chapman, Burrows-Peakin, Rege, Silk) (51) 335
Cystine aminopeptidase (oxytocinase), a comparative study of recent assays for the determination of (van Buul, van Oudheusden) (54) 263
Cystine aminopeptidase (oxytocinase), see also L-Cystinyl-di-β-naphthylamide hydrolase
L-Cystine-di-β-naphthylamide, comparison of, and S-benzyl-L-cysteine-4-p-nitroanilide as substrates for the assay of serum cystine aminopeptidase in pregnancy (Chapman, Burrows-Peakin, Rege, Silk) (51) 335
Cystinuria, determination of cystine excretion by the nitroprusside method during drug therapy (Roesel, Coryell) (52) 343
L-Cystinyl-di-β-naphthylamide hydrolase (oxytocinase), in human colostrum and early milk plasma. Separation of two isozymes by acrylamide gel electrophoresis (Brouet-Yager, Kleiner, van Bogaert, Graff) (54) 387

D

Decubitus ulcer, serum Zn and α_2-macroglobulin concentration in, and myocardial infarction, multiple myeloma, prostatic carcinoma, Down's syndrome and nephrotic syndrome (McBean, Smith Jr, Berne, Halsted) (50) 43

Demographic variables, relationship of serum enzyme activities to, in a healthy population (Goldberg, Winfield) (54) 357

Demyelinating diseases, cholesterol esters of the brain in (Wender, Filipek-Wender, Stanislawska) (54) 269

Density gradient centrifugation, for the separation of serum lipoproteins (Hinton, Al-Tamer, Mallinson, Marks) (53) 355

Dermatitis, urinary chondroitin of epidermolysis bullosa dystrophica et albo-papuloidea (Pasini), urinary chondroitin of (Endo, Yamamoto, Yosizawa, Sasai, Saito) (57) 249

Dermatomyositis, dialysis effect on serum creatine phosphokinase during steroid therapy in (Snehalatha, Mascreen, Valmikinathan, Jagannathan) (53) 217

Detergents, solubility and absorption spectra of complexes resulting from interaction among human albumin, bromcresol green and (Beng, Rasanayagam, Lim, Lau) (52) 257

Dextran-coated charcoal, adsorption onto, as a rapid method for ^{125}I-labelled insulin damage assessment (Prószyńska, Sadowska) (53) 5

Diabetes, measurement of total plasma insulin and insulin antibody levels in children with (Dunlop, Court) (52) 353

Diabetes, studies on plasma insulin levels of patients with, in Karachi (Khalid, Ataur Rahman, Quraishi) (53) 163

Diabetes mellitus, lecithin-cholesterol acyltransferase activity in, and the effect of insulin on these cases (Misra, Staddon, Powell, Misra, Crook) (56) 83

Dialysis, effect of: creatine phosphokinase level in limb girdle muscular dystrophy (Snehalatha, Valmikinathan) (51) 315

Dialysis, effect of, on serum creatine phosphokinase during steroid therapy in dermatomyositis (Snehalatha, Mascreen, Valmikinathan, Jagannathan) (53) 217

Dialysis, see also Haemodialysis

Dicarboxylic acids, C6– C10, urinary excretion of, in glycogen storage diseases types I and III (Dosman, Crawhall, Klassen, Mamer, Neumann) (51) 93

Diet, human, fluoride analysis of biological samples and (Osis, Wiatrowski, Samachson, Spencer) (51) 211

Digital computer, application of a, to emergency toxicology (Jatlow, Seligson) (50) 19

Digoxin radioimmunoassay: improved precision with iodinated tracer (Chambers) (57) 191

3,4-Dihydroxyphenylalanine, see DOPA

3,4-Dihydroxyphenylalanine decarboxylase, see DOPA decarboxylase

Dilantin, new mixed bed column for rapid gas-liquid chromatographic determination of sedatives and, in serum (Levy, Schwartz) (54) 19

Dipeptides, determination of, in urine (Johnstone, Povall, Baty, Pousset, Charpentier, Lemonnier) (52) 137

2,3-Diphosphoglycerate, red cell, and respiratory insufficiency. The correlation of 2,3-diphosphoglycerate with arterial pH, oxygen tension and hematocrit value (Hamasaki, Matsuda, Hamano, Hara, Minakami) (50) 385

Diphosphoglycerate mutase, assay: the effect of pyruvate, lactate dehydrogenase and thyroid hormone on the assay (Torrance) (50) 103

Disc electrophoresis, polyacrylamide, the use of Nitroblue tetrazolium prestaining of serum lipoproteins on (Segal, Putman, Levi, Lewis) (53) 361

Disc gel electrophoresis, polyacrylamide, demonstration of phosphorylase in urines by (Takeo, Nitta, Nakamura) (57) 45

Disc gel electrophoresis, sodium dodecyl-sulphate, erythrocyte membrane of hereditary spherocytosis: alteration in surface ultrastructure and membrane proteins, as inferred by scanning electron microscopy and (Nozawa, Noguchi, Iida, Fukushima, Sekiya, Ito) (55) 81
DOPA (3,4-dihydroxyphenylalanine), simultaneous spectrofluorimetric analysis of, and the total amount of catecholamines adrenalin/noradrenalin in urine (Schwedt) (57) 291
DOPA decarboxylase, activity in tissues, a gas chromatographic method for measuring (Wong, Sandler) (50) 119
Double antibody radioimmunoassay, electroradioimmunoassay: a new type of, based on electroimmunodiffusion (Matzku, Ludwig, Rapp) (54) 317
Double-antibody technique, comparison of the results of plasma and serum insulin assays using (Crowley, Garbien) (51) 345
Down's syndrome, serum Zn and α_2-macroglobulin concentration in, and myocardial infarction, multiple myeloma, prostatic carcinoma, decubitus ulcer and nephrotic syndrome (McBean, Smith Jr, Berne, Halsted) (50) 43
Drugs, in blood, a non-ionic resin extraction of (Missen, Lewis) (53) 389
Duchenne muscular dystrophy, effect of oral contraceptive pills on the level of creatine phosphokinase with regard to carrier detection (Simpson, Zellweger, Burmeister, Christee, Nielsen) (52) 219
Duodenal ulcer, the carbohydrate and ester sulphate content of mucosal biopsies in health and in patients with (André, Bouhours, André, Descos, Lambert) (56) 255
Dystrophic muscle, human, cyclic AMP phosphodiesterase activity in normal and (Kar, Pearson) (50) 435
Dystrophic muscle, human, monoamine oxidase activity in normal and (Kar, Pearson) (50) 431
Dystrophy, Duchenne muscular, effect of oral contraceptive pills on the level of creatine phosphokinase with regard to carrier detection (Simpson, Zellweger, Burmeister, Christee, Nielsen) (52) 219
Dystrophy, limb girdle muscular, creatine phosphokinase levels in: effect of dialysis (Snehalatha, Valmikinathan) (51) 315

E

Echinococcosis, partial purification and properties of ovine liver hydatid cyst fluid and healthy ovine liver phosphoglucose isomerases (Faradji, Vessal, Ghalambor) (53) 299

Eicosatrienoic acid ω9, in serum lipids of patients with hepatocellular carcinoma (Okazaki, Araki) (53) 11

Electrofocusing, isozymes of glycogen phosphorylase in human and rabbit tissues. II., in polyacrylamide gels (Proux, Vibert, Meienhofer, Dreyfus) (57) 211

Electroimmunodiffusion, electroradioimmunoassay: a new type of double antibody radioimmunoassay based on (Matzku, Ludwig, Rapp) (54) 317

Electroimmunodiffusion, of IgG heavy chains in nanogram quantities with a carboxymethyl-cellulose/agarose gel (Schuller, Tömpe) (54) 131

Electrolytes, intestinal transport of aromatic amino acids, glucose and, in a patient with phenylketonuria (Wapnir, Lifshitz) (54) 349

Electron microscopy, scanning, erythrocyte membrane of hereditary spherocytosis: alteration in surface ultrastructure and membrane proteins, as inferred by, and SDS-disc gel electrophoresis (Nozawa, Noguchi, Iida, Fukushima, Sekiya, Ito) (55) 81

Electrophoresis, acrylamide gel, L-cystinyl-di-β-naphthylamide hydrolase (oxytocinase) in human colostrum and early milk plasma. Separation of two isozymes by (Brouet-Yager, Kleiner, van Bogaert, Graff) (54) 387

Electrophoresis, on agarose gel, studies on the pre-α-lipoprotein of human serum obtained by (Phillips, Wille) (50) 425

Electrophoresis, on agarose, a modified method for phenotyping of hyperlipoproteinaemia (van Melsen, de Greve, Vanderveiken, Vastesaeger, Blaton, Peeters) (55) 225

Electrophoresis, analysis of polymorphonuclear cell membrane (Kitao, Hattori, Takeshita) (56) 211

Electrophoresis, on cellulose acetate, demonstration of high molecular weight isoenzymes of alkaline phosphatase in human serum by physico-chemical characterization and (Fritsche Jr, Adams-Park) (52) 81

Electrophoresis, on cellulose acetate, two-dimensional, of urinary mucopolysaccharides after N-cetylpyridinium-chloride (CPC) precipitation: a method suitable for the routine laboratory (Abeling, Wadman, van Gennip) (56) 297

Electrophoresis, comparative study of lipoproteinograms obtained by, using three different methods (Guisard, Lorentz, Castro, Debry) (53) 79

Electrophoresis, enzyme polymorphism of adenylate kinase in human jejunum (Eze, Evans) (56) 91

Electrophoresis, forms of human liver α-L-fucosidase and their relationship to fucosidosis (mucopolysaccharidosis F) (Alhadeff, Miller, Wenger, O'Brien) (57) 307

Electrophoresis, polyacrylamide disc, the use of Nitroblue tetrazolium prestaining of serum lipoproteins on (Segal, Putman, Levi, Lewis) (53) 361

Electrophoresis, polyacrylamide disc gel, demonstration of phosphorylase in urines by (Takeo, Nitta, Nakamura) (57) 45

Electrophoresis, polyacrylamide gel, the investigation of 'mid-band' lipoproteins using (Mead, Dangerfield) (51) 173

Electrophoresis, polyacrylamide gel, urinary protein analysis with sodium dodecylsulphate-. A comparison with other analytical techniques (Balant, Mulli, Fabre) (54) 27

Electrophoresis, pyruvate kinase, in normal and pyruvate kinase deficient haemolysates (Wonneberger, Schröter) (51) 147

Electrophoresis, sodium dodecylsulphate disc gel, erythrocyte membrane of hereditary spherocytosis: alteration in

surface ultrastructure and membrane proteins, as inferred by scanning electron microscopy and (Nozawa, Noguchi, Iida, Fukushima, Sekiya, Ito) (55) 81
Electrophoresis, starch gel, isozymes of human α-L-fucosidase detectable by (Turner, Beratis, Turner, Hirschhorn) (57) 29
Electrophoresis, uranyl acetate as an excellent fixative for lipoproteins after, on agarose gel (Lózsa) (53) 43
Electroradioimmunoassay, a new type of double antibody radioimmunoassay based on electroimmunodiffusion (Matzku, Ludwig, Rapp) (54) 317
Encephalopathy, hepatic, simplified glutamine assay in cerebrospinal fluid as a measure of (v.d. Harst, Baars, Lombarts) (50) 439
Enol-borate method, determination of phenylpyruvic acid in phenylketonurics by (Zelníček, Podhradská) (53) 373
Enterokinase, a sensitive assay for human, and some properties of the enzyme (Rinderknecht, Engeling, Bunnell, Geokas) (54) 145
Enzymatic method, a simplified and rapid, for determination of urinary oxalate (Hallson, Rose) (55) 29
Enzymatic procedure, improved, for assay of urinary D-glucaric acid (Simmons, Davis, Dordoni, Williams) (51) 47
Enzyme, assay, detection of substrate depletion using the Trayser-Seligson (McLean, Gallwas) (54) 399
Enzymes, serum, activities in accidental hypothermia and hypothermic myxoedema (Maclean, Murison, Griffiths) (52) 197
Enzyme, serum, relationship of activities to demographic variables in a healthy population (Goldberg, Winfield) (54) 357
Enzymes, variations in 9 lysosomal, in 13 cell strains cultured from one amniotic fluid (Sutherland, Butterworth, Broadhead, Bain) (52) 211
Enzymopathies, semi-automated assays for, of carbohydrate metabolism in liver and erythrocytes, using a reaction rate analyser (Bulfield, Moore) (53) 265
Enzyrator, use of the, in the kinetic determination of ammonia in plasma (van Anken, Schiphorst) (56) 151
Epidermolysis bullosa dystrophica et albopapuloidea (Pasini), urinary chondroitin of (Endo, Yamamoto, Yosizawa, Sasai, Saito) (57) 249
Epithelial cells, studies on the ATPase enzyme system in human intestinal (Mooney, McCarthy) (56) 37
Epithelial transport defect, further studies on, in experimental and human Fanconi syndrome. Effects of maleic acid and L-cystine on sodium transport and (Na^+-K^+)-ATPase of the isolated frog skin (Kramer, Burgard) (55) 57
Erythrocyte, age-related loss of activity of four enzymes in the human (Turner, Fisher, Harris) (50) 85
Erythrocytes, carbohydrate metabolism in, semi-automated assays for enzymopathies of, and liver using a reaction rate analyser (Bulfield, Moore) (53) 265
Erythrocytes, carbonic anhydrase isoenzyme B in, of uraemic subjects (Mondrup, Anker) (51) 141
Erythrocytes, carbonic anhydrase isoenzyme B in, of subjects with thyroid disorders (Anker, Mondrup) (54) 277
Erythrocytes, catechol-O-methyltransferase activity, a method for determination of (Jonas, Gershon) (54) 391
Erythrocyte, 2,3-diphosphoglycerate, respiratory insufficiency and,. The correlation of 2,3-diphosphoglycerate with arterial pH, oxygen tension and hematocrit value (Hamasaki, Matsuda, Hamano, Hara, Minakami) (50) 385
Erythrocyte, "acquired", enzyme defects in haematological diseases (Arnold, Blume Löhr, Boulard, Najean) (57) 187
Erythrocyte, enzymes, in cord blood, and plasma bilirubin levels in first week of life (Lie-Injo, Ng, Balakrishnan) (50) 77
Erythrocytes, glucose-6-phosphate dehydrogenase in, evidence for two variants of, from a man with a partial enzyme defect (Bansard-Desmidt) (56) 207
Erythrocyte, glutamic-oxaloacetic transaminase in, activity measurements of, in women taking oral contraceptives and pyridoxine (Feltkamp, Patt, Zilliken) (53) 305
Erythrocytes, glutathione in, a new colori-

metric method for the determination of (Lee, Tan) (53) 153
Erythrocyte, glutathione reductase in iron deficiency anaemia (Ramachandran, Iyer) (52) 225
Erythrocytes, IgG-globulin coat from, evidence for an effect on, by the haemolytic process (Thomaidis, Valassi-Adam, Matsaniotis) (57) 109
Erythrocytes, (improved) lipid extraction of (Broekhuyse) (51) 341
Erythrocytes, 3-mercaptopyruvate sulphurtransferase (EC 2.8.1.2), simple assay of, adapted to (Valentine, Frankenfeld) (51) 205
Erythrocyte, porphyrins of, relation of, to haemoglobin, haematocrit, transferrin and serum iron (van Eijk, Wiltink, Bos) (53) 35
Erythrocyte, pyruvate kinase, further evidence of molecular alteration and aberration of (Nakashima) (55) 245
Erythrocytes, the simultaneous separation and washing of (Blincoe) (57) 297
Erythrocytes, sodium and potassium in, a new method for the determination of, using indocyanine green as a marker for trapped plasma (Vettore, Falezza, de Matteis, Cetto, Zandegiacomo) (55) 345
Erythrocytes, (long-term) storage of, for quantitative analyses of lipids (Broekhuyse) (52) 53
Erythrocytes, transketolase measurements in (Nicholas, Cunningham, Reid) (51) 331
Erythrocytes, urea cycle enzymes in human (Nishibe) (50) 305
Erythrocyte membrane, of hereditary spherocytosis: alteration in surface ultrastructure and membrane proteins, as inferred by scanning electron microscopy and SDS-disc gel electrophoresis (Nozawa, Noguchi, Iida, Fukushima, Sekiya, Ito) (55) 81
Erythrocyte membranes, isolated, Ca^{2+} uptake and binding by, from cystic fibrosis and control subjects (Duffy, Cohn, Schwarz) (50) 97
Erythrocyte membrane, properties in cystic fibrosis (McEvoy, Davies, Goodchild, Anderson) (54) 195
Erythroderma, transiently increased urinary excretion of low-sulphated heparan sulphate in psoriatic, associated with benign gammopathy (Friman, Juvani, Johansson) (57) 103
Ester sulphate, the carbohydrate and, content of mucosal biopsies in health and in patients with duodenal ulcer (André, Bouhours, André, Descos, Lambert) (56) 255
Ethanol, determination of, in blood and urine by mass fragmentography (Pereira, Summons, Rindfleisch, Duffield) (51) 109
2-Ethylhydracrylic acid, a newly described urinary organic acid (Mamer, Tjoa) (55) 199
Euglena assay, comparison of serum vitamin B-12 determination by two isotope dilution methods and by, with special reference to low values (Puutula, Stenman) (55) 263
Excretion, of cystine, determination by the nitroprusside method during drug therapy of cystinuria (Roesel, Coryell) (52) 343
Excretion, of mucopolysaccharide, degradation and, after hyaluronidase injection in patients with Hunter's and Hurler's syndromes (Nader, Mourão, Toledo, Dietrich) (50) 245
Excretion, see also Urinary excretion
Exercise, changes in serum lysozyme activity with physical (Haralambie, Cerny) (55) 217
Exercise, does mild, affect the reference values of the blood parameters? (Galteau, Siest, Boura) (55) 353
Extrahepatic biliary obstruction, quantitative immunoelectrophoresis of plasma proteins in acute viral hepatitis, primary biliary cirrhosis, idiopathic haemochromatosis, and (Murray-Lyon, Williams) (51) 303

F

Faeces, blood in, a comparison of the sensitivity and reproducibility of five chemical methods (Christensen, Anker, Mondrup) (57) 23
Faeces, chromium in, determination of, by atomic absorption spectrophotometry (Gunčaga, Lentner, Haas) (57) 77
Fanconi syndrome, further studies on epithelial transport defect in experimental and human. Effects of maleic acid and L-cystine on sodium transport and (Na^+-K^+)-ATPase of the isolated frog skin (Kramer, Burgard) (55) 57
Fatty acid, free, a modified radiochemical assay for determination of in serum (Chlouverakis, Hojnicki) (54) 91
Fatty acids, long-chain non-esterified, in plasma, the use of an automatic solids injection system for quantitative determination of, by gas-liquid chromatography (McDonald-Gibson, Young) (53) 117
Fatty acids, non-esterified, phospholipid interference and other variables in analysis of, by copper soap formation (Williamson, Scott-Finnigan) (57) 175
Fatty acids, short-chain, rapid and sensitive method for the determination of, in serum (van den Berg, Hommes) (51) 225
Ferrozine, study of the ICSH proposed reference model for serum iron assay: obtaining optically clear filtrates and substitution of (Rice, Fenner) (53) 391
α-Fetoprotein, the molecular nature of, in anencephaly and spina bifida (Brock) (57) 315
Fibrils, amyloid, characterization of the mucopolysaccharides associated with fractions of guanidine-denatured (Brandt, Skinner, Cohen) (55) 295
Fibrinogenolysis, by insolubilized plasmin (Matthias, Krause, Heene) (52) 91
Fibroblasts, properties of microsomal glycoprotein galactosyltransferase of cultured human, in relation to cystic fibrosis (Butterworth) (56) 159
Fibrosis, cystic, erythrocyte membrane properties in (McEvoy, Davies, Goodchild, Anderson) (54) 195
Fibrosis, cystic, properties of microsomal glycoprotein galactosyltransferase of cultured human fibroblasts in relation to (Butterworth) (56) 159
Fingernails, calcium distribution, in, from healthy and malnourished children (Robson, Brooks) (55) 255
Fluorescence, assay of α-L-fucosidase (Robinson, Thorpe) (55) 65
Fluorescence method, auto-analyzer, improved, for the analysis of urinary catecholamines (Andersson, Hovmöller, Karlsson, Svensson) (51) 13
Fluorescent spot test, for the detection of galactokinase deficiency (Kelly, Desjardins, Leikhim) (51) 157
Fluoride analysis, of the human diet and of biological samples (Osis, Wiatrowski, Samachson, Spencer) (51) 211
Fluorimetry, determination of adrenaline without interference by noradrenaline after extraction as trihydroxyindoles (Schwedt) (51) 247
Fluorimetry, determination of butaperazine in human plasma (Manier, Sekerke, Dingell, El-Yousef) (57) 225
Fluorimetry, determination of homovanillic acid in a continuous flow system. Applications to human cerebrospinal fluid (Renaud, Quenin, Quincy) (52) 179
Fluorimetry, determination of Mg in plasma, and Titan yellow method for Mg determination in plasma, citrate interference in (Caddell, Erickson, Byrne) (50) 9
Fluorimetry, determination of retinol-binding protein in blood plasma, micromethod for (Glover, Moxley, Muhilal, Weston) (50) 371
Fluorimetry, determination of tyrosine in blood, spotted on paper, a modified automated method: a mass screening procedure for tyrosinaemia (Grenier, Laberge) (57) 71

Fluorimetry, estimation of 1-(2-hydroxy-3-isopropylamino-propoxy)naphthalene hydrochloride, propranolol, in blood, a simple and rapid method for (Ambler, Singh, Lever) (54) 373
Fluorimetry, estimation of Δ^4-3-keto-steroids by means of the lithium hydroxide reaction for analysis at the nanogram level (Kaplan, Kany, Abraham) (51) 113
Fluorimetry, kinetic method for creatine in urine (Lau, Guilbault) (53) 209
Fluorosis, hydroxyproline peptides of urine in (Anasuya, Narasinga Rao) (56) 121
Foetal pulmonary maturation, study of, by determination of palmitic acid/stearic acid ratio (Alcindor, Bereziat, Vielh, Gautray) (50) 31
Foetus, occurrence of β_2-microglobulin in life of, and malignancy (Kithier, Čejka, Belamaric, Al-Sarraf, Peterson Jr, Vaitkevicius, Poulik) (52) 293
Foetus, are penicillins administered during pregnancy harmful to the? (Wolfrum, Holweg, Gidion) (57) 125
Folates, separation of, from antibiotics using triethylamino cellulose (Landon) (52) 253
Folic acid, non-dependent formiminoglutamic aciduria in two siblings (Niederwieser, Giliberti, Matasović, Pluznik, Steinmann, Baerlocher) (54) 293
Follicle-stimulating hormone, studies on, in serum and urine during pregnancy (Biswas) (53) 57
Formiminoglutamic aciduria, folic acid non-dependent, in two siblings (Niederwieser, Giliberti, Matasović, Pluznik, Steinmann, Baerlocher) (54) 293
Fragmentography, mass, ethanol determination in blood and urine by (Pereira, Summons, Rindfleisch, Duffield) (51) 109
Fragmentography, mass, plasma cortisol determination by (Björkhem, Blomstrand, Lantto, Löf, Svensson) (56) 241
Fragmentography, serum cholesterol determination by (Björkhem, Blomstrand, Svensson) (54) 185
Free fatty acid, determination in serum using a modified radiochemical assay (Chlouverakis, Hojnicki) (54) 91
Fructose-1,6-diphosphatase, deficiency: another enzyme defect which can present itself with the clinical features of "tyrosinosis" (Bakker, de Bree, Ketting, van Sprang, Wadman) (55) 41
α-L-Fucosidase, electrophoretic forms of human liver, and their relationship to fucosidosis (mucopolysaccharidosis F) (Alhadeff, Miller, Wenger, O'Brien) (57) 307
α-L-Fucosidase, fluorescent assay of (Robinson, Thorpe) (55) 65
α-L-Fucosidase, isozymes of human, detectable by starch gel electrophoresis (Turner, Beratis, Turner, Hirschhorn) (57) 29
Fucosidosis, electrophoretic forms of human liver α-L-fucosidase and their relationship to, (mucopolysaccharidosis F) (Alhadeff, Miller, Wenger, O'Brien) (57) 307

G

Galactokinase deficiency, fluorescent spot test for the detection of (Kelly, Desjardins, Leikhim) (51) 157
Galactosamine, gas-liquid chromatographic measurement of glucosamine and, content of urinary glycosaminoglycans (Murphy, Pennock, London) (53) 145
Gammopathies, monoclonal, analytical characterisation of urinary proteins from 60 patients with (Virella, Pires, Marques Coelho) (50) 63
Gammopathy, benign, transiently increased urinary excretion of low-sulphated heparan sulphate in psoriatic erythroderma associated with (Friman, Juvani, Johansson) (57) 103
Gangliosides, altered levels of tissue, and glycoproteins in the infantile form of GM1-gangliosidosis (Berra, di Palma, Brunngraber) (57) 301
Gangliosidosis, GM1-, altered levels of tissue gangliosides and glycoproteins in the infantile form of (Berra, di Palma, Brunngraber) (57) 301
Gangliosidosis, GM2, chromatographic study of serum hexosaminidase in normal human serum and (Yabuuchi, Sumi, Okada, Yutaka) (53) 85
Gas chromatography, assay of fifteen volatile organic solvents in blood (Premel-Cabic, Cailleux, Allain) (56) 5
Gas chromatography, critical remarks on the method used for determination of homovanillic acid and vanilmandelic acid (Lanser, Oldenziel, Pronk, Lequin) (50) 293
Gas chromatography, determination by, of the seven principal urinary oestrogens at the end of gestation (Adessi, Eichenberger, Nhuan, Jayle) (55) 323
Gas chromatography, estimation of hydroxyproline using (Gibbs, Itiaba, Crawhall) (54) 395
Gas chromatography, method of, for measuring DOPA decarboxylase activity in tissues (Wong, Sandler) (50) 119
Gas chromatography, used to determine plasma concentrations of some local anaesthetics using a nitrogen detector (Cameron) (56) 307
Gas chromatography, used to estimate urinary homovanillic acid and 4-hydroxy-3-methoxymandelic acids using capillary columns (Goodwin, Ruthven, Sandler) (55) 111
Gas-liquid chromatography, analysis of steroid hormones by. 17-Ketosteroids, pregnanediol and pregnanetriol in the urine (Chevins, Launay, Julien, Dreux) (55) 333
Gas-liquid chromatography, new mixed bed column for rapid determination of sedatives and Dilantin in serum using (Levy, Schwartz) (54) 19
Gas-liquid chromatography, method for the determination of D-glucaric acid in urine (Gangolli, Longland, Shilling) (50) 237
Gas-liquid chromatography, method used both alone and with mass spectrometry for the separation and quantitative determination of homovanillic and iso-homovanillic acids in urine samples (Narasimhachari, Leiner, Plaut, Lin) (50) 337
Gas-liquid chromatography, quantitative analysis of bile acids in serum and bile using (van Berge Henegouwen, Ruben, Brandt) (54) 249
Gas-liquid chromatography, quantitative determination of morphine in urine by, and variations in excretion (Fry, Wills, Twycross) (51) 183
Gas-liquid chromatography, a rapid and simple procedure for homovanillic and vanillylmandelic acid in urine (Roginsky, Gordon, Bennett) (56) 261
Gas-liquid chromatography, reference method for the estimation of glycaemia by (Cahour, Lebbe, Hartmann) (55) 139
Gas-liquid chromatography, a simultaneous determination of pregnanetriol and pregnanediol by (Rahman) (51) 233

Gas-liquid chromatography, studies on the urinary acidic metabolites excreted by patients with β-methylcrotonylglycinuria, propionic acidaemia and methylmalonic acidaemia, using mass spectrometry and (Chalmers, Lawson, Watts) (52) 43
Gas-liquid chromatography, of underivatized steroids: simultaneous determination of urinary 17-ketosteroids, pregnanediol, pregnanetriol and pregnanetriolone (Sanghvi, Wight, Serenko, Balachandran) (56) 49
Gas-liquid chromatography, the use of an automatic solids injection system for quantitative determination of plasma long-chain, non-esterified fatty acids by (McDonald-Gibson, Young) (53) 117
Gas-liquid chromatography, used to measure the glucosamine and galactosamine content of urinary glycosaminoglycans (Murphy, Pennock, London) (53) 145
Gastric juice, quantitative determination of prostaglandins in human, by radioimmunoassay (Peskar, Holland, Peskar) (55) 21
Gastrosecretagogue fraction, purification of a, from hog pancreas (Vatier, Dubrasquet, Robert, Accary, Bonfils) (51) 119
Genetic screening, the application of an automated hexosaminidase assay to (Delvin, Pottier, Scriver, Gold) (53) 135
Gestation, determination by gas chromatography of the seven principal urinary oestrogens at the end of (Adessi, Eichenberger, Nhuan, Jayle) (55) 323
Gilbert's syndrome, assay of bilirubin UDP-glucuronyl transferase on needle biopsies applied to (Bellet, Raynaud) (53) 51
Globulin, evidence for an effect on erythrophilic IgG-, coat by the haemolytic process (Thomaidis, Valassi-Adam, Matsaniotis) (57) 109
Globulin, fractions in serum, a study of the interaction of bromocresol green with isolated (Webster) (53) 109
Globulin, sex hormone binding, rapid method for the measurement of, capacity of sera (Rudd, Duignan, London) (55) 165
Globulin, thyroxine binding, triiodothyronine radioimmunoassay: a study of the interactions of T_3 with anti-T_3 antisera and with, in the presence of ANS (ammonium-8-anilino naphthalene-1-sulfonate) (Malkus, Donabedian) (51) 191
Globulin, thyroxine binding, the use of merthiolate for, -blocking in the radioimmunoassay of triiodothyronine (Kanagasabapathy, Wellby) (55) 267
Glucagon, effect of prolonged infusions of, on the urinary excretion of catecholamines and 4-hydroxy-3-methoxymandelic acid and on adrenal medullary tissue levels of catecholamines in patients with severe cardiac disease (Hinterberger, Wilcken) (52) 153
D-Glucaric acid, in urine, assay by an improved enzymatic procedure (Simmons, Davis, Dordoni, Williams) (51) 47
D-Glucaric acid, in urine, gas-liquid chromatographic method for the determination of (Gangolli, Longland, Shilling) (50) 237
Glucosamine, gas-liquid chromatographic measurement of galactosamine and, content of urinary glycosaminoglycans (Murphy, Pennock, London) (53) 145
Glucose, determination in urine, simple method to prevent vitamin C interference with (Brandt, Guyer, Banks Jr) (51) 103
Glucose, electrochemical measurement of, using various electron acceptors (Schläpfer, Mindt, Racine) (57) 283
Glucose, intestinal transport of aromatic amino acids, electrolytes and, in a patient with phenylketonuria (Wapnir, Lifshitz) (54) 349
Glucose-6-phosphatase, platelet, activity in patients with Von Gierke's disease and their parents (Negishi, Morishita, Kodama, Matsuo) (53) 175
Glucose-6-phosphate dehydrogenase, evidence for two variants of, in red blood cells from a man with a partial enzyme defect (Bansard-Desmidt) (56) 207
Glucose-6-phosphate dehydrogenase, a variant G6PD Heian, associated with haemolytic anaemia found in Japan (Nakai, Yoshida) (51) 199
Glucosephosphate isomerases, partial purification and properties of ovine

liver hydatid cyst fluid and healthy ovine liver (Faradji, Vessal, Ghalambor) (53) 299
Glucosylceramide, in plasma of patients with Niemann-Pick disease (Dacremont, Kint, Carton, Cocquyt) (52) 365
Glucuronate, separation of the sulphate and, fractions of urinary steroids: a new analytical method (Goertz, Crepy, Judas, Longchampt, Jayle) (51) 277
Glucuronyl transferase, bilirubin UDP-, assay of, on needle biopsies applied to Gilbert's syndrome (Bellet, Raynaud) (53) 51
Glutamic-oxaloacetic transaminase, activity measurements of erythrocyte, in women taking oral contraceptives and pyridoxine (Feltkamp, Patt, Zilliken) (53) 305
L-Glutaminase, activity, in lymphocytes of patients with chronic lymphatic leukaemia (Desser, Höcker) (53) 191
Glutamine, simplified assay of, in cerebrospinal fluid as a measure of hepatic encephalopathy (v.d. Harst, Baars, Lombarts) (50) 439
γ-Glutamyltranspeptidase, decrease in serum, following abstention from alcohol (Lamy, Baglin, Ferrant, Weill) (56) 169
γ-Glutamyltranspeptidase, preservation of, activity in human urine (Stokke) (57) 143
γ-Glutamyltranspeptidase, time course of, in the serum of low birth weight infants (Bakker, van der Heiden, Wadman) (50) 281
Glutathione, a new colorimetric method for the determination of, in erythrocytes (Lee, Tan) (53) 153
Glutathione reductase, erythrocyte, in iron deficiency anaemia (Ramachandran, Iyer) (52) 225
Glutethimide, assay of, in soya bean oil after haemodialysis (Sampson, Hensley) (52) 125
Glycaemia, determination by the o-toluidine method using diluted lactic acid (Geissbühler) (51) 221
Glycaemia, reference method for the estimation of, by gas-liquid chromatography (Cahour, Lebbe, Hartmann) (55) 139
Glycerol, a modified procedure for the quantitative recovery of labelled, in human plasma (Malmendier, Amerijckx) (56) 13
Glycogen phosphorylase, isozymes of, in human and rabbit tissues. II. Electrofocusing in polyacrylamide gels (Proux, Vibert, Meienhofer, Dreyfus) (57) 211
Glycogen storage diseases, Types I and III, urinary excretion of C6—C10 dicarboxylic acids in (Dosman, Crawhall, Klassen, Mamer, Neumann) (51) 93
Glycogen storage disease, Type II (Pompe's disease), the use of leucocytes as an aid in the diagnosis of (Koster, Slee, Hülsmann) (51) 319
Glycoproteins, abnormal, acid hydrolase deficiencies and, in mucolipidosis III (pseudo-Hurler polydystrophy) (Berman, Kohn, Yatziv, Stein) (52) 115
Glycoproteins, altered levels of tissue gangliosides and, in the infantile form of GM1-gangliosidosis (Berra, di Palma, Brunngraber) (57) 301
Glycoproteins, and glycosaminoglycans in human pulmonary tuberculosis (Maeta, Endo, Yosizawa) (57) 255
Glycoprotein, Zn-α_2-, level of, in human serum during ontogenesis (Jirka, Blanický, Černá) (56) 31
Glycoprotein galactosyltransferase, properties of microsomal, of cultured human fibroblasts in relation to cystic fibrosis (Butterworth) (56) 159
Glycosaminoglycans, acidic, in human platelets and leukocytes: the isolation and enzymatic characterization of chondroitin 4-sulfate (Murata) (57) 115
Glycosaminoglycans, and glycoproteins in human pulmonary tuberculosis (Maeta, Endo, Yosizawa) (57) 255
Glycosaminoglycans, isolation and preliminary characterization of, in human plasma (Taniguchi, Moriya, Nanba) (50) 319
Glycosaminoglycans, urinary, gas-liquid chromatography measurement of glucosamine and galactosamine content of (Murphy, Pennock, London) (53) 145
Guanidine, denatured amyloid fibrils, characterization of the mucopolysaccharides associated with fractions of (Brandt, Skinner, Cohen) (55) 295

H

Haematocrit, relation of erythrocyte porphyrins to transferrin, haemoglobin, serum iron and (van Eijk, Wiltink, Bos) (53) 35

Haematocrit, value, the correlation of 2,3-diphosphoglycerate with arterial pH, oxygen tension and,. Respiratory insufficiency and red cell 2,3-diphosphoglycerate (Hamasaki, Matsuda, Hamano, Hara, Minakami) (50) 385

Haematological diseases, "acquired" red cell enzyme defects in (Arnold, Blume, Löhr, Boulard, Najean) (57) 187

Haemochromatosis, idiopathic, quantitative immunoelectrophoresis of plasma proteins in acute viral hepatitis, extrahepatic biliary obstruction, primary biliary cirrhosis and (Murray-Lyon, Williams) (51) 303

Haemoconcentration, does this account for the changes in serum enzyme activities following haemodialysis? (Wong, McKenzie, Henderson, Linton) (56) 105

Haemodialysis, assay of glutethimide in soya bean oil after (Sampson, Hensley) (52) 125

Haemodialysis, does haemoconcentration account for the changes in serum enzyme activities following? (Wong, McKenzie, Henderson, Linton) (56) 105

Haemodialysis, maintenance, intestinal alkaline phosphatase in serum of patients with (Walker) (55) 399

Haemodialysis, maintenance, serum parathyroid hormone concentration in chronic renal failure patients on (Wills, Fairney, Varghese, Tatler, Baillod, Moorhead) (57) 83

Haemodialysis, middle-sized ninhydrin-positive molecules in uraemic patients treated by repeated. I. Preliminary characteristics (Hanicki, Sarnecka-Keller, Klein, Ślizowska) (54) 47

Haemoglobin A_2, the characterisation of variants of human (Westendorp Boerma, Nijboer, Vella, Wong, Huisman) (55) 49

Haemoglobins F and A_2, immunological quantification of (Chudwin, Rucknagel) (50) 413

Haemoglobin, relation of erythrocyte porphyrins to haematocrit, transferrin, serum iron and (van Eijk, Wiltink, Bos) (53) 35

Haemolysates, normal and pyruvate kinase deficient, pyruvate kinase electrophoresis in (Wonneberger, Schröter) (51) 147

Haemolysis, evidence for an effect on erythrophilic IgG-globulin coat by (Thomaidis, Valassi-Adam, Matsaniotis) (57) 109

Haemolytic anaemia, G6PD Heian, a glucose-6-phosphate dehydrogenase variant associated with, found in Japan (Nakai, Yoshida) (51) 199

Haemophilia, plasma-cortisol levels and the frequency of bleeding in (Rainsford, Richardson, Stuart Shaw) (53) 351

Heart, mitochondria, creatine kinase activity and its isoenzyme pattern in (Somer, Uotila, Konttinen, Saris) (53) 369

Heart, open-, surgery, catecholamines and peripheral vasoconstriction after (Turton, Matthews) (50) 419

Heparan sulphate, transiently increased urinary excretion of low-sulphated, in psoriatic erythroderma associated with benign gammopathy (Friman, Juvani, Johansson) (57) 103

Hepatic encephalopathy, simplified glutamine assay in cerebrospinal fluid as a measure of (v.d. Harst, Baars, Lombarts) (50) 439

Hepatic hexokinase isoenzyme, in liver diseases (Ueda, Taketa, Shimamura, Kosaka) (53) 381

Hepatitis, abnormal serum lipoproteins in cholestatic viral (Picard, Veissiere, Bertrand) (51) 5

Hepatitis A, behaviour of serum lipids in children with (Tamir, Heldenberg, Levtow, Burstein, Lupo, Werbin) (56) 113

Hepatitis, viral, quantitative immunoelectrophoresis of plasma proteins in acute,

extrahepatic biliary obstruction, primary biliary cirrhosis and idiopathic haemochromatosis (Murray-Lyon, Williams) (51) 303
Hepatocellular carcinoma, eicosatrienoic acid ω9 in serum lipids of patients with (Okazaki, Araki) (53) 11
Hexokinase, isoenzyme, hepatic, in liver diseases (Ueda, Taketa, Shimamura, Kosaka) (53) 381
Hexosaminidase, automated assay, application to genetic screening (Delvin, Pottier, Scriver, Gold) (53) 135
Hexosaminidase, chromatographic study of, in normal human serum and G_{M2}-gangliosidosis (Yabuuchi, Sumi, Okada, Yutaka) (53) 85
Hexosaminidase A, effect of human cerebral neuraminidase on (Murphy, Craig) (51) 67
Hexosaminidase, Tay-Sachs carrier detection by mechanized assay of serum (Rosenberg, Cutler) (53) 247
Homovanillic acid, fluorimetric determination of, in a continuous flow system. Application to human cerebrospinal fluid (Renaud, Quenin, Quincy) (52) 179
Homovanillic acid, gas chromatographic determination of, and of vanilmandelic acid, some critical remarks (Lanser, Oldenziel, Pronk, Lequin) (50) 293
Homovanillic acid, selective and specific gas-liquid chromatographic and gas-liquid chromatographic/mass spectroscopic methods for the separation and quantitative determination of, and iso-homovanillic acid in urine samples (Narasimhachari, Leiner, Plaut, Lin) (50) 337
Homovanillic acid, urinary, gas chromatographic estimation of urinary 4-hydroxy-3-methoxymandelic acid and, using capillary columns (Goodwin, Ruthven, Sandler) (55) 111
Homovanillic acid, urinary, a rapid and simple gas-liquid chromatographic procedure for vanillylmandelic and (Roginsky, Gordon, Bennett) (56) 261
Hormone, studies on follicle-stimulating, in serum and urine during pregnancy (Biswas) (53) 57
Hunter's syndrome, mucopolysaccharide degradation and excretion after hyaluronidase injection in patients with Hurler's syndrome and (Nader, Mourão, Toledo, Dietrich) (50) 245
Hurler's syndrom. , mucopolysaccharide degradation and excretion after hyaluronidase injection in patients with Hunter's syndrome and (Nader, Mourão, Toledo, Dietrich) (50) 245
Hyaluronate, synovial, effect of, on the ingestion of monosodium urate crystals by leukocytes (Brandt) (55) 307
Hyaluronic acid, distribution of plasma proteins and, in synovial fluid and serum of human subjects in hydarthrosis (Poortmans, S'Jongers, Bidon) (55) 205
Hyaluronidase, injection, mucopolysaccharide degradation and excretion after, in patients with Hunter's and Hurler's syndromes (Nader, Mourão, Toledo, Dietrich) (50) 245
Hydarthrosis, distribution of plasma proteins and hyaluronic acid in synovial fluid and serum of human subjects in (Poortma. is, S'Jongers, Bidon) (55) 205
Hydatid cyst fluid, partial purification and properties of ovine liver, and healthy ovine liver phosphoglucose isomerases (Faradji, Vessal, Ghalambor) (53) 299
Hydrolase, acid, deficiencies and abnormal glycoproteins in mucolipidosis III (pseudo-Hurler polydystrophy) (Berman, Kohn, Yatziv, Stein) (52) 115
Hydrolases, acid, isoenzymes of four, in human kidney and urine (Hultberg, Öckerman, Nordén) (52) 239
25-Hydroxycholecalciferol, a competitive protein-binding assay for 25-hydroxyergocalciferol and, in serum (Preece, O'Riordan, Lawson, Kodicek) (52) 235
25-Hydroxyergocalciferol, a competitive protein-binding assay for 25-hydroxycholecalciferol and, in serum (Preece, O'Riordan, Lawson, Kodicek) (54) 235
5-Hydroxyindoleacetic acid, urinary, colorimetric determination of, following ion pair extraction of both acidic and basic phenothiazines (Vallon, Badinand, Descos, Bichon) (57) 1
1-(2-Hydroxy-3-isopropylamino-propoxy)-naphthalene hydrochloride, propranolol, a simple and rapid fluorimetric method for the estimation of, in blood (Ambler, Singh, Lever) (54) 373

3-Hydroxyisovaleric acid, increased urinary excretion of, in patients with ketoacidosis (Landaas) (54) 39
4-Hydroxy-3-methoxymandelic acid, urinary, gas chromatographic estimation of urinary homovanillic acid and, using capillary columns (Goodwin, Ruthven, Sandler) (55) 111
4-Hydroxy-3-methoxymandelic acid, urinary excretion, effect of prolonged glucagon infusions on the urinary excretion of catecholamines and, and on adrenal medullary tissue levels of catecholamines in patients with severe cardiac disease (Hinterberger, Wilcken) (52) 153
16α-Hydroxyprogesterone, identification and quantitation of, in human amniotic fluid (Friedrich, Sieckmann, Schindler) (56) 127
Hydroxyproline, gas chromatographic estimation of (Gibbs, Itiaba, Crawhall) (54) 395
Hydroxyproline, in urine, a simplified procedure for the measurement of total (Cleary, Saunders) (57) 217
Hydroxyproline peptides, of urine in fluorosis (Anasuya, Narasinga Rao) (56) 121
Hyperammonaemia, amino acid levels in patients with argininosuccinic aciduria and (Palmer, Oberholzer, Levin) (52) 335
Hyperemesis gravidarum, vitamin B-6 nutrition in women with, during the first trimester of pregnancy (Reinken, Gant) (55) 101
Hyperglobulinaemia, a modified thymol turbidity test in (Maclagan, Pradhan, Sule, Wallsgrove, Cooke, Lee) (53) 339
Hyperlipidaemia, effect of Al-chlorophenoxyisobutyrate (alufibrate) on pyruvate metabolism and on the fate of very low density lipoprotein lipids in patients with (Stähelin, Locher, Maier) (54) 115
Hyperlipoproteinaemia ("broad beta" disease), isoelectrofocusing of human plasma lipoproteins in polyacrylamide gels: diagnosis of Type III (Godolphin, Stinson) (56) 97
Hyperlipoproteinaemia, a modified method for phenotyping of, on agarose electrophoresis (van Melsen, de Greve, Vanderveiken, Vastesaeger, Blaton, Peeters) (55) 225
Hyperlipoproteinaemia Type V, biochemical observations in two cases (Kalofoutis, Simos, Jullien) (52) 361
Hyperparathyroidism, primary, calcium and inorganic phosphate in saliva of patients with (Weinberger, Sperling, de Vries) (50) 5
Hypobilirubinaemia, in patients with polychlorinated biphenyl poisoning (Hirayama, Okumura, Nagai, Masuda) (55) 97
Hypocalcaemia, idiopathic hypomagnesaemia with, in an adult (Coenegracht, Houben) (50) 349
Hypomagnesaemia, idiopathic, with hypocalcaemia in an adult (Coenegracht, Houben) (50) 349
Hypothermia, accidental, serum enzyme activities in hypothermic myxoedema and (Maclean, Murison, Griffiths) (52) 197
Hypothermic myxoedema, serum enzyme activities in accidental hypothermia and (Maclean, Murison, Griffiths) (52) 197
Hypothyroidism, serum creatine phosphokinase isoenzymes in convulsion, myocardial infarction and, and other diseases (Goto) (52) 27

I

Imidazole derivatives, urinary, thin-layer chromatographic study of (Dhondt, Cartigny, Farriaux) (50) 297
Immunoassay, see also Radioimmunoassay
Immunodiffusion, electro-, electroradio-immunoassay: a new type of double antibody radioimmunoassay based on (Matzku, Ludwig, Rapp) (54) 317
Immunodiffusion, electro-, of IgG heavy chains in nanogram quantities with a carboxymethyl-cellulose/agarose gel (Schuller, Tömpe) (54) 131
Immunodiffusion, radial, multiple precipitation in IgA, by non-identical antigens (Brendel, Mulder, Verhaar) (55) 103
Immunodiffusion, single radial, quantitative determination of immunoglobulin E by, a comparison of three different methods for intensification of precipitates (Sieber, Becker) (50) 153
Immunoelectrophoresis, detection of IgM heterogeneity dependent on the support medium of (Brendel, Mulder, Verhaar) (53) 29
Immunoelectrophoresis, crossed, simultaneous identification of the transferrin peak on, of the cerebrospinal fluid by means of standard human transferrin and the rocket technique of Laurell (Groc, Jendrey, Lahn) (54) 65
Immunoelectrophoresis, Laurell's two-dimensional: improved technique (Afonso) (54) 123
Immunoelectrophoresis, modification of Laurell's crossed, with special gel chamber (Groc, Jendrey) (52) 59
Immunoelectrophoresis, quantitative, of plasma proteins in acute viral hepatitis, extrahepatic biliary obstruction, primary biliary cirrhosis and idiopathic haemochromatosis (Murray-Lyon, Williams) (51) 303
Immunoglobulin A, distribution of IgG, IgM and, in the prostatic fluid of patients with prostatitis (Gray, Billings, Blacklock) (57) 163
Immunoglobulin A, radial immunodiffusion, multiple precipitation in, by non-identical antigens (Brendel, Mulder, Verhaar) (55) 103
Immunoglobulin A, with properties of both cryoglobulin and pyroglobulin (Watanabe, Kitamura, Shimizu) (52) 231
Immunoglobulin E, quantitative determination of, by single radial immunodiffusion, a comparison of three different methods for intensification of precipitates (Sieber, Becker) (50) 153
Immunoglobulin G, distribution of IgA, IgM and, in the prostatic fluid of patients with prostatitis (Gray, Billings, Blacklock) (57) 163
Immunoglobulin G, electroimmunodiffusion of, heavy chains in nanogram quantities with a carboxymethyl-cellulose/agarose gel (Schuller, Tömpe) (54) 131
Immunoglobulin G, globulin coat, evidence for an effect on erythrophilic, by the haemolytic process (Thomaidis, Valassi-Adam, Matsaniotis) (57) 109
Immunoglobulin G, myeloma patient, an unusual protein-lipid complex observed in an (Koga, Kozuru, Hirayama, Ibayashi) (54) 169
Immunoglobulin-G, proteins, heterogeneity of monoclonal, studied by isoelectric focusing (Brendel, Mulder, Verhaar) (54) 243
Immunoglobulin M, distribution of IgA, IgG and, in the prostatic fluid of patients with prostatitis (Gray, Billings, Blacklock) (57) 163
Immunoglobulin M, heterogeneity, detection of, dependent on the support medium of immunoelectrophoresis (Brendel, Mulder, Verhaar) (53) 29
Indocyanine green, binding of, and other organic anions to serum proteins in liver diseases (Kamisaka, Yatsuji, Yamada, Kameda) (53) 255
Indocyanine green, a new method for the determination of sodium and potassium in human red blood cells, using, as a marker for trapped plasma (Vettore, Falezza, de Matteis, Cetto, Zandegiacomo) (55) 345

Indoleacetic acid:tryptamine ratio, variation in urine of the, indifferent syndromes which affect the tryptophan metabolism (Stachow, Bousquet, Dreux) (50) 329
myo-Inositol, rapid screening test for detection of elevated, levels in human blood serum (Lewin, Melmed, Bank) (54) 377
Insecticides, anti-cholinesterase, estimation of serum cholinesterase in the presence of (Smith) (52) 315
Insulin, antibody levels, measurement of total plasma insulin and, in diabetic children (Dunlop, Court) (52) 353
Insulin, comparison of the results of plasma and serum assays using a double-antibody technique (Crowley, Garbien) (51) 345
Insulin, damage assessment of ^{125}I-labelled, adsorption onto dextran-coated charcoal as a rapid method for (Prószyńska, Sadowska) (53) 5
Insulin, immunoreactive, circadian variations of plasma catecholamine, cortisol and, concentrations in supine subjects (Turton, Deegan) (55) 389
Insulin, lecithin-cholesterol acyltransferase activity in diabetes mellitus and the effect of, on these cases (Misra, Staddon, Powell, Misra, Crook) (56) 83
Insulin, plasma levels of, of diabetic patients in Karachi (Khalid, Ataur Rahman, Quraishi) (53) 163
Insulin, radioimmunoassay of, effects of methodological variables on (Malvano, Quesada, Rolleri, Gandolfi, Zucchelli) (51) 127
Intestinal alkaline phosphatases, comparison of the transphosphorylating activities of alkaline phosphatases in human liver and (Whitaker, Moss) (52) 347
Intestinal alkaline phosphatase, in serum of patients on maintenance haemodialysis (Walker) (55) 399
Intestinal alkaline phosphatase, in vitro stimulation of apparent, activity by thyrocalcitonin (Lechi, de Bastiani, Zatti (57) 171
Intestinal epithelial cells, studies on the ATPase enzyme system in human (Mooney, McCarthy) (56) 37
Intestinal transport, of aromatic amino acids, glucose and electrolytes in a patient with phenylketonuria (Wapnir, Lifshitz) (54) 349
Intrinsic factor, preparation of a stable complex of, with sepharose. A rapid and simple procedure (Brombacher, Gijzen, Soons) (52) 311
Iodinated tracer, digoxin radioimmunoassay: improved precision with (Chambers) (57) 191
Iodine, radiometric assay of α-amylase activity (Aw) (56) 291
^{125}Iodine-labelled insulin, adsorption onto dextran-coated charcoal as a rapid method for damage assessment of (Prószyńska, Sadowska) (53) 5
Ion pair extraction, colorimetric determination of urinary 5-hydroxyindoleacetic acid following, of both acidic and basic phenothiazines (Vallon, Badinand, Descos, Bichon) (57) 1
Iron, in blood serum, a rapid and sensitive catalytic method for determination of (Bontchev, Raykowa, Alexiev, Yankova) (57) 37
Iron, in liver specimens, measurement of content of (van Eijk, Wiltink, Bos, Goossens) (50) 275
Iron, in serum, relation of erythrocyte porphyrins to haemoglobin, haematocrit, transferrin and (van Eijk, Wiltink, Bos) (53) 35
Iron, in serum, study of the ICSH proposed reference model for assay of: obtaining optically clear filtrates and substitution of ferrozine (Rice, Fenner) (53) 391
Iron, in urine and serum, and total Fe binding capacity, determination of, using atomic absorption spectrophotometry with Mn as internal standard (Pronk, Oldenziel, Lequin) (50) 35
Iron binding capacity, total, serum Fe, and Fe in urine, determination of, using atomic absorption spectrophotometry with Mn as internal standard (Pronk, Oldenziel, Lequin) (50) 35
Iron deficiency anaemia, erythrocyte glutathione reductase in (Ramachandran, Iyer) (52) 225
Iron rhythm, "short-term" (Werkman, Trijbels, Schretlen) (53) 65
Isoelectric focusing, heterogeneity of monoclonal IgG proteins studied by (Brendel, Mulder, Verhaar) (54) 243

Isoelectrofocusing, of human plasma lipoproteins in polyacrylamide gels: diagnosis of Type III hyperlipoproteinaemia ("broad beta" disease) (Godolphin, Stinson) (56) 97
Isoelectrofocusing, purification of human placental alkaline phosphatase by (Usategui-Gomez, Yeager, Tarbutton) (50) 405
Isohomovanillic acid, selective and specific gas-liquid chromatographic and gas-liquid chromatographic/mass spectroscopic methods for the separation and quantitative determination of, and homovanillic acid in urine samples (Narasimhachari, Leiner, Plaut, Lin) (50) 337
L-Isoleucine, metabolism, a defect in, associated with α-methyl-β-hydroxybutyric and α-methylacetoacetic aciduria: quantitative in vitro and in vivo studies (Gompertz, Saudubray, Charpentier, Bartlett, Goodey, Draffan) (57) 269

J

Jejunum, electrophoretic polymorphism
of adenylate kinase in human (Eze,
Evans) (56) 91

K

Kallikrein, study on the kinetics of, from pig pancreas with the substrate benzoyl arginine ethyl ester using a spectrophotometric assay (Worthington, Cuschieri) (52) 129
Keratan sulphate, identification and quantitation of, in urine (Humbel) (52) 173
Ketoacidosis, increased urinary excretion of 3-hydroxyisovaleric acid in patients with (Landaas) (54) 39
Δ^4-3-Ketosteroids, improvement of fluorimetric estimation of, by means of the lithium hydroxide reaction for analysis at the nanogram level (Kaplan, Kany, Abraham) (51) 113
17-Ketosteroids, in urine analysis of steroid hormones by gas-liquid chromatography. Pregnanediol, pregnanetriol and (Chevins, Launay, Julien, Dreux) (55) 333
17-Ketosteroids in urine, gas-liquid chromatography of underivatized steroids: simultaneous determination of urinary pregnanediol, pregnanetriol, pregnanetriolone and (Sanghvi, Wight, Serenko, Balachandran) (56) 49
Kidney, cortex, human, biochemical and immunological studies on isolated brush border membranes of, and their membrane surface proteins (Scherberich, Falkenberg, Mondorf, Müller, Pfleiderer) (55) 179
Kidney, human, isoenzymes of four acid hydrolases in urine and (Hultberg, Öckerman, Nordén) (52) 239
Kidney transplantation, effect of uraemia and, on the binding capacity of albumin (Dromgoole) (52) 301
Kinetics, study on, of pancreatic kallikrein with the substrate benzoyl arginine ethyl ester using a spectrophotometric assay (Worthington, Cuschieri) (52) 129
Kinetic assay, scope and limitations of, for serum 5′-nucleotidase activity (Ismail, Williams) (55) 211
Kinetic determination, of ammonia in plasma (van Anken, Schiphorst) (56) 151
Krabbe's disease, an improved method for the identification of patients and carriers of (Wenger, Sattler, Clark, McKelvey) (56) 199
Kwashiorkor, distribution of calcium in fingernails from healthy children and children suffering from (Robson, Brooks) (55) 255
Kynurenine pathway, abnormalities of tryptophan metabolism found in a group of 830 mentally retarded children (Sabater, Ricós) (56) 175

L

Lactate, stabilisation of, in whole-blood (Powell) (55) 107
Lactate dehydrogenase, effect of, and pyruvate and thyroid hormone on the assay of diphosphoglycerate mutase (Torrance) (50) 103
Lactate dehydrogenase isoenzyme, the effect of dilution and substrate repletion on distribution of, of sera with high LDH activities (McKenzie, Henderson) (50) 147
Lactate dehydrogenase isoenzyme, quality control of separations of, using commercial quality control sera (McKenzie, Henderson) (51) 53
Lactate dehydrogenase isoenzyme, reliability of determinations of serum, in the diagnosis of myocardial infarction (Konttinen, Auvinen, Somer) (52) 245
Lactate dehydrogenase isoenzymes, serum inactivator to M subunit of (Nagamine) (50) 173
Lactic acid, basis for a reagent to determine glycaemia by the o-toluidine method (Geissbühler) (51) 221
Lactobacillus leichmannii, competitive protein binding analysis of vitamin B-12 using, as a specific binder (van de Wiel, de Vries, Woldring, Nieweg) (55) 155
Laurell, crossed immunoelectrophoresis, modification of, with special gel chamber (Groc, Jendrey) (52) 59
Laurell, rocket immunoelectrophoresis, simultaneous identification of the transferrin peak on the crossed pherogram of the cerebrospinal fluid by means of standard human transferrin and the (Groc, Jendrey, Lahn) (54) 65
Laurell, two-dimensional immunoelectrophoresis, improved technique (Afonso) (54) 123
Lead, in blood, an evaluation of some atomic absorption systems for the determination of (Anderson, Broughton, Dawson, Fisher) (50) 129
Lecithin, significance of C-reactive protein (CRP) binding by: a simplified procedure for CRP isolation (Hokama, Tam, Hirano, Kimura) (50) 53
Lecithin acyltransferase, and plasma proteins in liver disease (Blomhoff, Skrede, Ritland) (53) 197
Lecithin-cholesterol acyltransferase, activity in diabetes mellitus and the effect of insulin on these cases (Misra, Staddon, Powell, Misra, Crook) (56) 83
Lecithin:cholesterol acyltransferase, deficiency, possible association between an abnormal low density lipoprotein and nephropathy in (Gjone, Blomhoff, Skarbøvik) (54) 11
Lecithin:cholesterol acyltransferase, and plasma proteins in liver disease (Blomhoff, Skrede, Ritland) (53) 197
Lecithin/sphingomyelin ratio, procedure for the determination of the, in amniotic fluid with a new detection reagent (Verhoeven, Merkus) (53) 229
Leukaemia, lymphatic, L-glutaminase activity in lymphocytes of patients with chronic (Desser, Höcker) (53) 191
Leukaemia, usefulness of the determination of serum and urinary muramidase activity in chronic and sub-acute myeloproliferative syndromes and, with a low percentage of myeloblasts. Semi-automatic kinetic method, and application to various pathological cases (Barthelemy, Bachard, Fiet, Brière, Dreux) (50) 257, 265
Leukocytes, chondroitin in, acidic glycosaminoglycans in human platelets and: the isolation and enzymatic characterization of chondroitin 4-sulfate (Murata) (57) 115
Leukocytes, the effect of synovial hyaluronate on the ingestion of monosodium urate crystals by (Brandt) (55) 307
Leukocytes, protein release from human. Influence of medium and time of incubation (Houpert, Lahrichi, Savigny, Siest) (52) 143

Leukocytes, use of, as an aid in the diagnosis of glycogen storage disease Type II (Pompe's disease) (Koster, Slee, Hülsmann) (51) 319
Leukocyte, vitamin C, determination of platelet, vitamin C and, and the levels found in normal subjects (Attwood, Robey, Ross, Bradley, Kramer) (54) 95
Leukoencephalitis, subacute sclerosing, cholesterol esters of demyelinating fields in multiple sclerosis, carbon monoxide-induced myelinopathy and (Wender, Filipek-Wender, Stanislawska) (54) 269
Limb girdle muscular dystrophy, creatine phosphokinase levels in: effect of dialysis (Snehalatha, Valmikinathan) (51) 315
Lipase, pancreatic, a simple automated method for the assay of (Vandermeers, Vandermeers-Piret, Rathe, Christophe) (52) 271
Lipid, autoxidation in human skeletal muscle (McMurray, Dormandy) (52) 105
Lipids, eicosatrienoic acid ω9 in serum, of patients with hepatocellular carcinoma (Okazaki, Araki) (53) 11
Lipid, in erythrocytes, improved extraction of (Broekhuyse) (51) 341
Lipids, in erythrocytes, long-term storage of erythrocytes for quantitative analyses of (Broekhuyse) (52) 53
Lipids, liquid scintillation counting of weak β-emitting labelled, a simple method for, after separation by thin-layer chromatography (Pyrovolakis, Harry, Martin, McIntyre) (50) 441
Lipids, possible seasonal variation of plasma, in a healthy population (Fuller, Grainger, Jarrett, Keen) (52) 305
Lipids, in serum, behaviour of, in children with hepatitis A (Tamir, Heldenberg, Levtow, Burstein, Lupo, Werbin) (56) 113
Lipid, serum lipoprotein and, levels in normal Chinese (Ho, Chan) (57) 149
Lipids, very low density lipoprotein (VLDL), effect of Al-chlorophenoxy-isobutyrate (alufibrate) on pyruvate metabolism and on the fate of, in hyperlipidaemic patients (Stähelin, Locher, Maier) (54) 115
Lipid-protein complex, an unusual, observed in an IgG myeloma patient (Koga, Kozuru, Hirayama, Ibayashi) (54) 169
Lipoprotein, abnormal (LP-X) of cholestasis, a method for quantitative determination (Ritland) (55) 359
Lipoproteins, abnormal serum, in cholestatic viral hepatitis (Picard, Veissiere, Bertrand) (51) 5
β-Lipoprotein, alkaline phosphatase bound to, the increased activity of non-specific, in human serum (van Husen, Gerlach) (53) 91
Lipoproteins, isoelectrofocusing of human plasma, in polyacrylamide gels: diagnosis of Type III hyperlipoproteinaemia ("broad beta" disease) (Godolphin, Stinson) (56) 97
Lipoproteins, labelling with radioactive cholesterol in plasma, physiological method for the (Sodhi, Kudchodkar) (51) 291
Lipoproteins, 'mid-band', the investigation of, using polyacrylamide gel electrophoresis (Mead, Dangerfield) (51) 173
Lipoproteins, postprandial accumulation in an intermediate density fraction (d 1.006—1.019 g/ml), isolation and analysis in human plasma of (Fellin, Agostini, Rost, Seidel) (54) 325
Lipoproteins, radioiodination of, a review of methods and metabolic studies associated with the (Fidge) (52) 5
Lipoprotein, radioiodination of very low density, obtained from different mammalian species (Fidge, Poulis) (52) 15
Lipoproteins, in fasting serum, in rural Africans in Rhodesia, measured by membrane filtration and nephelometry (Jones, Gelfand) (57) 131
pre-α-Lipoprotein, serum, further characterization of (Wille) (57) 63
Lipoprotein, serum lipid and, levels in normal Chinese (Ho, Chan) (57) 149
Lipoprotein, serum, studies of, concentrations in children: a preliminary report (Berenson, Pargaonkar, Srinivasan, Dalferes Jr, Radhakrishnamurthy) (56) 65
pre-β-Lipoprotein, serum, studies on the dense, of man (Phillips) (53) 127
pre-α-Lipoprotein, serum, studies on, of man obtained by electrophoresis on agarose gel (Phillips, Wille) (50) 425

Lipoproteins, serum, the use of density gradient centrifugation for the separation of (Hinton, Al-Tamer, Mallinson, Marks) (53) 355
Lipoproteins, serum, the use of Nitroblue tetrazolium prestaining of, on polyacrylamide disc electrophoresis (Segal, Putman, Levi, Lewis) (53) 361
Lipoprotein, abnormal low density, possible association between nephropathy and, in lecithin:cholesterol acyltransferase deficiency (Gjone, Blomhoff, Skarbøvik) (54) 11
Lipoproteins, uranyl acetate as an excellent fixative for, after electrophoresis on agarose gel (Lózsa) (53) 43
Lipoprotein lipase activity, human: comparison of assay methods (Nilsson-Ehle) (54) 283
Lipoprotein lipids, very low density, effect of Al-chlorophenoxyisobutyrate (alufibrate) on pyruvate metabolism and on the fate of, in hyperlipidaemic patients (Stähelin, Locher, Maier) (54) 115
Lipoproteinograms, comparative study of, obtained by electrophoresis using three different methods (Guisard, Lorentz, Castro, Debry) (53) 79
Liquid scintillation counting, simple method for, of weak β-emitting labelled lipids after separation by thin-layer chromatography (Pyrovolakis, Harry, Martin, McIntyre) (50) 441
Lithium hydroxide reaction, improvement of fluorimetric estimation of Δ^4-3-keto-steroids by means of the, for analysis at the nanogram level (Kaplan, Kany, Abraham) (51) 113
Liver, alkaline phosphatases, comparison of the transphosphorylating activities of alkaline phosphatases in human intestine and (Whitaker, Moss) (52) 347
Liver, alkaline phosphatase in rat, effect of biliary obstruction on some properties of (Moss, Panov, Whitaker) (51) 41
Liver, alkaline phosphatase, routine measurement and clinical evaluation of, and bone alkaline phosphatase in human serum. Differential inhibition by L-phenylalanine and carbamide (urea) on the LKB 8600 reaction rate analyzer (Gerhardt, Nielsen, Nielsen, Olsen, Statland) (53) 281, 291
Liver, cirrhosis of, plasma viscosity and coagulation in patients with (Leonhardt, Bungert) (50) 381
Liver, enzymopathies of carbohydrate metabolism in, semi-automated assays for, and in erythrocytes using a reaction rate analyser (Bulfield, Moore) (53) 265
Liver, α-L-fucosidase in human, electrophoretic forms of, and their relationship to fucosidosis (mucopolysaccharidosis F) (Alhadeff, Miller, Wenger, O'Brien) (57) 307
Liver, hydatid cyst fluid of ovine, partial purification and properties of, and healthy ovine liver phosphoglucose isomerases (Faradji, Vessal, Ghalambor) (53) 299
Liver, iron content in human specimens, measurement of the (van Eijk, Wiltink, Bos, Goossens) (50) 275
Liver, α-D-mannosidase in human, activity (Phillips, Robinson, Winchester) (55) 11
Liver disease, the binding of indocyanine green and other organic anions to serum proteins in (Kamisaka, Yatsuji, Yamada, Kameda) (53) 255
Liver diseases, hepatic hexokinase isoenzyme in (Ueda, Taketa, Shimamura, Kosaka) (53) 381
Liver disease, lecithin:cholesterol acyltransferase and plasma proteins in (Blomhoff, Skrede, Ritland) (53) 197
LKB 8600 reaction rate analyzer, differential inhibition by L-phenylalanine and carbamide (urea) on the. Routine measurements and clinical evaluation of liver and bone alkaline phosphatase in human serum (Gerhardt, Nielsen, Nielsen, Olsen, Statland) (53) 281, 291
Lymphatic leukaemia, L-glutaminase activity in lymphocytes of patients with chronic (Desser, Höcker) (53) 191
Lymphocytes, L-glutaminase activity in, of patients with chronic lymphatic leukaemia (Desser, Höcker) (53) 191
Lysosomal enzyme, activity, effect of serum concentration, type of culture medium and pH on the, of cultured human amniotic fluid cells (Butterworth, Sutherland, Broadhead, Bain) (53) 239
Lysosomal enzymes, variations in thirteen cell strains cultured from one amniotic fluid (Sutherland, Butterworth, Broadhead, Bain) (52) 211
Lysozyme, activity, changes in serum, with physical exercise (Haralambie, Cerny) (55) 217
Lysozyme, in human body fluids (Hankiewicz, Swierczek) (57) 205

M

α_2-Macroglobulin, serum, and zinc concentration in myocardial infarction, decubitus ulcer, multiple myeloma, prostatic carcinoma, Down's syndrome and nephrotic syndrome (McBean, Smith Jr, Berne, Halsted) (50) 43

Magnesium, determination in plasma using two fluorimetric methods and Titan yellow method, citrate interference in (Caddell, Erickson, Byrne) (50) 9

Magnesium, simultaneous measurement of Na, K, Ca, Cu, Zn and, balances in man (Hartley, Dawson, Hodgkinson) (52) 321

Maleic acid, further studies on epithelial transport defect in experimental and human Fanconi syndrome. Effects of, and L-cystine on sodium transport and (Na^+-K^+)-ATPase of the isolated frog skin (Kramer, Burgard) (55) 57

Malnutrition, distribution of calcium in fingernails from healthy children and children suffering from (Robson, Brooks) (55) 255

Manganese, as internal standard in atomic absorption spectrophotometry used in determination of serum Fe, total Fe binding capacity and Fe in urine (Pronk, Oldenziel, Lequin) (50) 35

α-D-Mannosidase, activity of, in human liver (Phillips, Robinson, Winchester) (55) 11

Mass fragmentography, cholesterol determination in serum by (Björkhem, Blomstrand, Svensson) (54) 185

Mass fragmentography, cortisol determination in plasma by (Björkhem, Blomstrand, Lantto, Löf, Svensson) (56) 241

Mass fragmentography, ethanol determination in blood and urine by (Pereira, Summons, Rindfleisch, Duffield) (51) 109

Mass spectrometry, method used with gas-liquid chromatography, selectively and specifically, for the separation and quantitative determination of homovanillic acids in urine samples (Narasimhachari, Leiner, Plaut, Lin) (50) 337

Mass spectrometry, studies on the urinary acidic metabolites excreted by patients with β-methylcrotonylglycinuria, propionic acidaemia and methylmalonic acidaemia, using gas-liquid chromatography and (Chalmers, Lawson, Watts) (52) 43

Medullo-adrenal tissue, effect of prolonged glucagon infusions on the urinary excretion of catecholamines and 4-hydroxy-3-methoxymandelic acid and on levels of catecholamines in, in patients with severe cardiac disease (Hinterberger, Wilcken) (52) 153

Membranes, brush border, biochemical and immunological studies on isolated, of human kidney cortex and their membrane surface proteins (Scherberich, Falkenberg, Mondorf, Müller, Pfleiderer) (55) 179

Membrane filter cell, commercial (Minicon® B-15 system), loss of tubular proteinuria pattern during urine concentration with a (Lindstedt, Lundberg) (56) 125

Membrane filtration, fasting serum lipoproteins in rural Africans in Rhodesia, measured by nephelometry and (Jones, Gelfand) (57) 131

Mentally retarded children, abnormalities of tryptophan metabolism (kynurenine pathway) found in a group of 830 (Sabater, Ricós) (56) 175

3-Mercaptopyruvate sulphurtransferase (EC 2.8.1.2): a simple assay of, adapted to human blood cells (Valentine, Frankenfeld) (51) 205

Mercuric ion, effect of free, on apparent bromide concentrations when measured by the standard autoanalyzer method for chloride (Levinson, Rieder) (52) 249

Merthiolate, the use of, for thyroxine binding globulin (TBG)-blocking in the radioimmunoassay of triiodothyronine (Kanagasabapathy, Wellby) (55) 267

Methotrexate, radioimmunoassay of, in biological fluids (Bohuon, Duprey, Boudene) (57) 263

3-Methoxy-4-hydroxyphenethylene glycol, in plasma (Dekirmenjian, Maas) (52) 203
α-Methylacetoacetic aciduria, a defect in L-isoleucine metabolism associated with α-methyl-β-hydroxybutyric and: quantitative in vivo and in vitro studies (Gompertz, Saudubray, Charpentier, Bartlett, Goodey, Draffan) (57) 269
β-Methylcrotonylglycinuria, method for determination of volatile organic acids in aqueous solutions and urine, and the results obtained in propionic acidaemia, methylmalonic aciduria and (Chalmers, Bickle, Watts) (52) 31
β-Methylcrotonylglycinuria, studies on urinary acidic metabolites excreted by patients with propionic acidaemia, methylmalonic acidaemia and, using gas-liquid chromatography and mass spectrometry (Chalmers, Lawson, Watts) (52) 43
3,4-Methylene hexanedioic acid, a previously unknown compound in human urine (Lindstedt, Steen, Wahl) (53) 143
α-Methyl-β-hydroxybutyric aciduria, a defect in L-isoleucine metabolism associated with α-methylacetoacetic and: quantitative in vivo and in vitro studies (Gompertz, Saudubray, Charpentier, Bartlett, Goodey, Draffan) (57) 269
Methylmalonic acidaemia, studies on urinary acidic metabolites excreted by patients with β-methylcrotonylglycinuria, propionic acidaemia and, using gas-liquid chromatography and mass spectrometry (Chalmers, Lawson, Watts) (52) 43
Methylmalonic aciduria, method for determination of volatile organic acids in aqueous solutions and urine, and the results obtained in propionic acidaemia, β-methylcrotonylglycinuria and (Chalmers, Bickle, Watts) (52) 31
O-Methyltransferase, catechol activity, a method for determination of, in red blood cells (Jonas, Gershon) (54) 391
β_2-Microglobulin, occurrence in fetal life and malignancy (Kithier, Čejka, Belamaric, Al-Sarraf, Peterson Jr, Vaitkevicius, Poulik) (52) 293
Micronephelometer method compared with an enzymatic method for the determination of serum triglycerides (Dean) (50) 367
Microscopy, scanning electron, alteration in surface ultrastructure and membrane proteins, as inferred by sodium dodecylsulphate electrophoresis and (Nozawa, Noguchi, Iida, Fukushima, Sekiya, Ito) (55) 81
Microsomal glycoprotein galactosyltransferase, properties of, of cultured human fibroblasts in relation to cystic fibrosis (Butterworth) (56) 159
Milk plasma, early, L-cystinyl-di-β-naphthylamide hydrolase (oxytocinase) in human colostrum and. Separation of two isozymes by acrylamide gel electrophoresis (Brouet-Yager, Kleiner, van Bogaert, Graff) (54) 387
Minicon® B-15 cell, a commercial membrane filter cell, loss of tubular proteinuria pattern during urine concentration with (Lindstedt, Lundberg) (56) 125
Mitochondria, heart, creatine kinase activity and its isoenzyme pattern in (Somer, Uotila, Konttinen, Saris) (53) 369
Monoamine oxidase, activity in normal and dystrophic human muscle (Kar, Pearson) (50) 431
Monoglyceride hydrolase, determination and properties of, in human post-heparin plasma (Noma, Okabe, Sakurada, Kita, Mizuno) (54) 177
Morphine, in urine, quantitative determination of, by gas-liquid chromatography and variations in excretion (Fry, Wills, Twycross) (51) 183
Mucins, produced by bronchogenic cysts, study of (Degand, Roussel, Lamblin) (50) 223
Mucolipidosis III, (pseudo-Hurler polydystrophy), acid hydrolase deficiencies and abnormal glycoproteins in (Berman, Kohn, Yatziv, Stein) (52) 115
Mucopolysaccharides, characterization of the, associated with fractions of guanidine-denatured amyloid fibrils (Brandt, Skinner, Cohen) (55) 295
Mucopolysaccharide, degradation and excretion after hyaluronidase injection in patients with Hunter's and Hurler's syndromes (Nader, Mourão, Toledo, Dietrich) (50) 245

Mucopolysaccharides, in urine, two-dimensional electrophoresis of, on cellulose acetate after N-cetylpyridinium-chloride (CPC) precipitation: a method suitable for the routine laboratory (Abeling, Wadman, van Gennip) (56) 297
Mucopolysaccharidosis F, electrophoretic forms of human liver α-L-fucosidase and their relationship to, fucosidosis (Alhadeff, Miller, Wenger, O'Brien) (57) 307
Mucosal biopsies, the carbohydrate and ester sulphate content of, in health and in patients with duodenal ulcer (André, Bouhours, André, Descos, Lambert) (56) 255
Multiple myeloma, serum Zn and α_2-macroglobulin concentration in, and myocardial infarction, decubitus ulcer, prostatic carcinoma, Down's syndrome and nephrotic syndrome (McBean, Smith Jr, Berne, Halsted) (50) 43
Multiple myeloma, an unusual lipid-protein complex observed in an IgG, patient (Koga, Kozuru, Hirayama, Ibayashi) (54) 169
Multiple sclerosis, cholesterol esters of demyelinating fields in myelinopathy (CO-induced), subacute sclerosing leucoencephalitis and (Wender, Filipek-Wender, Stanislawska) (54) 269
Muramidase, serum and urinary activity, usefulness of the determination of, in chronic and sub-acute myeloproliferative syndromes and in leukemia with a low percentage of myeloblasts. Semi-automatic kinetic method, and application to various pathological cases (Barthelemy, Bachard, Fiet, Brière, Dreux) (50) 257, 265
Muscle, carnitine in human tissue, concentration of (Cederblad, Lindstedt, Lundholm) (53) 311
Muscle, cyclic AMP phosphodiesterase activity in normal and dystrophic human (Kar, Pearson) (50) 345
Muscle, lipid autoxidation in human skeletal (McMurray, Dormandy) (52) 105
Muscle, monoamine oxidase activity in normal and dystrophic human (Kar, Pearson) (50) 431
Muscular dystrophy, Duchenne, effect of oral contraceptive pills on the level of creatine phosphokinase with regard to carrier detection (Simpson, Zellweger, Burmeister, Christee, Nielsen) (52) 219
Muscular dystrophy, limb girdle, creatine phosphokinase levels in: effect of dialysis (Snehalatha, Valmikinathan) (51) 315
Myelinopathy, carbon monoxide-induced, cholesterol esters of demyelinating fields in multiple sclerosis, subacute sclerosing leucoencephalitis and (Wender, Filipek-Wender, Stanislawska) (54) 269
Myeloblasts, usefulness of the determination of serum and urinary muramidase activity in chronic and sub-acute myeloproliferative syndromes and in leukemia with a low percentage of. Semi-automatic kinetic method, and application to various pathological cases (Barthelemy, Bachard, Fiet, Brière, Dreux) (50) 257, 265
Myeloma, see Multiple myeloma
Myeloproliferative syndromes, chronic and sub-acute, usefulness of the determination of serum and urinary muramidase activity in, and in leukemia with a low percentage of myeloblasts. Semi-automatic kinetic method, and application to various pathological cases (Barthelemy, Bachard, Fiet, Brière, Dreux) (50) 257, 265
Myocardial infarction, serum creatine phosphokinase isoenzymes in hypothyroidism, convulsion, and, and other diseases (Goto) (52) 27
Myocardial infarction, serum lactate dehydrogenase isoenzyme determinations in the diagnosis of, reliability of (Konttinen, Auvinen, Somer) (52) 245
Myocardial infarction, serum Zn and α_2-macroglobulin concentration in, and decubitus ulcer, multiple myeloma, prostatic carcinoma, Down's syndrome and nephrotic syndrome (McBean, Smith Jr, Berne, Halsted) (50) 43
Myxoedema, hypothermic, serum enzyme activities in accidental hypothermia and (Maclean, Murison, Griffiths) (52) 197

N

Naphthalene hydrochloride, 1-(2-hydroxy-3-isopropylamino-propoxy)-, a simple and rapid fluorimetric method for the estimation of, propranolol, in blood (Ambler, Singh, Lever) (54) 373
Needle biopsies, assay of bilirubin UDP-glucuronyl transferase on, applied to Gilbert's syndrome (Bellet, Raynaud) (53) 51
Neonatal bilirubin, total: an assessment of the photo-ictometer (Stein, McKinley, Horn, Keay) (54) 107
Nephelometry, fasting serum lipoproteins in rural Africans in Rhodesia, measured by membrane filtration and (Jones, Gelfand) (57) 131
Nephelometry, micro-method, comparison of the, and enzymatic methods for the determination of serum triglycerides (Dean) (50) 367
Nephropathy, possible association between an abnormal low density lipoprotein and, in lecithin:cholesterol acyltransferase deficiency (Gjone, Blomhoff, Skarbøvik) (54) 11
Nephrotic syndrome, serum Zn and α_2-macroglobulin concentration in, and myocardial infarction, multiple myeloma, prostatic carcinoma, decubitus ulcer and Down's syndrome (McBean, Smith Jr, Berne, Halsted) (50) 43
Neuraminidase, human cerebral, effect of, on hexosaminidase A (Murphy, Craig) (51) 67
Neuromuscular diseases, influence of the dilution effect on serum creatine phosphokinase activity in (Dobosz) (50) 301
Niemann-Pick disease, glucosylceramide in plasma of patients with (Dacremont, Kint, Carton, Cocquyt) (52) 365
Ninhydrin-positive molecules, middle-sized, in uraemic patients treated by repeated haemodialysis. I. Preliminary characteristics (Hanicki, Sarnecka-Keller, Klein, Ślizowska) (54) 47
Nitroblue tetrazolium, the use of, for prestaining of serum lipoproteins on polyacrylamide disc electrophoresis (Segal, Putman, Levi, Lewis) (53) 361
Nitrogen, α-amino, a semi-automated method for determination of plasma (Oddy) (51) 151
Nitrogen detector, gas chromatographic determination of some local anaesthetics using a (Cameron) (56) 307
Nitroprusside method, determination of cystine excretion by, during drug therapy of cystinuria (Roesel, Coryell) (52) 343
Noradrenalin, does not interfere with the fluorimetric determination of adrenalin after extraction as trihydroxyindoles (Schwedt) (51) 247
Noradrenalin, simultaneous spectrofluorimetric analysis of DOPA and the total amount of the catecholamines, adrenalin and, in urine (Schwedt) (57) 291
Nucleosides, of puric bases, separation and evaluation of puric bases and their nucleotides and, by thin-layer chromatography (Chivot, Leibrandt, Rouvroy, Simeon, Caen) (53) 69
5′-Nucleotidase, activity, scope and limitations of a kinetic assay for serum (Ismail, Williams) (55) 211
Nucleotides, of puric bases, separation and evaluation of puric bases and their nucleosides and, by thin-layer chromatography (Chivot, Leibrandt, Rouvroy, Simeon, Caen) (53) 69
Nutrition, vitamin B-6, in women with hyperemesis gravidarum during the first trimester of pregnancy (Reinken, Gant) (55) 101
Nutritional status, ascorbic acid, and tyrosine metabolism (Mohanram, Reddy) (56) 59

O

Oestradiol, plasma, an improved assay for, using competitive protein binding (Pratt, van der Linden, Doorenbos, Woldring) (50) 137

17β-Oestradiol, the use of 17β-oestradiol-6-(O-carboxymethyl)oxime [^{125}I]tyramine as tracer for the radioimmunoassay of (Lindberg, Edqvist) (53) 169

17β-Oestradiol-6-(O-carboxymethyl)oxime [^{125}I]tyramine, as tracer for the radioimmunoassay of 17β-oestradiol (Lindberg, Edqvist) (53) 169

Oestriol, urinary, standardisation of determinations during pregnancy (Peace, Lever) (53) 323

Oestrogens, urinary, determination by gas chromatography of the seven principal, at the end of gestation (Adessi, Eichenberger, Nhuan, Jayle) (55) 323

Oestrogens, urinary, an interlaboratory study of an automated technique for the assay of (Moscrop, Antcliff, Braunsberg, James, Goudie, Burnett) (56) 265

Oligophrenic child, α-amino adipic aciduria in an (Lormans, Lowenthal) (57) 97

Ontogenesis, the Zn-α_2-glycoprotein level in human serum during (Jirka, Blanický, Černá) (56) 31

Open-heart surgery, catecholamines and peripheral vasoconstriction after (Turton, Matthews) (50) 419

Oral contraceptives, activity measurements of erythrocyte glutamic-oxaloacetic transaminase in women taking pyridoxine and (Feltkamp, Patt, Zilliken) (53) 305

Oral contraceptive pills, effect of, on the level of creatine phosphokinase with regard to carrier detection in Duchenne muscular dystrophy (Simpson, Zellweger, Burmeister, Christee, Nielsen) (52) 219

Oxalate, urinary, a simplified and rapid enzymatic method for determination of (Hallson, Rose) (55) 29

^{18}Oxygen labelling technique, study of collagen reutilization using an (Jackson, Heininger) (51) 163

Oxygen tension, the correlation of 2,3-diphosphoglycerate with arterial pH, hematocrit value and,. Respiratory insufficiency and red cell 2,3-diphosphoglycerate (Hamasaki, Matsuda, Hamano, Hara, Minakami) (50) 385

Oxytocinase (cystine aminopeptidase), a comparative study of recent assays for the determination of (van Buul, van Oudheusden) (54) 263

Oxytocinase isoenzymes (L-cystinyl-di-β-naphthylamide hydrolase), in human colostrum and early milk plasma. Separation of two isozymes by acrylamide gel electrophoresis (Brouet-Yager, Kleiner, van Bogaert, Graff) (54) 387

P

Palmitic acid/stearic acid ratio, foetal pulmonary maturation studied by determination of (Alcindor, Bereziat, Vielh, Gautray) (50) 31
Pancreas, a gastrosecretagogue fraction from hog, purification of (Vatier, Dubrasquet, Robert, Accary, Bonfils) (51) 119
Pancreas, kallikrein from pig, study on the kinetics of, with the substrate benzoyl arginine ethyl ester using a spectrophotometric assay (Worthington, Cuschieri) (52) 129
Pancreatic lipase, a simple automated method for the assay of (Vandermeers, Vandermeers-Piret, Rathe, Christophe) (52) 271
Paracetamol (N-acetyl-p-aminophenol), a sensitive, specific method for measuring, in blood (Knepil) (52) 369
Parathyroid hormone, radioimmunoassay for human (Woo, Singer) (54) 161
Parathyroid hormone, serum, concentration in chronic renal failure patients on maintenance haemodialysis (Wills, Fairney, Varghese, Tatler, Baillod, Moorhead) (57) 83
Parkinson's disease, enhanced tyramine conjugation in (Bonham Carter, Youdim, Sandler, Hunter, Stern) (51) 327
Penicillins, when administered during pregnancy, are they harmful to the foetus? (Wolfrum, Holweg, Gidion) (57) 125
Peptides, hydroxyproline, of urine in fluorosis (Anasuya, Narasinga Rao) (56) 121
pH, arterial, the correlation of 2,3-diphosphoglycerate with oxygen tension, hematocrit value and,. Respiratory insufficiency and red cell 2,3-diphosphoglycerate (Hamasaki, Matsuda, Hamano, Hara, Minakami) (50) 385
pH, effect of, serum concentration and, type of culture medium on the lysosomal enzyme activity of cultured human amniotic fluid cells (Butterworth, Sutherland, Broadhead, Bain) (53) 239
Phadebas, experience with a commercial radio-assay for vitamin B-12 (Voogd, Mantel) (54) 369
Phenothiazines, colorimetric determination of urinary 5-hydroxyindoleacetic acid following ion pair extraction of both acidic and basic (Vallon, Badinand, Descos, Bichon) (57) 1
L-Phenylalanine, differential inhibition by carbamide (urea) and, on the LKB 8600 reaction rate analyzer. Routine measurements and clinical evaluation of liver and bone alkaline phosphatase in human serum (Gerhardt, Nielsen, Nielsen, Olsen, Statland) (53) 281, 291
Phenylketonuria, determination of urinary phenylpyruvic acid in patients with, by enol-borate method (Zelníček, Podhradská) (53) 373
Phenylketonuria, intestinal transport of aromatic amino acids, glucose and electrolytes in a patient with (Wapnir, Lifshitz) (54) 349
Phenylketonuria, phenylpropionic acid in urine of patients with, and normals (Pollitt) (55) 317
Phenylketonuria, quantitative studies on the urinary excretion of unconjugated aromatic acids in (Chalmers, Watts) (55) 281
Phenylpropionic acid, in urine of patients with phenylketonuria and normals (Pollitt) (55) 317
Phenylpyruvic acid, determination of urinary, in phenylketonurics by enol-borate method (Zelníček, Podhradská) (53) 373
Phosgene, production of, during aspiration of trichloroacetic acid into a flame emission spectrophotometer (Legg) (50) 157
Phosphatase, alkaline, effect of biliary obstruction on some properties of, of rat liver (Moss, Panov, Whitaker) (51) 41

Phosphatase, alkaline, isoenzymes of, demonstration of high molecular weight, in human serum by cellulose acetate electrophoresis and physico-chemical characterization (Fritsche Jr, Adams-Park) (52) 81
Phosphatase, alkaline, isoenzyme activity, quantitative analysis of, in serum (Healy) (55) 407
Phosphatases, alkaline, in liver and intestine, comparison of the trans-phosphorylating activities of (Whitaker, Moss) (52) 347
Phosphatase, alkaline, non-specific β-lipoprotein-bound, increased activity in human serum (van Husen, Gerlach) (53) 91
Phosphatase, alkaline, purification of human placental, by isoelectric focusing (Usategui-Gomez, Yeager, Tarbutton) (50) 405
Phosphatase, alkaline, serum, a thermo-stable (Nath, Saha) (55) 5
Phosphate, inorganic, and calcium in saliva of patients with primary hyperpara-thyroidism (Weinberger, Sperling, de Vries) (50) 5
Phosphoglucose isomerases, partial purification and properties of ovine liver hydatid cyst fluid and healthy ovine liver (Faradji, Vessal, Ghalambor) (53) 299
Phospholipids, in the amniotic fluid, assay of (Verder, Clausen) (51) 257
Phospholipids, in the amniotic fluid, idiopathic respiratory distress syndrome and the (Verder, Clausen) (51) 271
Phospholipids, in blood serum or plasma, quantitative determination of, by a nondestructive method (van Gent, Roseleur) (57) 197
Phospholipid, interference of, and other variables in analysis of non-esterified fatty acids by copper soap formation (Williamson, Scott-Finnigan) (57) 175
Phosphorylase, demonstration of, in urines by polyacrylamide disc gel electrophoresis (Takeo, Nitta, Nakamura) (57) 45
Photo-ictometer, total neonatal bilirubin: an assessment of the (Stein, McKinley, Horn, Keay) (54) 107
Placenta, human, purification of alkaline phosphatase (Usategui-Gomez, Yeager, Tarbutton) (50) 405
Plasma, aldosterone, radioimmunoassay of, by chromatography on Sephadex LH 20 (Daniel, Mion, Soulas) (55) 235
Plasma, α-amino nitrogen in, semi-automated method for the determination of (Oddy) (51) 151
Plasma, ammonia in, a kinetic determination (van Anken, Schiphorst) (56) 151
Plasma, angiotensin I and II in, in vitro study on the effects of bradykinin potentiating factor and angiotensin II analogue on degradation and conversion of (Ogihara, Yamamoto, Doi, Kumahara, Kimura, Sakakibara) (52) 287
Plasma, bicarbonate, a simple automated method for the determination of bicarbonate in serum and (den Boer, Mantel, Leijnse) (55) 87
Plasma, bilirubin levels, and red cell enzymes in cord blood in first week of life (Lie-Injo, Ng, Balakrishnan) (50) 77
Plasma, (total) bilirubin in, a new accelerator for the determination of (Colombo, Peheim, Kyburz, Hoffmann) (51) 217
Plasma, butaperazine in human, a fluori-metric method for the measurement of (Manier, Sekerke, Dingell, El-Yousef) (57) 225
Plasma, calcium ion reactions in blood, an equilibrium model for (Branegård, Österberg) (54) 55
Plasma, circadian variations of, catechol-amine, cortisol and immunoreactive insulin concentrations in supine subjects (Turton, Deegan) (55) 389
Plasma, cortisol determination by mass fragmentography (Björkhem, Blom-strand, Lantto, Löf, Svensson) (56) 241
Plasma, cortisol in, preliminary studies on, and cortisol in cerebrospinal fluid in children with different diseases (Haber-fellner, Auer, Gleispach) (54) 5
Plasma, cortisol levels, and the frequency of bleeding in haemophilia (Rainsford, Richardson, Stuart Shaw) (53) 351
Plasma, cortisol, a simple competitive protein binding assay for (Baum, Tudor, Landon) (55) 147
Plasma, cyclic AMP in, a simple direct assay for, and other biological samples using an improved competitive protein binding technique (Tovey, Oldham, Whelan) (56) 221

Plasma, L-cystinyl-di-β-naphthylamide hydrolase (oxytocinase) in early milk, and in human colostrum. Separation of two isozymes by acrylamide gel electrophoresis (Brouet-Yager, Kleiner, van Bogaert, Graff) (54) 387
Plasma, (long-chain non-esterified) fatty acids, the use of an automatic solids injection system for quantitative determination of, by gas-liquid chromatography (McDonald-Gibson, Young) (53) 117
Plasma, glucosylceramide in, of patients with Niemann-Pick disease (Dacremont, Kint, Carton, Cocquyt) (52) 365
Plasma, glycerol in human, a modified procedure for the quantitative recovery of labeled (Malmendier, Amerijckx) (56) 13
Plasma, glycosaminoglycans in human, isolation and preliminary characterization of (Taniguchi, Moriya, Nanba) (50) 319
Plasma, insulin, comparison of assays of serum insulin and, using a double-antibody technique (Crowley, Garbien) (51) 345
Plasma, (total) insulin of diabetic children, measurement of, and insulin antibody levels (Dunlop, Court) (52) 353
Plasma, insulin levels, studies on, of diabetic patients in Karachi (Khalid, Ataur Rahman, Quraishi) (53) 163
Plasma, lipids, possible seasonal variation of, in a healthy population (Fuller, Grainger, Jarrett, Keen) (52) 305
Plasma, lipoproteins, isoelectrofocusing of human, in polyacrylamide gels: diagnosis of Type III hyperlipoproteinaemia ("broad beta" disease) (Godolphin, Stinson) (56) 97
Plasma, lipoproteins, human, isolation and analysis of, accumulating postprandial in an intermediate density fraction (d 1.006—1.019 g/ml) (Fellin, Agostini, Rost, Seidel) (54) 325
Plasma, lipoproteins, physiological method for the labelling of, with radioactive cholesterol (Sodhi, Kudchodkar) (51) 291
Plasma, magnesium in, citrate interference using Titan yellow method and two fluorimetric methods for determination of (Caddell, Erickson, Byrne) (50) 9
Plasma, 3-methoxy-4-hydroxyphenethylene glycol in (Dekirmenjian, Maas) (52) 203
Plasma oestradiol, an improved assay for, using competitive protein binding (Pratt, van der Linden, Doorenbos, Woldring) (50) 137
Plasma, phospholipids in, quantitative determination of, or blood serum by a nondestructive method (van Gent, Roseleur) (57) 197
Plasma, post-heparin human, determination and properties of monoglyceride hydrolase in (Noma, Okabe, Sakurada, Kita, Mizuno) (54) 177
Plasma, proteins, distribution of, and hyaluronic acid in synovial fluid and serum of human subjects in hydarthrosis (Poortmans, S'Jongers, Bidon) (55) 205
Plasma, proteins, lecithin:cholesterol acyltransferase and, in liver disease (Blomhoff, Skrede, Ritland) (53) 197
Plasma, proteins, quantitative immunoelectrophoresis of, in acute viral hepatitis, extrahepatic biliary obstruction, primary biliary cirrhosis and idiopathic haemochromatosis (Murray-Lyon, Williams) (51) 303
Plasma, proteins, thyroxine-binding properties of, a note on the estimation of (Simpson-Morgan, Sutherland) (57) 17
Plasma, renin, preparation of human angiotensinogen for, concentration assay (Tewksbury, Dumas, Premeau) (55) 383
Plasma, renin activity, incubation conditions during the radioimmunoassay of (Fleming, Stewart, Hutchinson) (50) 215
Plasma, renin activity measurements, problems connected with the analytical blank in, by angiotensin I radioimmunoassay (Malvano, Zucchelli, Gasser, Bartolini) (50) 161
Plasma, retinol-binding protein in blood, micromethod for fluorimetric assay of (Glover, Moxley, Muhilal, Weston) (50) 371
Plasma, testosterone in, a reliable method for the specific determination of (Watson, Fleetwood) (57) 135
Plasma, trapped, a new method for the determination of sodium and potassium

in human red blood cells using indocyanine green as a marker for (Vettore, Falezza, de Matteis, Cetto, Zandegiacomo) (55) 345
Plasma, triiodothyronine and thyroxine concentrations in, in normal healthy persons, radioimmunoassay study and comparison of seasonal variations in (Postmes, van Hout, Saat, Willems, Coenegracht) (50) 189
Plasma, tryptophan, determination of free and bound, by ultrafiltration (Baumann, Duruz, Heimann) (51) 35
Plasma, viscosity and coagulation in patients with liver cirrhosis (Leonhardt, Bungert) (50) 381
Plasmin, fibrinogenolysis by insolubilized (Matthias, Krause, Heene) (52) 91
Platelets, acidic glycosaminoglycans in human leukocytes and: the isolation and enzymatic characterization of chondroitin 4-sulfate (Murata) (57) 115
Platelet, glucose-6-phosphatase activity in, in patients with Von Gierke's disease and their parents (Negishi, Morishita, Kodama, Matsuo) (53) 175
Platelet, vitamin C determination of leucocyte vitamin C and, and the levels found in normal subjects (Attwood, Robey, Ross, Bradley, Kramer) (54) 95
Polarography, trypsin test, Nα-tosyl-L-arginine-p-nitroanilide as substrate in color test and, of trypsin (Bartík, Chavko, Kasafírek) (56) 23
Polyacrylamide gel, isoelectrofocusing in, human plasma lipoproteins: diagnosis of Type III hyperlipoproteinaemia ("broad beta" disease) (Godolphin, Stinson) (56) 97
Polyacrylamide gel, electrofocusing in, isozymes of glycogen phosphorylase in human and rabbit tissues. II (Proux, Vibert, Meienhofer, Dreyfus) (57) 211
Polyacrylamide (disc) gel electrophoresis, demonstration of phosphorylase in urines by (Takeo, Nitta, Nakamura) (57) 45
Polyacrylamide gel electrophoresis, the investigation of 'mid-band' lipoproteins using (Mead, Dangerfield) (51) 173
Polyacrylamide gel electrophoresis, urinary protein analysis with sodium dodecylsulphate-. A comparison with other analytical techniques (Balant, Mulli, Fabre) (54) 27
Polyacrylamide (disc) gel electrophoresis, the use of Nitroblue tetrazolium prestaining of serum lipoproteins on (Segal, Putman, Levi, Lewis) (53) 361
Polyamines, in human semen: presence of S-adenosyl-L-methionine decarboxylase (Thakur, Sheth, Rao) (55) 377
Polychlorinated biphenyl, poisoning, hypobilirubinaemia in patients with (Hirayama, Okumura, Nagai, Masuda) (55) 97
Polymorphism, of adenylate kinase in human jejunum on starch gel electrophoresis (Eze, Evans) (56) 91
Polymorphonuclear cell membrane, electrophoretic analysis of (Kitao, Hattori, Takeshita) (56) 211
Pompe's disease (glycogen storage disease Type II), the use of leucocytes as an aid in the diagnosis of (Koster, Slee, Hülsmann) (51) 319
Porphyrins, relation of erythrocyte, to haemoglobin, haematocrit, transferrin and serum iron (van Eijk, Wiltink, Bos) (53) 35
Post-heparin plasma, determination and properties of monoglyceride hydrolase in human (Noma, Okabe, Sakurada, Kita, Mizuno) (54) 177
Postprandial, accumulation of human plasma lipoproteins, isolation and analysis in an intermediate density fraction (d 1.006—1.019 g/ml) (Fellin, Agostini, Rost, Seidel) (54) 325
Potassium, a new method for the determination of sodium and, in human red blood cells, using indocyanine green as a marker for trapped plasma (Vettore, Falezza, de Matteis, Cetto, Zandegiacomo) (55) 345
Potassium, simultaneous measurement of Na, Ca, Mg, Cu, Zn and, balances in man (Hartley, Dawson, Hodgkinson) (52) 321
Pregnancy, acid hydrolases in amniotic fluid and chorionic villi at various stages of (Hultberg, Sjöblad, Gustavii) (53) 221
Pregnancy, alkaline ribonuclease activity in serum during (Biswas, Hindocha) (51) 285

Pregnancy, cystine aminopeptidase in, comparison of L-cystine-di-β-naphthylamide and S-benzyl-L-cysteine-4-p-nitroanilide as substrates for the assay of serum (Chapman, Burrows-Peakin, Rege, Silk) (51) 335
Pregnancy, follicle-stimulating hormone in serum and urine during (Biswas) (53) 57
Pregnancy, penicillins administered during, are they harmful to the foetus? (Wolfrum, Holweg, Gidion) (57) 125
Pregnancy, urinary excretion of unconjugated and conjugated progesterone metabolites in, during ampicillin administration (Martin, Peltonen, Laatikainen, Tikkanen, Pulkkinen) (55) 71
Pregnancy, urinary oestriol determinations during, standardisation of (Peace, Lever) (53) 323
non-Pregnancy, urinary pregnanediol in, a rapid method for the analysis of (Moore, Cooper) (56) 215
Pregnancy, vitamin B-6 nutrition in women with hyperemesis gravidarum during the first trimester of (Reinken, Gant) (55) 101
Pregnanediol, in non-pregnancy urine, a rapid method for the analysis of (Moore, Cooper) (56) 215
Pregnanediol, a simultaneous determination of pregnanetriol and, by gas-liquid chromatography (Rahman) (51) 233
Pregnanediol, in urine, analysis of steroid hormones by gas-liquid chromatography. 17-Ketosteroids, pregnanetriol and (Chevins, Launay, Julien, Dreux) (55) 333
Pregnanediol, in urine, gas-liquid chromatography of underivatized steroids: simultaneous determination of urinary 17-ketosteroids, pregnanetriol, pregnanetriolone and (Sanghvi, Wight, Serenko, Balachandran) (56) 49
Pregnanetriol, a simultaneous determination of pregnanediol and, by gas-liquid chromatography (Rahman) (51) 233
Pregnanetriol, in urine, analysis of steroid hormones by gas-liquid chromatography. 17-Ketosteroids, pregnanediol and (Chevins, Launay, Julien, Dreux) (55) 333
Pregnanetriol, in urine, gas-liquid chromatography of underivatized steroids: simultaneous determination of urinary 17-ketosteroids, pregnanediol, pregnanetriolone and (Sanghvi, Wight, Serenko, Balachandran) (56) 49
Pregnanetriolone, in urine, gas-liquid chromatography of underivatized steroids: simultaneous determination of urinary 17-ketosteroids, pregnanediol, pregnanetriol and (Sanghvi, Wight, Serenko, Balachandran) (56) 49
[^{3}H]Pregnenolone, biosynthesis of steroids from [^{14}C]cholesterol, [^{3}H]pregnenolone and, by human adrenal carcinoma tissue (Nishida, Jungmann) (52) 97
[^{3}H]Progesterone, biosynthesis of steroids from [^{14}C]cholesterol, [^{3}H]pregnenolone and, by human adrenal carcinoma tissue (Nishida, Jungmann) (52) 97
Progesterone, excretion of unconjugated and conjugated metabolites of, in pregnancy urine during ampicillin administration (Marin, Peltonen, Laatikainen, Tikkanen, Pulkkinen) (55) 71
Propionic acidaemia, method for determination of volatile organic acids in aqueous solutions and urine, and the results obtained in β-methyl-crotonylglycinuria, methylmalonic aciduria and (Chalmers, Bickle, Watts) (52) 31
Propionic acidaemia, studies on the urinary acidic metabolites excreted by patients with β-methylcrotonylglycinuria, methylmalonic acidaemia and, using gas-liquid chromatography and mass spectrometry (Chalmers, Lawson, Watts) (52) 43
Propranolol, (1-(2-hydroxy-3-isopropylamino-propoxy)naphthalene hydrochloride), a simple and rapid fluorimetric method for the estimation of, in blood (Ambler, Singh, Lever) (54) 373
Prostaglandins, quantitative determination of, in human gastric juice by radioimmunoassay (Peskar, Holland, Peskar) (55) 21
Prostatic carcinoma, serum Zn and α_2-macroglobulin concentration in, and myocardial infarction, decubitus ulcer, multiple myeloma, Down's syndrome and nephrotic syndrome (McBean, Smith Jr, Berne, Halsted) (50) 43

Prostatitis, distribution of IgA, IgG and IgM in the prostatic fluid of patients with (Gray, Billings, Blacklock) (57) 163
Proteins, erythrocyte membrane, alteration in a hereditary spherocytosis patient (Nozawa, Noguchi, Iida, Fukushima, Sekiya, Ito) (55) 81
Protein, from (human) leucocytes, release. Influence of medium and time of incubation (Houpert, Lahrichi, Savigny, Siest) (52) 143
Proteins, membrane surface, biochemical and immunological studies on isolated brush border membranes of human kidney cortex and their (Scherberich, Falkenberg, Mondorf, Müller, Pfleiderer) (55) 179
Proteins, monoclonal immunoglobulin-G, heterogeneity studied by isoelectric focusing (Brendel, Mulder, Verhaar) (54) 243
Proteins, plasma, lecithin:cholesterol acyltransferase and, in liver disease (Blomhoff, Skrede, Ritland) (53) 197
Protein, plasma, a note on the estimation of thyroxine-binding properties of (Simpson-Morgan, Sutherland) (57) 17
Proteins, plasma, quantitative immunoelectrophoresis of, in acute viral hepatitis, extrahepatic biliary obstruction, primary biliary cirrhosis and idiopathic haemochromatosis (Murray-Lyon, Williams) (51) 303
Protein, retinol-binding, micromethod for fluorimetric assay in blood plasma (Glover, Moxley, Muhilal, Weston) (50) 371
Proteins, serum, the binding of indocyanine green and other organic anions to, in liver diseases (Kamisaka, Yatsuji, Yamada, Kameda) (53) 255
Protein, urinary, analysis with sodium dodecylsulphate polyacrylamide gel electrophoresis. A comparison with other analytical techniques (Balant, Mulli, Fabre) (54) 27
Proteins, urinary, analytical characterisation of, from 60 patients with monoclonal gammopathies (Virella, Pires, Marques Coelho) (50) 63
Protein binding, competitive, analysis of vitamin B-12 using Lactobacillus leichmannii as a specific binder (van de Wiel, de Vries, Woldring, Nieweg) (55) 155
Protein binding, competitive, analysis of vitamin B-12 using vitamin B-12-free serum as a standard diluent (van de Wiel, Koster-Otte, Goedemans, Woldring) (56) 131
Protein binding, competitive, assay for 25-hydroxycholecalciferol and 25-hydroxyergocalciferol in serum (Preece, O'Riordan, Lawson, Kodicek) (54) 235
Protein binding, competitive, an improved assay for plasma oestradiol using (Pratt, van der Linden, Doorenbos, Woldring) (50) 137
Protein binding, competitive, a simple assay for plasma cortisol (Baum, Tudor, Landon) (55) 147
Protein binding, competitive, a simple direct assay for cyclic AMP in plasma and other biological samples using an improved technique (Tovey, Oldham, Whelan) (56) 221
Protein binding, C-reactive, by lecithin, significance of: a simplified procedure for isolation of C-reactive protein (Hokama, Tam, Hirano, Kimura) (50) 53
Protein-lipid complex, an unusual, observed in an IgG myeloma patient (Koga, Kozuru, Hirayama, Ibayashi) (54) 169
Protein-vitamin B-12 conjugates, production and purification of antibody against, for radioimmunoassay purposes (van de Wiel, Goedemans, Woldring) (56) 143
Proteinase, changes in serum, inhibitor levels following bone surgery (Dickson, Alper) (54) 381
Proteinuria, cholinesterase, arylesterase and (Vincent, Magron) (50) 181
Proteinuria, loss of tubular, pattern during urine concentration with a commercial membrane filter cell (Minicon® B-15 system) (Lindstedt, Lundberg) (56) 125
Pseudo-Hurler polydystrophy, acid hydrolase deficiencies and abnormal glycoproteins in mucolipidosis III (Berman, Kohn, Yatziv, Stein) (52) 115
Psoriatic erythroderma, transiently increased urinary excretion of low-sulphated heparan sulphate in, associated with benign gammopathy (Friman, Juvani, Johansson) (57) 103

Pulmonary maturation, foetal, study of, by determination of palmitic acid/stearic acid ratio (Alcindor, Bereziat, Vielh, Gautray) (50) 31
Pulmonary tuberculosis, glycoproteins and glycosaminoglycans in human (Maeta, Endo, Yosizawa) (57) 255
Puric bases, separation and evaluation of, and their nucleosides and nucleotides by thin-layer chromatography (Chivot, Leibrandt, Rouvroy, Simeon, Caen) (53) 69
Putrescine, elevation of, and spermidine in sera of patients with solid tumours (Nishioka, Romsdahl) (57) 155
Pyridoxal phosphate, and the measurement of aminotransferase activity (Cheung, Briggs) (54) 127
Pyridoxine, activity measurements of erythrocyte glutamic-oxaloacetic transaminase in women taking oral contraceptives and (Feltkamp, Patt, Zilliken) (53) 305
Pyridoxine, effect of, treatment on the urinary excretion of some unusual sulphur-containing amino acids in a cystathioninuric patient (Kodama, Ikegami, Hirayama, Mizuhara) (51) 29
Pyroglobulin, immunoglobulin A (IgA) with properties of both cryoglobulin and (Watanabe, Kitamura, Shimizu) (52) 231
Pyruvate, effect of, and thyroid hormone and lactate dehydrogenase on the assay of diphosphoglycerate mutase (Torrance) (50) 103
Pyruvate kinase, electrophoresis in normal and pyruvate kinase deficient hemolysates (Wonneberger, Schröter) (51) 147
Pyruvate kinase, further evidence of molecular alteration and aberration of erythrocyte (Nakashima) (55) 245
Pyruvate metabolism, effect of Al-chlorophenoxyisobutyrate (alufibrate) on, and on the fate of very low density lipoprotein lipids in hyperlipidaemic patients (Stähelin, Locher, Maier) (54) 115

R

Race (black-white), differences in serum creatine phosphokinase activity (Meltzer, Holy) (54) 215

Radial immunodiffusion, multiple precipitation in IgA, by non-identical antigens (Brendel, Mulder, Verhaar) (55) 103

Radioimmunoassay, of angiotensin I, problems connected with the analytical blank in plasma renin activity measurements by (Malvano, Zucchelli, Gasser, Bartolini) (50) 161

Radioimmunoassay, digoxin: improved precision with iodinated tracer (Chambers) (57) 191

Radioimmunoassay, electroradioimmunoassay: a new type of double antibody, based on electroimmunodiffusion (Matzku, Ludwig, Rapp) (54) 317

Radioimmunoassay, for human parathyroid hormone (Woo, Singer) (54) 161

Radioimmunoassay, of insulin, effects of methodological variables on (Malvano, Quesada, Rolleri, Gandolfi, Zucchelli) (51) 127

Radioimmunoassay, of methotrexate in biological fluids (Bohuon, Duprey, Boudene) (57) 263

Radioimmunoassay, of 17β-oestradiol, the use of 17β-oestradiol-6-(O-carboxymethyl)oxime [^{125}I]tyramine as tracer for the (Lindberg, Edqvist) (53) 169

Radioimmunoassay, of plasma aldosterone by chromatography on Sephadex LH 20 (Daniel, Mion, Soulas) (55) 235

Radioimmunoassay, of plasma renin activity, incubation conditions during (Fleming, Stewart, Hutchinson) (50) 215

Radioimmunoassay, the preparation and properties of an antiserum for the, of serum conjugated cholic acid (Murphy, Edkins, Williams, Catty) (54) 81

Radioimmunoassay, production and purification of antibody against protein-vitamin B-12 conjugates for purposes of (van de Wiel, Goedemans, Woldring) (56) 143

Radioimmunoassay, quantitative determination of prostaglandins in human gastric juice by (Peskar, Holland, Peskar) (55) 21

Radioimmunoassay, rapid, for the evaluation of thyroxine in unextracted serum (Herrmann, Rusche, Krüskemper) (54) 69

Radioimmunoassay, of T_4 and T_3, study and comparison of seasonal variations in plasma triiodothyronine and thyroxine concentrations in normal healthy persons (Postmes, van Hout, Saat, Willems, Coenegracht) (50) 189

Radioimmunoassay, of triiodothyronine (T_3): a study of the interactions of T_3 with anti-T_3 antisera and with thyroxine binding globulin in the presence of ANS (ammonium-8-anilino naphthalene-1-sulfonate) (Malkus, Donabedian) (51) 191

Radioiodination, of lipoproteins, a review of methods and metabolic studies associated with (Fidge) (52) 5

Radioiodination, of very low density lipoprotein, studies on the, obtained from different mammalian species (Fidge, Poulis) (52) 15

Reaction rate analyser, semi-automated assays for enzymopathies of carbohydrate metabolism in liver and erythrocytes, using a (Bulfield, Moore) (53) 265

Reaction rate analyser, LKB 8600, differential inhibition by L-phenylalanine and carbamide (urea) on the. Routine measurements and clinical evaluation of liver and bone alkaline phosphatase in human serum (Gerhardt, Nielsen, Nielsen, Olsen, Statland) (53) 281, 291

Renal failure, serum parathyroid hormone concentration in chronic, patients on maintenance haemodialysis (Wills, Fairney, Varghese, Tatler, Baillod, Moorhead) (57) 83

Renin, in plasma, incubation conditions during the radioimmunoassay of the activity of (Fleming, Stewart, Hutchinson) (50) 215

Renin, in plasma, preparation of human angiotensinogen for concentration assay of (Tewksbury, Dumas, Premeau) (55) 383
Renin, in plasma, problems connected with the analytical blank in activity measurements, by angiotensin I radioimmunoassay (Malvano, Zucchelli, Gasser, Bartolini) (50) 161
Resin, non-ionic, for extraction of drugs in blood (Missen, Lewin) (53) 389
Respiration, insufficiency of, and red cell 2,3-diphosphoglycerate. The correlation of 2,3-diphosphoglycerate with arterial pH, oxygen tension and hematocrit value (Hamasaki, Matsuda, Hamano, Hara, Minakami) (50) 385
Respiratory distress syndrome, idiopathic, and the phospholipids in the amniotic fluid (Verder, Clausen) (51) 271
Retardation, mental, abnormalities of tryptophan metabolism (kynurenine pathway) found in a group of 830 children with (Sabater, Ricós) (56) 175
Retinol-binding protein, in blood plasma, micromethod for fluorimetric assay of (Glover, Moxley, Muhilal, Weston) (50) 371
Rheumatic fever, study of caeruloplasmin in (Privalenko, Volkova, Astakhova) (57) 11
Ribonuclease, alkaline, in serum, activity during pregnancy (Biswas, Hindocha) (51) 285

S

Salicylates, modification of Trinder's method for the assay of, in biological fluids (Biber, Rhodes) (54) 135
Saliva, calcium and inorganic phosphate in, of patients with primary hyperparathyroidism (Weinberger, Sperling, de Vries) (50) 5
Saturation analysis, plot for exact calculation of specific activity in (Hollemans, Touber) (56) 305
Sedatives, new mixed bed column for rapid gas-liquid chromatographic determination of dilantin and, in serum (Levy, Schwartz) (54) 19
Semen, human, polyamines in: presence of S-adenosyl-L-methionine decarboxylase (Thakur, Sheth, Rao) (55) 377
Sephadex LH 20, radioimmunoassay of plasma aldosterone by chromatography on (Daniel, Mion, Soulas) (55) 235
Sepharose, preparation of a stable complex of intrinsic factor with,. A rapid and simple procedure (Brombacher, Gijzen, Soons) (52) 311
Serum, albumin, an assessment of the suitability of bromocresol green for the determination of (Webster, Bignell, Attwood) (53) 101
Serum, albumin, a comparison of bromocresol green and immunoprecipitation methods for the determination of (Ferreria, Price) (55) 259
Serum, alkaline phosphatase in routine measurements and clinical evaluation of liver and bone. Differential inhibition by L-phenylalanine and carbamide (urea) on the LKB 8600 reaction rate analyzer (Gerhardt, Nielsen, Nielsen, Olsen, Statland) (53) 281, 291
Serum, alkaline phosphatase, a thermostable (Nath, Saha) (55) 5
Serum, alkaline phosphatase in human, increased activity of non-specific β-lipoprotein-bound (van Husen, Gerlach) (53) 91
Serum, (intestinal) alkaline phosphatase in, of patients on maintenance haemodialysis (Walker) (55) 399
Serum, alkaline phosphatase isoenzymes in, pattern in the elderly and changes in total alkaline phosphatase levels with age (Sharland) (56) 187
Serum, alkaline phosphatase isoenzymes in human, demonstration of high molecular weight, by physico-chemical characterization and cellulose acetate electrophoresis (Fritsche Jr, Adams-Park) (52) 81
Serum, alkaline phosphatase isoenzyme activity, quantitative analysis of (Healy) (55) 407
Serum, alkaline ribonuclease activity during pregnancy (Biswas, Hindocha) (51) 285
Serum, aluminium determination in, by flameless atomic absorption (Fuchs, Brasche, Paschen, Nordbeck, Quellhorst, Peek) (52) 71
Serum, β-aminoisobutyric acid in, and in human urine (Solem, Jellum, Eldjarn) (50) 393
Serum, anti-trypsin activity, evaluation of a simple screening test for (Merry, Davies) (56) 249
Serum, barbiturate in, a quantitative determination of, and in urine (De Bruijn) (53) 385
Serum, bicarbonate, a simple automated method for the determination of bicarbonate in plasma and (den Boer, Mantel, Leijnse) (55) 87
Serum, bile acids in, quantitative analysis of, and in bile using gas-liquid chromatography (van Berge Henegouwen, Ruben, Brandt) (54) 249
Serum, bile acids in, simple method for the estimation of (Schwarz, v. Bergmann, Paumgartner) (50) 197
Serum, (unconjugated) bilirubin in human, new method for the determination of, by spectropolarimetry (Grahnén, Sjöholm, Michaëlsson) (52) 187
Serum, biochemical normal ranges in, the derivation of, from a hospital outpatient population (Little, Williams, Parker, Payne) (57) 91

Serum, carnitine levels in human, in health and disease (Böhmer, Rydning, Solberg) (57) 55
Serum, cholesterol, determination by mass fragmentography (Björkhem, Blomstrand, Svensson) (54) 185
Serum, (conjugated) cholic acid, the preparation and properties of an antiserum for the radioimmunoassay of (Murphy, Edkins, Williams, Catty) (54) 81
Serum, cholinesterase, estimation of, in the presence of anti-cholinesterase insecticides (Smith) (52) 315
Serum, concentration of, effect of, type of culture medium and pH on the lysosomal enzyme activity of cultured human amniotic fluid cells (Butterworth, Sutherland, Broadhead, Bain) (53) 239
Serum, creatine phosphokinase activity, black-white differences in (Meltzer, Holy) (54) 215
Serum, creatine phosphokinase activity, dialysis effect on, during steroid therapy in dermatomyositis (Snehalatha, Mascreen, Valmikinathan, Jagannathan) (53) 217
Serum, creatine phosphokinase activity, influence of the dilution effect on, in neuromuscular diseases (Dobosz) (50) 301
Serum, creatine phosphokinase isoenzymes of, in hypothyroidism, convulsion, myocardial infarction and other diseases (Goto) (52) 27
Serum, cystine aminopeptidase in, comparison of L-cystine-di-β-naphthylamide and S-benzyl-L-cysteine-4-p-nitroanilide as substrates for the assay of, in pregnancy (Chapman, Burrows-Peakin, Rege, Silk) (51) 335
Serum, enzyme activities in accidental hypothermia and hypothermic myxoedema (Maclean, Murison, Griffiths) (52) 197
Serum, enzyme activities, does haemoconcentration account for the changes in, following haemodialysis? (Wong, McKenzie, Henderson, Linton) (56) 105
Serum, enzyme activities, relationship of, to demographic variables in a healthy population (Goldberg, Winfield) (54) 357
Serum, (short-chain) fatty acids in, rapid and sensitive method for the determination of (van den Berg, Hommes) (51) 225
Serum, (free) fatty acid in, a modified radiochemical assay for, determination of (Chlouverakis, Hojnicki) (54) 91
Serum, follicle-stimulating hormone in, studies on, and urine during pregnancy (Biswas) (53) 57
Serum, globulin fractions, a study of the interaction of bromocresol green with isolated (Webster) (53) 109
Serum, γ-glutamyltranspeptidase in, decrease in, following abstention from alcohol (Lamy, Baglin, Ferrant, Weill) (56) 169
Serum, γ-glutamyltranspeptidase in, time course of, of low birth weight infants (Bakker, van der Heiden, Wadman) (50) 281
Serum, hexosaminidase, chromatographic study of, in normal human serum and G_{M2}-gangliosidosis (Yabuuchi, Sumi, Okada, Yutaka) (53) 85
Serum, hexosaminidase, Tay-Sachs carrier detection by mechanized assay of (Rosenberg, Cutler) (53) 247
Serum, hyaluronic acid in, distribution of plasma proteins in synovial fluid and, of human subjects in hydarthrosis (Poortmans, S'Jongers, Bidon) (55) 205
Serum, 25-hydroxycholecalciferol and 25-hydroxyergocalciferol in, a competitive protein-binding assay for (Preece, O'Riordan, Lawson, Kodicek) (54) 235
Serum, inactivator, to M subunit of lactate dehydrogenase isoenzymes (Nagamine) (50) 173
Serum, myo-inositol levels in human blood, rapid screening test for detection of elevated (Lewin, Melmed, Bank) (54) 377
Serum, insulin assays in, comparison of insulin assays in plasma and, using a double-antibody technique (Crowley, Garbien) (51) 345
Serum, iron, relation of erythrocyte porphyrins to haemoglobin, haematocrit, transferrin and (van Eijk, Wiltink, Bos) (53) 35
Serum, iron determination in blood, a rapid and sensitive catalytic method for (Bontchev, Raykowa, Alexiev, Yankova) (57) 37

Serum, iron determination in, study of the ICSH proposed reference model for: obtaining optically clear filtrates and substitution of ferrozine (Rice, Fenner) (53) 391
Serum, iron determination in, total Fe binding capacity and Fe in urine using atomic absorption spectrophotometry with Mn as internal standard (Pronk, Oldenziel, Lequin) (50) 35
Serum, lactate dehydrogenase isoenzyme in, quality control of separation of, using commercial quality control sera (McKenzie, Henderson) (51) 53
Serum, lactate dehydrogenase isoenzyme in, reliability of determinations of, in the diagnosis of myocardial infarction (Konttinen, Auvinen, Somer) (52) 245
Serum, lactate dehydrogenase isoenzyme in, sera with high lactate dehydrogenase activities. The effect of dilution and substrate repletion on the distribution of (McKenzie, Henderson) (50) 147
Serum, lipids, behaviour of, in children with hepatitis A (Tamir, Heldenberg, Levtow, Burstein, Lupo, Werbin) (56) 113
Serum, lipids, eicosatrienoic acid ω9 in, of patients with hepatocellular carcinoma (Okazaki, Araki) (53) 11
Serum, lipid and lipoprotein levels in normal Chinese (Ho, Chan) (57) 149
Serum, (abnormal) lipoproteins in, in cholestatic viral hepatitis (Picard, Veissiere, Bertrand) (51) 5
Serum, lipoprotein, studies of, concentrations in children: a preliminary report (Berenson, Pargaonkar, Srinivasan, Dalferes Jr, Radhakrishnamurthy) (56) 65
Serum, lipoproteins, the use of density gradient centrifugation for the separation of (Hinton, Al-Tamer, Mallinson, Marks) (53) 355
Serum, lipoproteins, the use of Nitroblue tetrazolium prestaining of, on polyacrylamide disc electrophoresis (Segal, Putman, Levi, Lewis) (53) 361
Serum, lipoproteins, in fasting rural Africans in Rhodesia, measured by membrane filtration and nephelometry (Jones, Gelfand) (57) 131
Serum, pre-α-lipoprotein, further characterization of the (Wille) (57) 63
Serum, pre-α-lipoprotein of human, studies on the, obtained by electrophoresis on agarose gel (Phillips, Wille) (50) 425
Serum, dense pre-β-lipoprotein of human, studies on the (Phillips) (53) 127
Serum, lysozyme activity, changes in, with physical exercise (Haralambie, Cerny) (55) 217
Serum, muramidase activity, usefulness of the determination of urinary and, in chronic and sub-acute myeloproliferative syndromes and in leukemia with a low percentage of myeloblasts. Semi-automatic kinetic method, and application to various pathological cases (Barthelemy, Bachard, Fiet, Brière, Dreux) (50) 257, 265
Serum, 5′-nucleotidase activity, scope and limitations of a kinetic assay for (Ismail, Williams) (55) 211
Serum, parathyroid hormone concentration in chronic renal failure patients on maintenance haemodialysis (Wills, Fairney, Varghese, Tatler, Baillod, Moorhead) (57) 83
Serum, phospholipids in blood, quantitative determination of, or plasma by a non-destructive method (van Gent, Roseleur) (57) 197
Serum, proteins, the binding of indocyanine green and other organic anions to, in liver diseases (Kamisaka, Yatsuji, Yamada, Kameda) (53) 255
Serum, proteinase, changes in, inhibitor levels following bone surgery (Dickson, Alper) (54) 381
Serum, putrescine and spermidine levels in, elevation of, of patients with solid tumours (Nishioka, Romsdahl) (57) 155
Serum (sera), screening of commercial control, for Australia antigen (Vacca, Trovati, di Siena) (50) 289
Serum, sedatives and Dilantin in, new mixed bed column for rapid gas-liquid chromatographic determination of (Levy, Schwartz) (54) 19
Serum, sex hormone binding globulin capacity, rapid method for the measurement of, of (Rudd, Duignan, London) (55) 165
Serum, thyroxine (T_4) in, an interlaboratory and intralaboratory comparison of, methodologies (Spierto, Hubert, Shaw) (56) 281

Serum, thyroxine in unextracted, rapid radioimmunoassay for the evaluation of (Herrmann, Rusche, Krüskemper) (54) 69
Serum triglycerides, comparison of the micronephelometric and enzymatic methods for the determination of (Dean) (50) 367
Serum, triglycerides, fully automated continuous flow system for determination of (Coudon, Bouige, Giraudet) (55) 129
Serum, vitamin B-12 in, competitive protein binding analysis of, using vitamin B-12-free, as a standard diluent (van de Wiel, Koster-Otte, Goedemans, Woldring) (56) 131
Serum, vitamin B-12 in, determination by two isotope dilution methods and by Euglena assay, with special reference to low values (Puutula, Stenman) (55) 263
Serum, zinc and α_2-macroglobulin concentration in myocardial infarction, decubitus ulcer, multiple myeloma, prostatic carcinoma, Down's syndrome and nephrotic syndrome (McBean, Smith Jr, Berne, Halsted) (50) 43
Serum, zinc, spectrophotometric submicrogram assay of: an application for the routine service laboratory (Carter) (52) 277
Serum, the Zn-α_2-glycoprotein level in human, during ontogenesis (Jirka, Blanický, Černá) (56) 31
Sex hormone binding globulin, rapid method for the measurement of, capacity of sera (Rudd, Duignan, London) (55) 165
Skeletal muscle, human, lipid autoxidation in (McMurray, Dormandy) (52) 105
Skin, frog, further studies on epithelial transport defect in experimental and human Fanconi syndrome. Effects of maleic acid and L-cystine on sodium transport and (Na^+-K^+)-ATPase of the isolated (Kramer, Burgard) (55) 57
SMA 6/60, obstruction detection in the (Winston) (53) 375
SMA 12/60, adaptation of, methodology to the analysis of urine (Baines, Jarvis, Nisbet) (53) 331
Sodium, determination of, a new method for the determination of potassium and, in human red blood cells, using indocyanine green as a marker for trapped plasma (Vettore, Falezza, de Matteis, Cetto, Zandegiacomo) (55) 345
Sodium, determination of, simultaneous measurement of K, Ca, Mg, Cu, Zn and, balances in man (Hartley, Dawson, Hodgkinson) (52) 321
Sodium, transport of, further studies on epithelial transport defect in experimental and human Fanconi syndrome. Effects of maleic acid and L-cystine on, and (Na^+-K^+)-ATPase of the isolated frog skin (Kramer, Burgard) (55) 57
Sodium dodecylsulphate, disc gel electrophoresis, erythrocyte membrane of hereditary spherocytosis: alteration in surface ultrastructure and membrane proteins, as inferred by scanning electron microscopy and (Nozawa, Noguchi, Iida, Fukushima, Sekiya, Ito) (55) 81
Sodium dodecylsulphate, urinary protein analysis with, -polyacrylamide gel electrophoresis. A comparison with other analytical techniques (Balant, Mulli, Fabre) (54) 27
Sodium urate crystals, mono-, effect of synovial hyaluronate on the ingestion of, by leukocytes (Brandt) (55) 307
Soya bean oil, assay of glutethimide in, after haemodialysis (Sampson, Hensley) (52) 125
Specific activity, plot for exact calculation of, in saturation analysis (Hollemans, Touber) (56) 305
Spectra, solubility and absorption, of complexes resulting from interaction among human albumin, bromocresol green and detergents (Beng, Rasanayagam, Lim, Lau) (52) 257
Spectrofluorimetry, simultaneous analysis, of DOPA and the total amount of catecholamines adrenalin/noradrenalin in urine (Schwedt) (57) 291
Spectrophotometer, flame emission, phosgene production during aspiration into a (Legg) (50) 157
Spectrophotometry, see Atomic absorption spectrophotometry
Spectrophotometry, determination of chromium in faeces by atomic absorption (Gunčaga, Lentner, Haas) (57) 77
Spectrophotometry, study on the kinetics of pancreatic kallikrein with the substrate

benzoyl arginine ethyl ester using (Worthington, Cuschieri) (52) 129
Spectrophotometry, submicrogram serum zinc assay: an application for the routine service laboratory (Carter) (52) 277
Spectropolarimetry, new method for the determination of unconjugated bilirubin in human serum by (Grahnén, Sjöholm, Michaëlsson) (52) 187
Spermidine, elevation of putrescine and, in sera of patients with solid tumours (Nishioka, Romsdahl) (57) 155
Spherocytosis, hereditary, erythrocyte membrane of: alteration in surface ultrastructure and membrane proteins, as inferred by scanning electron microscopy and SDS-disc gel electrophoresis (Nozawa, Noguchi, Iida, Fukushima, Sekiya, Ito) (55) 81
Sphingomyelin/lecithin ratio, procedure for the determination of the, in amniotic fluid with a new detection reagent (Verhoeven, Merkus) (53) 229
Spina bifida, the molecular nature of α-fetoprotein in anencephaly and (Brock) (57) 315
Starch gel electrophoresis, isozymes of human α-L-fucosidase detectable by (Turner, Beratis, Turner, Hirschhorn) (57) 29
Stearic acid/palmitic acid ratio, foetal pulmonary maturation studied by determination of (Alcindor, Bereziat, Vielh, Gautray) (50) 31
Steroids, biosynthesis of, from [^{14}C]-cholesterol, [^{3}H]progesterone and [^{3}H]pregnenolone by human adrenal carcinoma tissue (Nishida, Jungmann) (52) 97
Steroids, interference in the Zimmerman test for (Richardson) (50) 151
Steroids, underivatized, gas-liquid chromatography of: simultaneous determination of urinary 17-ketosteroids, pregnanediol, pregnanetriol and pregnanetriolone (Sanghvi, Wight, Serenko, Balachandran) (56) 49
Steroids, urinary, separation of the sulphate and glucuronate fractions of, a new analytical method (Goertz, Crepy, Judas, Longchampt, Jayle) (51) 277
Steroid hormones, analysis of, by gas-liquid chromatography. 17-Ketosteroids, pregnanediol and pregnanetriol in the urine (Chevins, Launay, Julien, Dreux) (55) 333
Steroid therapy, dialysis effect on serum creatine phosphokinase during, in dermatomyositis (Snehalatha, Mascreen, Valmikinathan, Jagannathan) (53) 217
Sucrase, specificity of the ortho-toluidine reaction in weakly acid medium and its application to the determination of the activities of trehalase and (Ferard, Klumpp, Sall) (50) 207
Sulphate, separation of the glucuronate and, fractions of urinary steroids: a new analytical method (Goertz, Crepy, Judas, Longchampt, Jayle) (51) 277
Sulphur-containing amino acids, unusual, effect of pyridoxine treatment on the urinary excretion of some, in a cystathioninuric patient (Kadama, Ikegami, Hirayama, Mizuhara) (51) 29
Syndrome, carcinoid, catecholamine metabolism in the (Feldman, Butler, Chapman, Bivens) (51) 75
Syndromes, carcinoid and other having partial defects in tryptophan metabolism, variation of the tryptamine:indoleacetic acid ratio in urine (Stachow, Bousquet, Dreux) (50) 329
Syndrome, Crigler-Najjar, a pigment found in, and its similarity to an ultrafiltrable photoderivative of bilirubin (Kapitulnik, Kaufmann, Goitein, Cividalli, Blondheim) (57) 231
Syndrome, Down's, serum zinc and α_2-macroglobulin concentration in myocardial infarction, decubitus ulcer, multiple myeloma, prostatic carcinoma, nephrotic syndrome and (McBean, Smith Jr, Berne, Halsted) (50) 43
Syndrome, Gilbert's, assay of bilirubin UDPglucuronyl transferase on needle-biopsies applied to (Bellet, Raynaud) (53) 51
Syndrome, Hunter's, mucopolysaccharide degradation and excretion after hyaluronidase injection in patients with Hurler's syndrome and (Nader, Mourão, Toledo, Dietrich) (50) 245
Syndrome, Hurler's, mucopolysaccharide degradation and excretion after hyaluronidase injection in patients with Hunter's syndrome and (Nader, Mourão, Toledo, Dietrich) (50) 245

Syndrome, idiopathic respiratory distress, and the phospholipids in the amniotic fluid (Verder, Clausen) (51) 271
Syndrome, nephrotic, serum zinc and α_2-macroglobulin concentration in myocardial infarction, decubitus ulcer, multiple myeloma, prostatic carcinoma, Down's syndrome and (McBean, Smith Jr, Berne, Halsted) (50) 43
Syndrome, West's, cortisol in plasma and cerebrospinal fluid in children with, and with other diseases (Haberfellner, Auer, Gleispach) (54) 5
Synovial fluid, distribution of plasma proteins and hyaluronic acid in serum and, of human subjects in hydarthrosis (Poortmans, S'Jongers, Bidon) (55) 205
Synovial hyaluronate, effect of, on the ingestion of monosodium urate crystals by leukocytes (Brandt) (55) 307

T

Tay-Sachs disease, carrier detection by mechanized serum hexosaminidase assay (Rosenberg, Cutler) (53) 247

Testosterone, in plasma, a reliable method for the specific determination of, in plasma (Watson, Fleetwood) (57) 135

Thin-layer chromatography, a simple method for liquid scintillation counting of weak β-emitting labelled lipids after separation by (Pyrovolakis, Harry, Martin, McIntyre) (50) 441

Thin-layer chromatography, separation and evaluation of puric bases and their nucleosides and nucleotides by (Chivot, Leibrandt, Rouvroy, Simeon, Caen) (53) 69

Thin-layer chromatography, study of urinary imidazole derivatives by (Dhondt, Cartigny, Farriaux) (50) 297

Thymine, degradation of, the absolute configuration of β-aminoisobutyric acid formed by, in man (Solem) (53) 183

Thymol, turbidity test, modified, in hyperglobulinaemia (Maclagan, Pradhan, Sule, Wallsgrove, Cooke, Lee) (53) 339

Thyrocalcitonin, in vitro stimulation of apparent intestinal alkaline phosphatase activity by (Lechi, de Bastiani, Zatti) (57) 171

Thyroid disorders, carbonic anhydrase isoenzyme B in erythrocytes of subjects with (Anker, Mondrup) (54) 277

Thyroid hormone, effect of, and lactate dehydrogenase and pyruvate on the assay of diphosphoglycerate mutase (Torrance) (50) 103

Thyroxine, in plasma, a radioimmunoassay study and comparison of seasonal variations, and triiodothyronine concentrations in normal healthy persons (Postmes, van Hout, Saat, Willems, Coenegracht) (50) 189

Thyroxine, in serum, an interlaboratory and intralaboratory comparison of methodologies (Spierto, Hubert, Shaw) (56) 281

Thyroxine, in unextracted serum, rapid radioimmunoassay for the evaluation of (Herrmann, Rusche, Krüskemper) (54) 69

Thyroxine binding globulin, triiodothyronine radioimmunoassay: a study of the interactions of T_3 with anti-T_3 antisera and with, in the presence of ANS (ammonium-8-anilino naphthalene-1-sulfonate) (Malkus, Donabedian) (51) 191

Thyroxine binding globulin, the use of merthiolate for, -blocking in the radioimmunoassay of triiodothyronine (Kanagasabapathy, Wellby) (55) 267

Thyroxine binding parameters, a note on the estimation of (Simpson-Morgan, Sutherland) (57) 17

Titan yellow method, and two fluorimetric methods for Mg determination in plasma, citrate interference in (Caddell, Erickson, Byrne) (50) 9

Toluidine, specificity of the reaction of, in weakly acid medium. Its application to the determination of the activities of sucrase and trehalase (Ferard, Klumpp, Sall) (50) 207

o-Toluidine method, to determine glycaemia using diluted lactic acid (Geissbühler) (51) 221

N^{α}-Tosyl-L-arginine-p-nitroanilide, as substrate in colour test and polarographic test of trypsin (Bartík, Chavko, Kasafírek) (56) 23

Toxicology, application of a digital computer to emergency (Jatlow, Seligson) (50) 19

β-Trace protein, purification and urinary excretion studies in selected diseases (Whitsed, Penny) (50) 111

Transferrin, peak, simultaneous identification of the, on the crossed pherogram of the cerebrospinal fluid by means of standard human transferrin and the rocket technique of Laurell (Groc, Jendrey, Lahn) (54) 65

Transferrin, relation of erythrocyte porphyrins to haemoglobin, haematocrit, serum iron and (van Eijk, Wiltink, Bos) (53) 35

Transketolase, measurement of, in human red blood cells (Nicholas, Cunningham, Reid) (51) 331
Transphosphorylating activities, comparison of, of human liver and intestinal alkaline phosphatases (Whitaker, Moss) (52) 347
Trayser-Seligson enzyme assay, detection of substrate depletion using the (McLean, Gallwas) (54) 399
Trehalase, specificity of the ortho-toluidine reaction in weakly acid medium and its application to the determination of the activities of sucrase and (Ferard, Klumpp, Sall) (50) 207
Trichloroacetic acid, phosgene production during aspiration of, into a flame emission spectrophotometer (Legg) (50) 157
Triethylamino cellulose, separation of folates from antibiotics using (Landon) (52) 253
Triglycerides, in serum, comparison of the micronephelometric and enzymatic methods for the determination of (Dean) (50) 367
Triglycerides, in serum, fully automated continuous flow system for determination of (Coudon, Bouige, Giraudet) (55) 129
Trihydroxyindole, extraction of adrenaline and noradrenaline as, to enable fluorimetric determination of adrenaline without interference by noradrenaline (Schwedt) (51) 247
Triiodothyronine, radioimmunoassay study and comparison of seasonal variation in plasma, and thyroxine concentrations in normal healthy persons (Postmes, van Hout, Saat, Willems, Coenegracht) (50) 189
Triiodothyronine (T_3), radioimmunoassay of, a study of the interactions of T_3 with anti-T_3 antisera and with thyroxine binding globulin in the presence of ANS (ammonium-8-anilino naphthalene-1-sulfonate) (Malkus, Donabedian) (51) 191
Triiodothyronine, radioimmunoassay of, the use of merthiolate for thyroxine binding globulin (TBG)-blocking in the (Kanagasabapathy, Wellby) (55) 267
Trinder's method, modification of, for the assay of salicylates in biological fluids (Biber, Rhodes) (54) 135
Tritium-labelled chenodeoxycholic acid, randomly, as tracer in the determination of bile acid turnover in man (Einarsson, Hellström, Kallner) (56) 235
Trypsin, N^{α}-tosyl-L-arginine-p-nitroanilide as substrate in colour test and polarographic test of (Bartík, Chavko, Kasafírek) (56) 23
anti-Trypsin activity, evaluation of a simple screening test for serum (Merry, Davies) (56) 249
Tryptamine:indoleacetic acid ratio, variation of the, in urine in different syndromes which affect the tryptophan metabolism (Stachow, Bousquet, Dreux) (50) 329
Tryptophan, determination by ultrafiltration of free and bound plasma (Baumann, Duruz, Heimann) (51) 35
Tryptophan metabolism, abnormalities of, (kynurenine pathway) found in a group of 830 mentally retarded children (Sabater, Ricós) (56) 175
Tryptophan metabolism, variation of the urinary tryptamine:indoleacetic acid ratio in different syndromes which affect the (Stachow, Bousquet, Dreux) (50) 329
Tuberculosis, pulmonary, glycoproteins and glycosaminoglycans in human (Maeta, Endo, Yosizawa) (57) 255
Tumours, elevation of putrescine and spermidine in sera of patients with solid (Nishioka, Romsdahl) (57) 155
Turbidity correction, bichromatic colorimeter for automatic, in continuous flow analysis using only one flow cuvet (Borst, de Jong, Weijden) (55) 113
Turbidity test, a modified thymol, in hyperglobulinaemia (Maclagan, Pradhan, Sule, Wallsgrove, Cooke, Lee) (53) 339
o-Tyramine, urinary excretion of (King, Goodwin, Ruthven, Sandler) (51) 105
[^{125}I]Tyramine, conjugated to 17β-oestradiol-6-(O-carboxymethyl)oxime, tracer for the radioimmunoassay of 17β-oestradiol (Lindberg, Edqvist) (53) 169
Tyramine conjugation, enhanced, in Parkinson's disease (Bonham Carter, Youdim, Sandler, Hunter, Stern) (51) 327
Tyrosinaemia, a modified automated fluorimetric method for determination

of tyrosine in blood spotted on paper: a mass screening procedure for (Grenier, Laberge) (57) 71
Tyrosine, in blood, a modified automated fluorimetric method for determination of, spotted on paper: a mass screening procedure for tyrosinaemia (Grenier, Laberge) (57) 71
Tyrosine metabolism, ascorbic acid nutritional status and (Mohanram, Reddy) (56) 59
Tyrosinosis, fructose-1,6-diphosphatase deficiency: another enzyme defect which can present itself with the clinical features of (Bakker, de Bree, Ketting, van Sprang, Wadman) (55) 41

U

UDP-glucuronyl transferase, bilirubin, assay of, on needle biopsies applied to Gilbert's syndrome (Bellet, Raynaud) (53) 51
Ulcer, decubitus, serum Zn and α_2-macroglobulin concentration in, and myocardial infarction, multiple myeloma, prostatic carcinoma, Down's syndrome and nephrotic syndrome (McBean, Smith Jr, Berne, Halsted) (50) 43
Ulcer, duodenal, the carbohydrate and ester sulphate content of mucosal biopsies in health and in patients with (André, Bouhours, André, Descos, Lambert) (56) 255
Ultrafiltration, used for the determination of free and bound plasma tryptophan (Baumann, Duruz, Heimann) (51) 35
Uraemia, effect of, and kidney transplantation on the binding capacity of albumin (Dromgoole) (52) 301
Uraemia, experimental, inhibition of intestinal (Na^+-K^+)-ATPase in (Kramer, Bäcker, Krück) (50) 13
Uraemic patients, middle-sized ninhydrin-positive molecules in, treated by repeated haemodialysis. I. Preliminary characteristics (Hanicki, Sarnecka-Keller, Klein, Ślizowska) (54) 47
Uraemic subjects, carbonic anhydrase isoenzyme B in the erythrocytes of (Mondrup, Anker) (51) 141
Uranyl acetate, as an excellent fixative for lipoproteins after electrophoresis on agarose gel (Lózsa) (53) 43
Urea, (carbamide), differential inhibition by L-phenylalanine and, on the LKB 8600 reaction rate analyzer. Routine measurements and clinical evaluation of liver and bone alkaline phosphatase in human serum (Gerhardt, Nielsen, Nielsen, Olsen, Statland) (53) 281, 291
Urea, denaturation of Cohn's Fraction V by, increased sensitivity to (Kawaguchi, Matsushita) (50) 345
Urea cycle enzymes in human erythrocytes (Nishibe) (50) 305
Urinary excretion, of (some unusual sulphur-containing) amino acids, effect of pyridoxine treatment on the, in a cystathioninuric patient (Kodama, Ikegami, Hirayama, Mizuhara) (51) 29
Urinary excretion, of (unconjugated) aromatic acids, quantitative studies on the, in phenylketonuria (Chalmers, Watts) (55) 281
Urinary excretion, of catecholamines and 4-hydroxy-3-methoxymandelic acid effect of prolonged glucagon infusions on, and on adrenal medullary tissue levels of catecholamines in patients with severe cardiac disease (Hinterberger, Wilcken) (52) 153
Urinary excretion, of C6—C10 dicarboxylic acids in glycogen storage diseases types I and III (Dosman, Crawhall, Klassen, Mamer, Neumann) (51) 93
Urinary excretion, of (low-sulphated) heparan sulphate, transiently increased, in psoriatic erythroderma associated with benign gammopathy (Friman, Juvani, Johansson) (57) 103
Urinary excretion, of 3-hydroxyisovaleric acid, increased, in patients with keto-acidosis (Landaas) (54) 39
Urinary excretion, of morphine, quantitative determination by gas-liquid chromatography and variations in (Fry, Wills, Twycross) (51) 183
Urinary excretion, of (unconjugated and conjugated) progesterone metabolites in pregnancy during ampicillin administration (Martin, Peltonen, Laatikainen, Tikkanen, Pulkkinen) (55) 71
Urinary excretion, of β-trace protein and its purification, studied in selected diseases (Whitsed, Penny) (50) 111
Urinary excretion, of o-tyramine (King, Goodwin, Ruthven, Sandler) (51) 105
Urine, acid hydrolases in, isoenzymes of four, and kidney (Hultberg, Öckerman, Nordén) (52) 239

Urine, β-aminoisobutyric acid in, the absolute configuration of, and in human serum (Solem, Jellum, Eldjarn) (50) 393
Urine, δ-aminolaevulinic acid in, modification of the Berkó-Durkó method for the determination of (Rijks) (53) 23
Urine, ammonia in, determination of, with an ammonium electrode and with a direct method (Hoge, Hazenberg, Gips) (55) 273
Urine, α-amylase in, activation of (Irie, Hunaki, Bando, Kawai) (51) 241
Urine, analysis of, adaptation of SMA 12/60 methodology to (Baines, Jarvis, Nisbet) (53) 331
Urine, barbiturate in, a quantitative determination of, and in serum (De Bruijn) (53) 385
Urine, catecholamines in, analysis of, an improved auto-analyzer fluorescence method (Andersson, Hovmöller, Karlsson, Svensson) (51) 13
Urine, chondroitin in, of epidermolysis bullosa dystrophica et albo-papuloidea (Pasini) (Endo, Yamamoto, Yosizawa, Sasai, Saito) (57) 249
Urine, creatine in, a fluorimetric kinetic method for (Lau, Guilbault) (53) 209
Urine, cryo- Bence Jones protein, gelling at room temperature (Harris, Kohn) (53) 233
Urine, dipeptides in, determination of (Johnstone, Povall, Baty, Pousset, Charpentier, Lemonnier) (52) 137
Urine, DOPA and the total amount of the catecholamines noradrenalin/adrenalin in simultaneous spectrofluorimetric analysis of (Schwedt) (57) 291
Urine, ethanol determination in blood and, by mass fragmentography (Pereira, Summons, Rindfleisch, Duffield) (51) 109
Urine, 2-ethylhydracrylic acid: a newly described organic acid in (Mamer, Tjoa) (55) 199
Urine, follicle-stimulating hormone in, studies on, and in serum during pregnancy (Biswas) (53) 57
Urine, D-glucaric acid in, assay of, by an improved enzymatic procedure (Simmons, Davis, Dordoni, Williams) (51) 47
Urine, D-glucaric acid in, gas-liquid chromatographic method for the determination of (Gangolli, Longland, Shilling) (50) 237
Urine, glucose in, simple method to prevent interference from vitamin C with determination of (Brandt, Guyer, Banks Jr) (51) 103
Urine, γ-glutamyl transpeptidase activity in human, preservation of (Stokke) (57) 143
Urine, glycosaminoglycans in, gas-liquid chromatography measurement of glucosamine and galactosamine content of (Murphy, Pennock, London) (53) 145
Urine, 3,4-hexanedioic acid in, a previously unknown compound in human (Lindstedt, Steen, Wahl) (53) 143
Urine, homovanillic and 4-hydroxy-3-methoxymandelic acids in, gas chromatographic estimation of, using capillary columns (Goodwin, Ruthven, Sandler) (55) 111
Urine, homovanillic and iso-homovanillic acids in, selective and specific gas-liquid chromatographic and gas-liquid chromatographic/mass spectroscopic methods for the separation and quantitative determination of (Narasimhachari, Leiner, Plaut, Lin) (50) 337
Urine, homovanillic and vanillylmandelic acids in, a rapid and simple gas-liquid chromatographic procedure for (Roginsky, Gordon, Bennett) (56) 261
Urine, 5-hydroxyindoleacetic acid in, colorimetric determination of, following ion pair extraction of both acidic and basic phenothiazines (Vallon, Badinand, Descos, Bichon) (57) 1
Urine, (total) hydroxyproline in, a simplified procedure for the measurement of (Cleary, Saunders) (57) 217
Urine, hydroxyproline peptides of, in fluorosis (Anasuya, Narasinga Rao) (56) 121
Urine, imidazole derivatives in, thin-layer chromatographic study of (Dhondt, Cartigny, Farriaux) (50) 297
Urine, iron in, serum Fe and total Fe binding capacity, determination of, using atomic absorption spectrophotometry with Mn as internal standard (Pronk, Oldenziel, Lequin) (50) 35

Urine, keratan sulphate in, identification and quantitation of (Humbel) (52) 173
Urine, (acidic) metabolites in, studies on, excreted by patients with β-methylcrotonylglycinuria, propionic acidaemia and methylmalonic acidaemia, using gas-liquid chromatography and mass spectrometry (Chalmers, Lawson, Watts) (52) 43
Urine, metabolite in, isolation of a new, excreted in generalised congenital analgesia (Da Costa Maia, Pudles, Raw, Schmidt) (54) 225
Urine, morphine in, quantitative determination of, by gas-liquid chromatography and variations in excretion (Fry, Wills, Twycross) (51) 183
Urine, muramidase activity in, usefulness of the determination of, and serum in chronic and sub-acute myeloproliferative syndromes and in leukemia with a low percentage of myeloblasts. Semi-automatic kinetic method, and application to various pathological cases (Barthelemy, Bachard, Fiet, Brière, Dreux) (50) 257, 265
Urine, oestriol, standardisation of determinations during pregnancy (Peace, Lever) (53) 323
Urine, oestrogens in, determination by gas chromatography of the seven principal, at the end of gestation (Adessi, Eichenberger, Nhuan, Jayle) (55) 323
Urine, oestrogens in, an interlaboratory study of an automated technique for the assay of (Moscrop, Antcliff, Braunsberg, James, Goudie, Burnett) (56) 265
Urine, (volatile) organic acids in, method for determination of, and aqueous solutions and results obtained in propionic acidaemia, β-methylcrotonylglycinuria and methylmalonic aciduria (Chalmers, Bickle, Watts) (52) 31
Urine, oxalate in, a simplified and rapid enzymatic method for determination of (Hallson, Rose) (55) 29
Urine, phenylpropionic acid in the, of patients with phenylketonuria and normals (Pollitt) (55) 317
Urine, phenylpyruvic acid in, determination of, in phenylketonurics by enolborate method (Zelníček, Podhradská) (53) 373
Urine, phosphorylase in, demonstration of, by polyacrylamide disc gel electrophoresis (Takeo, Nitta, Nakamura) (57) 45
Urine, in pregnancy, excretion of unconjugated and conjugated progesterone metabolites in, during ampicillin administration (Martin, Peltonen, Laatikainen, Tikkanen, Pulkkinen) (55) 71
Urine, pregnanediol in non-pregnancy, a rapid method for the analysis of (Moore, Cooper) (56) 215
Urine, protein in, analysis with sodium dodecylsulphate polyacrylamide gel electrophoresis. A comparison with other analytical techniques (Balant, Mulli, Fabre) (54) 27
Urine, proteins in, analytical characterisation of, from 60 patients with monoclonal gammopathies (Virella, Pires, Marques Coelho) (50) 63
Urine, protein in human, with high calcium affinity in (Tejler, Lindgärde, Malmquist, Zettervall) (56) 75
Urine, (tubular) proteinuria pattern in, loss of, during urine concentration with a commercial membrane filter cell (Minicon® B-15 cell) (Lindstedt, Lundberg) (56) 125
Urine, steroids in, separation of the sulphate and glucuronate fractions of, a new analytical method (Goertz, Crepy, Judas, Longchampt, Jayle) (51) 277
Urine, (underivatized) steroids in, gas-liquid chromatography of, simultaneous determination of 17-ketosteroids, pregnanediol, pregnanetriol and pregnanetriolone (Sanghvi, Wight, Serenko, Balachandran) (56) 49
Urine, steroid hormones in, analysis of, by gas-liquid chromatography. 17-Ketosteroids, pregnanediol and pregnanetriol (Chevins, Launay, Julien, Dreux) (55) 333
Urine, tryptamine:indoleacetic acid ratio in, variation in different syndromes which affect the tryptophan metabolism (Stachow, Bousquet, Dreux) (50) 329
Urine, D-xylose in, a new simple ultramicromethod for the determination of, and in blood (Rozental, Tomaszewski) (50) 311

V

Vanillylmandelic acid, a rapid and simple gas-liquid chromatographic procedure for homovanillic acid and, in urine (Roginsky, Gordon, Bennett) (56) 261
Vanilmandelic acid, some critical remarks on a gas chromatographic determination of homovanillic acid and (Lanser, Oldenziel, Pronk, Lequin) (50) 293
Vasoconstriction, peripheral, catecholamines and, after open-heart surgery (Turton, Matthews) (50) 419
Viral hepatitis, quantitative immunoelectrophoresis of plasma proteins in acute, extrahepatic biliary obstruction, primary biliary cirrhosis and idiopathic haemochromatosis (Murray-Lyon, Williams) (51) 303
Vitamin B-6, nutrition in women with hyperemesis gravidarum during the first trimester of pregnancy (Reinken, Gant) (55) 101
Vitamin B-12, competitive protein binding of, using Lactobacillus leichmannii as a specific binder (van de Wiel, de Vries, Woldring, Nieweg) (55) 155
Vitamin B-12, in serum, comparison of analysis of, using vitamin B-12-free serum as a standard diluent (van de Wiel, Koster-Otte, Goedemans, Woldring) (56) 131
Vitamin B-12, experience with a commercial radioassay for (Voogd, Mantel) (54) 369
Vitamin B-12, in serum, comparison of determination of, by two isotope dilution methods and by Euglena assay, with special reference to low values (Puutula, Stenman) (55) 263
Vitamin B-12-protein conjugates, production and purification of antibody against, for radioimmunoassay purposes (van de Wiel, Goedemans, Woldring) (56) 143
Vitamin C, determination of platelet and leucocyte, and the levels found in normal subjects (Attwood, Robey, Ross, Bradley, Kramer) (54) 95
Vitamin C, simple method to prevent interference from, with urinary glucose determinations (Brandt, Guyer, Banks Jr) (51) 103
Von Gierke's disease, platelet glucose-6-phosphatase activity in patients with, and their parents (Negishi, Morishita, Kodama, Matsuo) (53) 175

W

West syndrome, preliminary studies in plasma and cerebrospinal fluid cortisol in children with, and other diseases (Haberfellner, Auer, Gleispach) (54) 5

X

D-Xylose, a new simple ultramicromethod for the determination of, in blood and urine (Rozental, Tomaszewski) (50) 311

Z

Zimmerman test, interference in the, for steroids (Richardson) (50) 151
Zinc, distribution of copper and, in human brain tissue (Smeyers-Verbeke, Defrise-Gussenhoven, Ebinger, Löwenthal, Massart) (51) 309
Zinc, in serum, and α_2-macroglobulin concentration in myocardial infarction, decubitus ulcer, multiple myeloma, prostatic carcinoma, Down's syndrome and nephrotic syndrome (McBean, Smith Jr, Berne, Halsted) (50) 43
Zinc, in serum, spectrophotometric submicrogram assay of: an application for the routine service laboratory (Carter) (52) 277
Zinc, simultaneous measurement of Na, K, Mg, Ca, Cu and, balances in man (Hartley, Dawson, Hodgkinson) (52) 321
Zinc-α_2-glycoprotein, level in human serum during ontogenesis (Jirka, Blanický, Černá) (56) 31